



943 Warehouse Stock Transfer Shipment Advice - Canada

VICS EDI

Version: 005050VICS

Author:	GS1 US & GS1 Canada
Publication:	12/31/2008
Notes:	July, 2009 Implementation

Table of Contents

943	Warehouse Stock Transfer Shipment Advice - Canada	1
ST	Transaction Set Header	2
W06	Warehouse Shipment Identification	3
0100	Loop Party Identification	4
N1	Party Identification	5
G62	Date/Time	7
W27	Carrier Details (Warehouse)	8
0200	Loop Item Detail Total	9
W04	Item Detail Total	10
G69	Line Item Detail - Description	16
N9	Extended Reference Information	17
W03	Total Shipment Information (Warehouse)	18
SE	Transaction Set Trailer	23

943

Warehouse Stock Transfer Shipment Advice - Canada

Functional Group=AR

Purpose: This X12 Transaction Set contains the format and establishes the data contents of the Warehouse Stock Transfer Shipment Advice Transaction Set (943) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used by a depositor or an agent of the depositor to advise the recipient that a transfer shipment has been made. This transaction set provides a receiving location with detail information concerning product being shipped to that location.

For Supplier to Warehouse use only.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
0100	ST	Transaction Set Header	M	1			Must use	2
0200	W06	Warehouse Shipment Identification	M	1			Must use	3
LOOP ID - 0100						10		4
0400	N1	Party Identification	M	1			Must use	5
* 0500	N2	Additional Name Information	O	1				N/A
* 0600	N3	Party Location	O	2				N/A
* 0700	N4	Geographic Location	O	1				N/A
* 0800	PER	Administrative Communications Contact	O	5				N/A
* 0900	N9	Extended Reference Information	O	10				N/A
* 1000	G61	Contact	O	3				N/A
1100	G62	Date/Time	O	5			Used	7
* 1200	NTE	Note/Special Instruction	O	20				N/A
1300	W27	Carrier Details (Warehouse)	M	1			Must use	8
* 1400	W28	Consolidation Information	O	1				N/A
* 1500	W10	Warehouse Additional Carrier Information	O	1				N/A

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
LOOP ID - 0200						9999		9
0200	W04	Item Detail Total	M	1			Must use	10
0300	G69	Line Item Detail - Description	O	5			Used	16
0400	N9	Extended Reference Information	O	>1			Used	17
* 0500	W20	Line Item Detail - Packing	O	2				N/A

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
0100	W03	Total Shipment Information (Warehouse)	M	1			Must use	18
0200	SE	Transaction Set Trailer	M	1			Must use	23

ST Transaction Set Header

Pos: 0100	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use

Description: Code uniquely identifying a Transaction Set

CodeList Summary (Total Codes: 319, Included: 1)

<u>Code</u>	<u>Name</u>
943	Warehouse Stock Transfer Shipment Advice

ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	--------------------------------	---	----	-----	----------

Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

The number is sequentially assigned by the sender, starting with one within each functional group. For each functional group, the first transaction set control number will be 0001 and incremented by one for each additional transaction set within the group.

Semantics:

1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition. When used, this implementation convention reference takes precedence over the implementation reference specified in the GS08.

W06 Warehouse Shipment Identification

Pos: 0200	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 6

User Option (Usage): Must use

Purpose: To provide identifying numbers, dates, and other basic data for this transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
W0601	514	Reporting Code	M	ID	1/1	Must use
		Description: Code specifying the basis used when reporting shipment information				
		CodeList Summary (Total Codes: 13, Included: 2)				
		<u>Code</u>		<u>Name</u>		
		C		Customer Return - Full Detail		
		F		Full Detail		
W0602	285	Depositor Order Number	O	AN	1/22	Used
		Description: Identifying number for warehouse shipping order assigned by the depositor				
W0603	373	Date	O	DT	8/8	Used
		Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year				
W0604	145	Shipment Identification Number	O	AN	1/30	Used
		Description: Identification number assigned to the shipment by the shipper that uniquely identifies the shipment from origin to ultimate destination and is not subject to modification; (Does not contain blanks or special characters)				
W0605	531	Agent Shipment ID Number	O	AN	1/12	Used
		Description: Identification number assigned to the shipment by the agent (Number does not contain blank or punctuation characters)				
W0606	324	Purchase Order Number	O	AN	1/22	Used
		Description: Identifying number for Purchase Order assigned by the orderer/purchaser				

Syntax Rules:

1. P0708 - If either W0607 or W0608 is present, then the other is required.

Semantics:

1. W0603 is the actual date on which shipment was made.

Loop Party Identification

Pos: 0400	Repeat: 10
Mandatory	
Loop: 0100	Elements: N/A

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0400	N1	Party Identification	M	1		Must use

N1 Party Identification

Pos: 0400	Max: 1
Heading - Mandatory	
Loop: 0100	Elements: 4

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

CodeList Summary (Total Codes: 1506, Included: 3)

<u>Code</u>	<u>Name</u>
DE	Depositor
SF	Ship From
WH	Warehouse

N102	93	Name	X	AN	1/60	Used
------	----	-------------	---	----	------	------

Description: Free-form name

N103	66	Identification Code Qualifier	X	ID	1/2	Used
------	----	--------------------------------------	---	----	-----	------

Description: Code designating the system/method of code structure used for Identification Code (67)

CodeList Summary (Total Codes: 249, Included: 9)

<u>Code</u>	<u>Name</u>
1	D-U-N-S Number, Dun & Bradstreet <i>See External Code Source 16 in Section III for reference document.</i>
2	Standard Carrier Alpha Code (SCAC) <i>See External Code Source 17 in Section III for reference document.</i>
9	D-U-N-S+4, D-U-N-S Number with Four Character Suffix <i>See External Code Source 16 in Section III for reference document.</i>
21	Health Industry Number (HIN) <i>See External Code Source 121 in Section III for reference document.</i>
91	Assigned by Seller or Seller's Agent
92	Assigned by Buyer or Buyer's Agent
93	Code assigned by the organization originating the transaction set
94	Code assigned by the organization that is the ultimate destination of the transaction set
UL	Global Location Number (GLN) Description: A globally unique 13 digit code for the identification of a legal, functional or physical location within the Uniform Code Council (UCC) and International Article Number Association (EAN) numbering system <i>This is the 13-digit Global Location Number (GLN). See External Code Source 583 in Section III for reference document.</i>

N104	67	Identification Code	X	AN	2/80	Used
------	----	----------------------------	---	----	------	------

Description: Code identifying a party or other code

Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

G62 Date/Time

Pos: 1100	Max: 5
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G6201	432	Date Qualifier	X	ID	2/2	Used

Description: Code specifying type of date

CodeList Summary (Total Codes: 139, Included: 2)

<u>Code</u>	<u>Name</u>
02	Delivery Requested on This Date
11	Shipped on This Date

G6202	373	Date	X	DT	8/8	Used
-------	-----	------	---	----	-----	------

Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

Syntax Rules:

1. R0103 - At least one of G6201 or G6203 is required.
2. P0102 - If either G6201 or G6202 is present, then the other is required.
3. P0304 - If either G6203 or G6204 is present, then the other is required.

W27 Carrier Details (Warehouse)

Pos: 1300	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 6

User Option (Usage): Must use

Purpose: To specify details of the transportation equipment and carrier routing details

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
W2701	91	Transportation Method/Type Code	M	ID	1/2	Must use
Description: Code specifying the method or type of transportation for the shipment						
CodeList Summary (Total Codes: 81, Included: 1)						
		<u>Code</u>		<u>Name</u>		
		M		Motor (Common Carrier)		
		<i>Shipments made under class or commodity rates</i>				
W2702	140	Standard Carrier Alpha Code	X	ID	2/4	Used
Description: Standard Carrier Alpha Code						
W2703	387	Routing	X	AN	1/35	Used
Description: Free-form description of the routing or requested routing for shipment, or the originating carrier's identity						
W2704	146	Shipment Method of Payment	O	ID	2/2	Used
Description: Code identifying payment terms for transportation charges						
CodeList Summary (Total Codes: 31, Included: 1)						
		<u>Code</u>		<u>Name</u>		
		PP		Prepaid (by Seller)		
W2705	40	Equipment Description Code	O	ID	2/2	Used
Description: Code identifying type of equipment used for shipment						
CodeList Summary (Total Codes: 141, Included: 1)						
		<u>Code</u>		<u>Name</u>		
		TL		Trailer (not otherwise specified)		
W2707	207	Equipment Number	O	AN	1/15	Used
Description: Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)						

Syntax Rules:

1. R0203 - At least one of W2702 or W2703 is required.

Semantics:

1. W2702 is required when W2701 equals "B", "E", "H", "I", "K", "L", "M", "P" or "T".
2. W2706 is required when W2701 equals "R".

Comments:

1. Shipment/Order Status Code is used at the total-invoice level only when differences cannot be provided at the line-item level or when the entire order has been shipped complete.

Loop Item Detail Total

Pos: 0200	Repeat: 9999
Mandatory	
Loop: 0200	Elements: N/A

User Option (Usage): Must use

Purpose: To designate those line items that were shipped

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0200	W04	Item Detail Total	M	1		Must use
0300	G69	Line Item Detail - Description	O	5		Used
0400	N9	Extended Reference Information	O	>1		Used

W04 Item Detail Total

Pos: 0200	Max: 1
Detail - Mandatory	
Loop: 0200	Elements: 7

User Option (Usage): Must use

Purpose: To designate those line items that were shipped

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
W0401	382	Number of Units Shipped	M	R	1/10	Must use

Description: Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set

W0402	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use
-------	-----	------------------------------------	---	----	-----	----------

Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

CodeList Summary (Total Codes: 888, Included: 160)

<u>Code</u>	<u>Name</u>
12	Packet
15	Stick
1N	Count
26	Actual Tons
2W	Bin
	Description: Storage container used as a unit of measurement
50	Actual Kilograms
AF	Centigram
	Description: A unit of metric weight equal to 0.01 gram or 0.000035 ounce
AM	Ampoule
AR	Suppository
AS	Assortment
AV	Capsule
	Description: A compact metallic or plastic container for liquids or solids
AZ	British Thermal Units (BTUs) per Pound
BA	Bale
BF	Board Feet
BG	Bag
BK	Book
BO	Bottle
BP	100 Board Feet
BR	Barrel
BX	Box
C3	Centiliter
CA	Case
CC	Cubic Centimeter
CE	Centigrade, Celsius
	Degrees
CF	Cubic Feet
CH	Container
CI	Cubic Inches
CM	Centimeter
CN	Can
CR	Cubic Meter
CT	Carton
CW	Hundred Pounds (CWT)

CX	Coil
CY	Cubic Yard
D1	Dollars, Canadian
DA	Days
DC	Disk (Disc)
DD	Degree
DG	Decigram
DL	Deciliter
DM	Decimeter
DO	Dollars, U.S.
DR	Drum
DS	Display
DZ	Dozen
EA	Each
EP	Eleven pack
F2	International Unit Description: <i>A unit accepted by an international agency; potency of a drug/vitamin based on a specific weight of that drug/vitamin</i>
FA	Fahrenheit <i>Degrees</i>
FG	Transdermal Patch Description: <i>A drug delivery system which is placed on the skin and releases a drug at a constant rate through the skin</i>
FO	Fluid Ounce
FT	Foot <i>Feet</i>
FZ	Fluid Ounce (Imperial) Description: <i>A liquid unit of measure equal to 1/20 (.05) pint (Imperial), 28.416 cubic centimeters, or 28.416 milliliters</i>
GA	Gallon
GN	Gross Gallons
GR	Gram
GS	Gross
H3	18-Pack
H5	22-Pack
H6	30-Pack
H7	38-Pack
H8	62-Pack
H9	75-Pack
HC	Hundred Count
HL	Hundred Feet - Linear
HR	Hours
HS	Hundred Square Feet
IH	Inhaler Description: <i>Metered-dose pressurized method of getting medication into the lungs or nasal passages</i>
IN	Inch
J1	80-Pack
J3	81-Pack
J4	82-Pack
J5	84-Pack
J6	85-Pack
J7	96-Pack
J8	5000-Pack
J9	Left Unit

JC	Caplet Description: To denote items in caplet form
JL	Refill Description: Refers to the number of refill units in a package
JN	Pan Description: Refers to items in a pan (such as eye shadow) and would be associated with the number of different colors
JP	Prepack Description: To indicate this is "n" assortment product with different UPC codes on it
JS	Use Description: Refers to the number of uses from a product (such as a box of laundry detergent that provides sixty washes)
JT	Tin Description: Refers to giftware products in a tin
JV	Ovule Description: Refers to products which come in "ovule" form
JX	Exposure Description: To be used to indicate the number of exposures on a roll of film
KE	Keg Description: A unit of weight equal to 100 pounds, used for nails
KG	Kilogram
KT	Kit
L1	Right Unit
LB	Pound
LF	Linear Foot <i>Running Feet</i>
LT	Liter
LY	Linear Yard <i>Running Yard</i>
M4	Monetary Value
MC	Microgram
ME	Milligram
MJ	Minutes
ML	Milliliter
MM	Millimeter
MO	Months
MR	Meter
NG	Net Gallons
OP	Two pack
OZ	Ounce - Av
P1	Percent
P3	Three pack
P4	Four-pack
P5	Five-pack
P6	Six pack
P7	Seven pack
P8	Eight-pack
P9	Nine pack
PC	Piece
PD	Pad
PF	Pallet (Lift)
PH	Pack (PAK)
PK	Package
PL	Pallet/Unit Load

PR	Pair
PT	Pint
QB	Pages - Hardcopy Description: <i>Number of printed pages delivered</i>
QT	Quart
RL	Roll
S9	Slip Sheet Description: <i>A cardboard platform used for holding product for storage or transportation</i>
SH	Sheet
ST	Set
SX	Shipment
SY	Square Yard
SZ	Syringe Description: <i>Glass or plastic barrels used to administer fluid medication under the skin, into a vein artery, or into a muscle</i>
TB	Tube
TC	Truckload
TE	Tote
TH	Thousand
TK	Tank
TM	Thousand Feet (Board)
TP	Ten-pack
TS	Thousand Square Feet
U2	Tablet Description: <i>A compressed or molded block of solid material; a collection of sheet paper glued together at one edge</i>
UN	Unit
V2	Pouch
VI	Vial
WG	Wine Gallon
Y4	Tub Description: <i>A measure used to identify a storage container</i>
YD	Yard
YR	Years
Z7	13-pack Marketing
Z9	14-pack Marketing
ZF	16-pack Marketing
ZG	48-pack Component Parts
ZH	51-pack Component Parts
ZI	52-pack Component Parts
ZJ	60-pack Gift Packs
ZK	72-pack Gift Packs
ZL	83-pack Gift Packs
ZM	10-pack Marketing
ZN	120-pack Promotional
ZO	150-pack Component Parts
ZQ	200-pack Component Parts
ZR	1000-pack Component Parts
ZS	15-Pack

W0404 235 **Product/Service ID Qualifier** X ID 2/2 Used

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

CodeList Summary (Total Codes: 532, Included: 7)

<u>Code</u>	<u>Name</u>
CA	Case <i>CA - GTIN EAN/UCC-14 digit Shipping Unit – the data structure for a 14-digit EAN.UCC Global Trade Item Number that uniquely identifies a manufacturer's shipping unit encompassing non-consumer trade units such as cases, pallets and inner packs. The number includes the packaging indicator and check digit.</i>
EN	GTIN EAN/UCC - 13 Digit Data Structure Description: Data structure for the 13 digit EAN.UCC (EAN International.Uniform Code Council) Global Trade Item Number (GTIN)
EO	GTIN EAN/UCC - 8 Digit Data Structure Description: Data structure for the 8 digit EAN.UCC (EAN International.Uniform Code Council) Global Trade Item Number (GTIN)
UK	GTIN 14-digit Data Structure Description: Data structure for the 14 digit EAN.UCC (EAN International.Uniform Code Council) Global Trade Item Number (GTIN)
UO	EAN.UCC Serial Shipping Container Code (SSCC) Description: A 20 digit number comprising Application Identifier (AI) '00' and SSCC
UP	GTIN UCC - 12 Digit Data Structure Description: Data structure for the 12 digit EAN.UCC (EAN International.Uniform Code Council) Global Trade Item Number (GTIN). Also known as the Universal Product Code (U.P.C.)
VN	Vendor's (Seller's) Item Number
W0405	234 Product/Service ID X AN 1/48 Used Description: Identifying number for a product or service
W0406	235 Product/Service ID Qualifier X ID 2/2 Used Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) See W0404 for code list.

CodeList Summary (Total Codes: 532, Included: 7)

<u>Code</u>	<u>Name</u>
CA	Case <i>CA - GTIN EAN/UCC-14 digit Shipping Unit – the data structure for a 14-digit EAN.UCC Global Trade Item Number that uniquely identifies a manufacturer's shipping unit encompassing non-consumer trade units such as cases, pallets and inner packs. The number includes the packaging indicator and check digit.</i>
EN	GTIN EAN/UCC - 13 Digit Data Structure Description: Data structure for the 13 digit EAN.UCC (EAN International.Uniform Code Council) Global Trade Item Number (GTIN)
EO	GTIN EAN/UCC - 8 Digit Data Structure Description: Data structure for the 8 digit EAN.UCC (EAN International.Uniform Code Council) Global Trade Item Number (GTIN)
UK	GTIN 14-digit Data Structure Description: Data structure for the 14 digit EAN.UCC (EAN International.Uniform Code Council) Global Trade Item Number (GTIN)
UO	EAN.UCC Serial Shipping Container Code (SSCC) Description: A 20 digit number comprising Application Identifier (AI) '00' and SSCC
UP	GTIN UCC - 12 Digit Data Structure Description: Data structure for the 12 digit EAN.UCC (EAN International.Uniform Code Council) Global Trade Item Number (GTIN).

Also known as the Universal Product Code (U.P.C.)

VN Vendor's (Seller's) Item Number

W0407	234	Product/Service ID	X	AN	1/48	Used
-------	-----	---------------------------	---	----	------	------

Description: Identifying number for a product or service

W0413	844	Inbound Condition Hold Code	O	ID	2/2	Used
-------	-----	------------------------------------	---	----	-----	------

Description: Code designating condition status of units being shipped

CodeList Summary (Total Codes: 3, Included: 3)

<u>Code</u>	<u>Name</u>
01	QC Hold
02	Hold for further information
03	Committed hold

Syntax Rules:

1. R0304 - At least one of W0403 or W0404 is required.
2. P0405 - If either W0404 or W0405 is present, then the other is required.
3. P0607 - If either W0406 or W0407 is present, then the other is required.
4. P1011 - If either W0410 or W0411 is present, then the other is required.
5. P1415 - If either W0414 or W0415 is present, then the other is required.

G69 Line Item Detail - Description

Pos: 0300	Max: 5
Detail - Optional	
Loop: 0200	Elements: 1

User Option (Usage): Used

Purpose: To describe an item in free-form format

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G6901	369	Free-form Description	M	AN	1/45	Must use

Description: Free-form descriptive text

N9 Extended Reference Information

Pos: 0400	Max: >1
Detail - Optional	
Loop: 0200	Elements: 2

User Option (Usage): Used

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

CodeList Summary (Total Codes: 1777, Included: 9)

<u>Code</u>	<u>Name</u>
BV	Purchase Order Line Item Identifier (Buyer)
CO	Customer Order Number
DP	Department Number
LI	Line Item Identifier (Seller's)
LT	Lot Number
MR	Merchandise Type Code
PC	Production Code
PD	Promotion/Deal Number
PO	Purchase Order Number

N902	127	Reference Identification	X	AN	1/80	Used
------	-----	--------------------------	---	----	------	------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Syntax Rules:

1. R0203 - At least one of N902 or N903 is required.
2. C0605 - If N906 is present, then N905 is required.

Semantics:

1. N906 reflects the time zone which the time reflects.
2. N907 contains data relating to the value cited in N902.

W03 Total Shipment Information (Warehouse)

Pos: 0100	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 3

User Option (Usage): Must use
Purpose: To provide totals relating to the shipment

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
W0301	382	Number of Units Shipped	M	R	1/10	Must use
		Description: Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set				
W0302	81	Weight	X	R	1/10	Used
		Description: Numeric value of weight				
W0303	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				

CodeList Summary (Total Codes: 888, Included: 160)

<u>Code</u>	<u>Name</u>
12	Packet
15	Stick
1N	Count
26	Actual Tons
2W	Bin
	Description: Storage container used as a unit of measurement
50	Actual Kilograms
AF	Centigram
	Description: A unit of metric weight equal to 0.01 gram or 0.000035 ounce
AM	Ampoule
AR	Suppository
AS	Assortment
AV	Capsule
	Description: A compact metallic or plastic container for liquids or solids
AZ	British Thermal Units (BTUs) per Pound
BA	Bale
BF	Board Feet
BG	Bag
BK	Book
BO	Bottle
BP	100 Board Feet
BR	Barrel
BX	Box
C3	Centiliter
CA	Case
CC	Cubic Centimeter
CE	Centigrade, Celsius
	Degrees
CF	Cubic Feet
CH	Container
CI	Cubic Inches
CM	Centimeter

CN	Can
CR	Cubic Meter
CT	Carton
CW	Hundred Pounds (CWT)
CX	Coil
CY	Cubic Yard
D1	Dollars, Canadian
DA	Days
DC	Disk (Disc)
DD	Degree
DG	Decigram
DL	Deciliter
DM	Decimeter
DO	Dollars, U.S.
DR	Drum
DS	Display
DZ	Dozen
EA	Each
EP	Eleven pack
F2	International Unit Description: <i>A unit accepted by an international agency; potency of a drug/vitamin based on a specific weight of that drug/vitamin</i>
FA	Fahrenheit <i>Degrees</i>
FG	Transdermal Patch Description: <i>A drug delivery system which is placed on the skin and releases a drug at a constant rate through the skin</i>
FO	Fluid Ounce
FT	Foot <i>Feet</i>
FZ	Fluid Ounce (Imperial) Description: <i>A liquid unit of measure equal to 1/20 (.05) pint (Imperial), 28.416 cubic centimeters, or 28.416 milliliters</i>
GA	Gallon
GN	Gross Gallons
GR	Gram
GS	Gross
H3	18-Pack
H5	22-Pack
H6	30-Pack
H7	38-Pack
H8	62-Pack
H9	75-Pack
HC	Hundred Count
HL	Hundred Feet - Linear
HR	Hours
HS	Hundred Square Feet
IH	Inhaler Description: <i>Metered-dose pressurized method of getting medication into the lungs or nasal passages</i>
IN	Inch
J1	80-Pack
J3	81-Pack
J4	82-Pack
J5	84-Pack

J6	85-Pack
J7	96-Pack
J8	5000-Pack
J9	Left Unit
JC	Caplet Description: <i>To denote items in caplet form</i>
JL	Refill Description: <i>Refers to the number of refill units in a package</i>
JN	Pan Description: <i>Refers to items in a pan (such as eye shadow) and would be associated with the number of different colors</i>
JP	Prepack Description: <i>To indicate this is "n" assortment product with different UPC codes on it</i>
JS	Use Description: <i>Refers to the number of uses from a product (such as a box of laundry detergent that provides sixty washes)</i>
JT	Tin Description: <i>Refers to giftware products in a tin</i>
JV	Ovule Description: <i>Refers to products which come in "ovule" form</i>
JX	Exposure Description: <i>To be used to indicate the number of exposures on a roll of film</i>
KE	Keg Description: <i>A unit of weight equal to 100 pounds, used for nails</i>
KG	Kilogram
KT	Kit
L1	Right Unit
LB	Pound
LF	Linear Foot <i>Running Feet</i>
LT	Liter
LY	Linear Yard <i>Running Yard</i>
M4	Monetary Value
MC	Microgram
ME	Milligram
MJ	Minutes
ML	Milliliter
MM	Millimeter
MO	Months
MR	Meter
NG	Net Gallons
OP	Two pack
OZ	Ounce - Av
P1	Percent
P3	Three pack
P4	Four-pack
P5	Five-pack
P6	Six pack
P7	Seven pack
P8	Eight-pack
P9	Nine pack
PC	Piece
PD	Pad

PF	Pallet (Lift)
PH	Pack (PAK)
PK	Package
PL	Pallet/Unit Load
PR	Pair
PT	Pint
QB	Pages - Hardcopy Description: <i>Number of printed pages delivered</i>
QT	Quart
RL	Roll
S9	Slip Sheet Description: <i>A cardboard platform used for holding product for storage or transportation</i>
SH	Sheet
ST	Set
SX	Shipment
SY	Square Yard
SZ	Syringe Description: <i>Glass or plastic barrels used to administer fluid medication under the skin, into a vein artery, or into a muscle</i>
TB	Tube
TC	Truckload
TE	Tote
TH	Thousand
TK	Tank
TM	Thousand Feet (Board)
TP	Ten-pack
TS	Thousand Square Feet
U2	Tablet Description: <i>A compressed or molded block of solid material; a collection of sheet paper glued together at one edge</i>
UN	Unit
V2	Pouch
VI	Vial
WG	Wine Gallon
Y4	Tub Description: <i>A measure used to identify a storage container</i>
YD	Yard
YR	Years
Z7	13-pack Marketing
Z9	14-pack Marketing
ZF	16-pack Marketing
ZG	48-pack Component Parts
ZH	51-pack Component Parts
ZI	52-pack Component Parts
ZJ	60-pack Gift Packs
ZK	72-pack Gift Packs
ZL	83-pack Gift Packs
ZM	10-pack Marketing
ZN	120-pack Promotional
ZO	150-pack Component Parts
ZQ	200-pack Component Parts
ZR	1000-pack Component Parts
ZS	15-Pack

Syntax Rules:

1. P0203 - If either W0302 or W0303 is present, then the other is required.
2. P0405 - If either W0304 or W0305 is present, then the other is required.
3. P0607 - If either W0306 or W0307 is present, then the other is required.

SE Transaction Set Trailer

Pos: 0200	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	NO	1/10	Must use
		Description: Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <i>This must be the same number as is in the ST segment (ST02) for the transaction set.</i>				

Comments:

1. SE is the last segment of each transaction set.