



# **944 Warehouse Stock Transfer Receipt Advice - Canada**

VICS EDI

**Version: 006030VICS**

<b>Author:</b>	<b>GS1 US and GS1 Canada</b>
<b>Publication:</b>	<b>12/31/2011</b>
<b>Notes:</b>	<b>For implementation July 2012</b>

# Table of Contents

<b>944</b>	<b>Warehouse Stock Transfer Receipt Advice - Canada</b> .....	<b>1</b>
<b>ST</b>	<b>Transaction Set Header</b> .....	<b>3</b>
<b>W17</b>	<b>Warehouse Receipt Identification</b> .....	<b>4</b>
<b>0100</b>	<b>Loop Party Identification</b> .....	<b>5</b>
<b>N1</b>	<b>Party Identification</b> .....	<b>6</b>
<b>N9</b>	<b>Extended Reference Information</b> .....	<b>8</b>
<b>0200</b>	<b>Loop Transaction Set Line Number</b> .....	<b>9</b>
<b>LX</b>	<b>Transaction Set Line Number</b> .....	<b>10</b>
<b>210</b>	<b>Loop Item Detail For Stock Receipt</b> .....	<b>11</b>
<b>W07</b>	<b>Item Detail For Stock Receipt</b> .....	<b>12</b>
<b>N9</b>	<b>Extended Reference Information</b> .....	<b>19</b>
<b>W20</b>	<b>Line Item Detail - Packing</b> .....	<b>20</b>
<b>W14</b>	<b>Total Receipt Information</b> .....	<b>21</b>
<b>SE</b>	<b>Transaction Set Trailer</b> .....	<b>22</b>

# 944 Warehouse Stock Transfer Receipt Advice - Canada

## Functional Group=RE

**Purpose:** This X12 Transaction Set contains the format and establishes the data contents of the Warehouse Stock Transfer Receipt Advice Transaction Set (944) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used by a receiving location to advise a depositor or an agent of the depositor that a transfer shipment has been received. This transaction set provides the depositor or the depositor's agent with detail information concerning product that has been received.

### Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
0100	ST	Transaction Set Header	M	1			Must use	3
0200	W17	Warehouse Receipt Identification	M	1			Must use	4
<b>LOOP ID - 0100</b>						<b>10</b>		5
0400	N1	Party Identification	M	1			Must use	6
* 0500	N2	Additional Name Information	O	1				N/A
* 0600	N3	Party Location	O	2				N/A
* 0700	N4	Geographic Location	O	1				N/A
* 0800	PER	Administrative Communications Contact	O	5				N/A
0900	N9	Extended Reference Information	O	10			Used	8
* 1000	G61	Contact	O	3				N/A
* 1100	G62	Date/Time	O	5				N/A
* 1200	NTE	Note/Special Instruction	O	20				N/A
* 1300	W08	Receipt Carrier Information	O	1				N/A
* 1400	W18	Probe Temperatures	O	10				N/A
* 1500	G08	Pallet Receipt Disposition	O	2				N/A
* 1510	TD1	Carrier Details (Quantity and Weight)	O	5				N/A

### Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
<b>LOOP ID - 0200</b>						<b>&gt;1</b>		9
0010	LX	Transaction Set Line Number	M	1			Must use	10
* 0050	MAN	Marks and Numbers Information	O	1				N/A
* 0100	PAL	Pallet Type and Load Characteristics	O	>1				N/A
* 0150	N9	Extended Reference Information	O	5				N/A
<b>LOOP ID - 210</b>						<b>9999</b>		11
0200	W07	Item Detail For Stock Receipt	O	1			Used	12

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
* 0300	G69	Line Item Detail - Description	O	5				N/A
0400	N9	Extended Reference Information	O	>1			Used	19
0500	W20	Line Item Detail - Packing	O	2			Used	20
<b>* LOOP ID - 0211</b>					<b>50</b>			N/A
0700	W13	Item Detail Exception	O	1				N/A
0800	N9	Extended Reference Information	O	200				N/A

**Summary:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
0100	W14	Total Receipt Information	M	1			Must use	21
0200	SE	Transaction Set Trailer	M	1			Must use	22

# ST Transaction Set Header

Pos: 0100	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the start of a transaction set and to assign a control number

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use

**Description:** Code identifying a Transaction Set

**CodeList Summary** (Total Codes: 321, Included: 1)

**Code Name**

944 Warehouse Stock Transfer Receipt Advice

ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	--------------------------------	---	----	-----	----------

**Description:** Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

**Note 1:** *The number is sequentially assigned by the sender, starting with one within each functional group. For each functional group, the first transaction set control number will be 0001 and incremented by one for each additional transaction set within the group.*

## Semantics:

1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition. When used, this implementation convention reference takes precedence over the implementation reference specified in the GS08.

# W17 Warehouse Receipt Identification

Pos: 0200	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 7

**User Option (Usage):** Must use

**Purpose:** To provide identifying numbers and date

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
W1701	514	<b>Reporting Code</b>	M	ID	1/1	Must use
<b>Description:</b> Code specifying the basis used when reporting shipment information						
<b>CodeList Summary</b> (Total Codes: 13, Included: 2)						
<b>Code Name</b>						
C Customer Return - Full Detail						
F Full Detail						
W1702	373	<b>Date</b>	M	DT	8/8	Must use
<b>Description:</b> Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year						
W1703	394	<b>Warehouse Receipt Number</b>	M	AN	1/12	Must use
<b>Description:</b> Identification number assigned to a stock replenishment receipt by the warehouse						
W1704	285	<b>Depositor Order Number</b>	O	AN	1/22	Used
<b>Description:</b> Identifying number for warehouse shipping order assigned by the depositor						
W1705	145	<b>Shipment Identification Number</b>	O	AN	1/30	Used
<b>Description:</b> Identification number assigned to the shipment by the shipper that uniquely identifies the shipment from origin to ultimate destination and is not subject to modification; (Does not contain blanks or special characters)						
W1708	474	<b>Master Reference (Link) Number</b>	X	AN	1/22	Used
<b>Description:</b> Reference number assigned by the sender to relate a transaction set to a master transaction (When associating a group of purchase orders, invoices or other transaction sets, use the master reference (link) number to identify the group and the link sequence number to identify individual transaction sets within the group)						
W1709	472	<b>Link Sequence Number</b>	X	N0	6/6	Used
<b>Description:</b> A two-part number in the form "SSSTTT" where "SSS" is a sequentially assigned number and "TTT" equals the highest sequential number being used within the associated (linked) group (Leading zeros are required for both "SSS" and "TTT")						

## Syntax Rules:

1. P0607 - If either W1706 or W1707 is present, then the other is required.
2. P0809 - If either W1708 or W1709 is present, then the other is required.

## Semantics:

1. W1702 is the date indicating the receipt of a delivery.

# Loop Party Identification

<b>Pos: 0400</b>	<b>Repeat: 10</b>
<b>Mandatory</b>	
<b>Loop: 0100</b>	<b>Elements: N/A</b>

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0400	N1	Party Identification	M	1		Must use

# N1 Party Identification

Pos: 0400	Max: 1
Heading - Mandatory	
Loop: 0100	Elements: 4

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use

**Description:** Code identifying an organizational entity, a physical location, property or an individual

**CodeList Summary** (Total Codes: 1527, Included: 3)

**Code Name**

DE Depositor  
SF Ship From  
WH Warehouse

N102	93	<b>Name</b>	X	AN	1/60	Used
------	----	-------------	---	----	------	------

**Description:** Free-form name

N103	66	<b>Identification Code Qualifier</b>	X	ID	1/2	Used
------	----	--------------------------------------	---	----	-----	------

**Description:** Code specifying the system/method of code structure used for Identification Code (67)

**CodeList Summary** (Total Codes: 255, Included: 10)

**Code Name**

1 D-U-N-S Number, Dun & Bradstreet

**Note 1:**

*See External Code Source 16 in Section III for reference document.*

2 Standard Carrier Alpha Code (SCAC)

**Note 1:**

*See External Code Source 17 in Section III for reference document.*

9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix

**Note 1:**

*See External Code Source 16 in Section III for reference document.*

21 Health Industry Number (HIN)

**Note 1:**

*See External Code Source 121 in Section III for reference document.*

91 Assigned by Seller or Seller's Agent

92 Assigned by Buyer or Buyer's Agent

93 Code assigned by the organization originating the transaction set

94 Code assigned by the organization that is the ultimate destination of the transaction set

UL Global Location Number (GLN)

**Description:** A globally unique 13 digit code used for the identification of any physical or legal location that needs to be uniquely identified for use in the supply chain. A GS1 identification key



**Code Name**

**Note 1:**

*This is the 13-digit Global Location Number (GLN).  
See External Code Source 583 in Section III for reference document.*

UM GS1 Global Location Number with Extension Component

**Description:** *A globally unique 13-digit code with a one to twenty character extension component used, for the identification of a legal or physical location*

N104	67	<b>Identification Code</b>	X	AN	2/80	Used
------	----	----------------------------	---	----	------	------

**Description:** Code identifying a party or other code

**Syntax Rules:**

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

**Comments:**

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

# N9 Extended Reference Information

Pos: 0900	Max: 10
Heading - Optional	
Loop: N/A	Elements: 2

**User Option (Usage):** Used

**Purpose:** To transmit identifying information as specified by the Reference Identification Qualifier

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code identifying the Reference Identification

**Note 1:** *New code request: xx - Direct Delivery Indicator*

**CodeList Summary** (Total Codes: 1817, Included: 2)

### Code Name

OL Original Shipper's Bill of Lading Number

**Description:** *Number on the Original Bill of Lading assigned by the shipper*

SE Serial Number

N902	127	Reference Identification	X	AN	1/80	Used
------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

## Syntax Rules:

1. R0203 - At least one of N902 or N903 is required.
2. C0605 - If N906 is present, then N905 is required.

## Semantics:

1. N906 reflects the time zone which the time reflects.
2. N907 contains data relating to the value cited in N902.

# Loop Transaction Set Line Number

Pos: 0010	Repeat: >1
Mandatory	
Loop: 0200	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To reference a line number in a transaction set

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0010	LX	Transaction Set Line Number	M	1		Must use
0200		Loop 210	O		9999	Used

# LX Transaction Set Line Number

Pos: 0010	Max: 1
Detail - Mandatory	
Loop: 0200	Elements: 1

**User Option (Usage):** Must use

**Purpose:** To reference a line number in a transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LX01	554	Assigned Number	M	NO	1/6	Must use

**Description:** Number assigned for differentiation within a transaction set

# Loop Item Detail For Stock Receipt

Pos: 0200	Repeat: 9999
Optional	
Loop: 210	Elements: N/A

**User Option (Usage):** Used

**Purpose:** To indicate quantity and condition of product received

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0200	W07	Item Detail For Stock Receipt	O	1		Used
0400	N9	Extended Reference Information	O	>1		Used
0500	W20	Line Item Detail - Packing	O	2		Used

# W07 Item Detail For Stock Receipt

Pos: 0200	Max: 1
Detail - Optional	
Loop: 210	Elements: 9

**User Option (Usage):** Used

**Purpose:** To indicate quantity and condition of product received

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
W0701	380	Quantity	M	R	1/15	Must use

**Description:** Numeric value of quantity

W0702	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use
-------	-----	------------------------------------	---	----	-----	----------

**Description:** Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

**CodeList Summary** (Total Codes: 903, Included: 160)

**Code Name**

12 Packet

15 Stick

1N Count

26 Actual Tons

2W Bin

**Description:** Storage container used as a unit of measurement

50 Actual Kilograms

AF Centigram

**Description:** A unit of metric weight equal to 0.01 gram or 0.000035 ounce

AM Ampoule

AR Suppository

AS Assortment

AV Capsule

**Description:** A compact metallic or plastic container for liquids or solids

AZ British Thermal Units (BTUs) per Pound

BA Bale

BF Board Feet

BG Bag

BK Book

BO Bottle

BP 100 Board Feet

BR Barrel

BX Box

C3 Centiliter

CA Case

CC Cubic Centimeter

CE Centigrade, Celsius

**Note 1:**

Degrees

**Code Name**

CF	Cubic Feet
CH	Container
CI	Cubic Inches
CM	Centimeter
CN	Can
CR	Cubic Meter
CT	Carton
CW	Hundred Pounds (CWT)
CX	Coil
CY	Cubic Yard
D1	Dollars, Canadian
DA	Days
DC	Disk (Disc)
DD	Degree
DG	Decigram
DL	Deciliter
DM	Decimeter
DO	Dollars, U.S.
DR	Drum
DS	Display
DZ	Dozen
EA	Each
EP	Eleven pack
F2	International Unit

**Description:** A unit accepted by an international agency; potency of a drug/vitamin based on a specific weight of that drug/vitamin

FA Fahrenheit

**Note 1:**

*Degrees*

FG Transdermal Patch

**Description:** A drug delivery system which is placed on the skin and releases a drug at a constant rate through the skin

FO Fluid Ounce

FT Foot

**Note 1:**

*Feet*

FZ Fluid Ounce (Imperial)

**Description:** A liquid unit of measure equal to 1/20 (.05) pint (Imperial), 28.416 cubic centimeters, or 28.416 milliliters

GA Gallon

GN Gross Gallons

GR Gram

GS Gross

H3 18-Pack

H5 22-Pack

H6 30-Pack

H7 38-Pack

**Code Name**

H8	62-Pack
H9	75-Pack
HC	Hundred Count
HL	Hundred Feet - Linear
HR	Hours
HS	Hundred Square Feet
IH	Inhaler
	<b>Description:</b> <i>Metered-dose pressurized method of getting medication into the lungs or nasal passages</i>
IN	Inch
J1	80-Pack
J3	81-Pack
J4	82-Pack
J5	84-Pack
J6	85-Pack
J7	96-Pack
J8	5000-Pack
J9	Left Unit
JC	Caplet
	<b>Description:</b> <i>To denote items in caplet form</i>
JL	Refill
	<b>Description:</b> <i>Refers to the number of refill units in a package</i>
JN	Pan
	<b>Description:</b> <i>Refers to items in a pan (such as eye shadow) and would be associated with the number of different colors</i>
JP	Prepack
	<b>Description:</b> <i>To indicate this is "n" assortment product with different UPC codes on it</i>
JS	Use
	<b>Description:</b> <i>Refers to the number of uses from a product (such as a box of laundry detergent that provides sixty washes)</i>
JT	Tin
	<b>Description:</b> <i>Refers to giftware products in a tin</i>
JV	Ovule
	<b>Description:</b> <i>Refers to products which come in "ovule" form</i>
JX	Exposure
	<b>Description:</b> <i>To be used to indicate the number of exposures on a roll of film</i>
KE	Keg
	<b>Description:</b> <i>A unit of weight equal to 100 pounds, used for nails</i>
KG	Kilogram
KT	Kit
L1	Right Unit
LB	Pound
LF	Linear Foot
	<b>Note 1:</b> <i>Running Feet</i>
LT	Liter



**Code Name**

LY Linear Yard

**Note 1:***Running Yard*

M4 Monetary Value

MC Microgram

ME Milligram

MJ Minutes

ML Milliliter

MM Millimeter

MO Months

MR Meter

NG Net Gallons

OP Two pack

OZ Ounce - Av

P1 Percent

P3 Three pack

P4 Four-pack

P5 Five-pack

P6 Six pack

P7 Seven pack

P8 Eight-pack

P9 Nine pack

PC Piece

PD Pad

PF Pallet (Lift)

PH Pack (PAK)

PK Package

PL Pallet/Unit Load

PR Pair

PT Pint

QB Pages - Hardcopy

**Description:** *Number of printed pages delivered*

QT Quart

RL Roll

S9 Slip Sheet

**Description:** *A cardboard platform used for holding product for storage or transportation*

SH Sheet

ST Set

SX Shipment

SY Square Yard

SZ Syringe

**Description:** *Glass or plastic barrels used to administer fluid medication under the skin, into a vein artery, or into a muscle*

TB Tube

TC Truckload

TE Tote

**Code Name**

TH Thousand  
TK Tank  
TM Thousand Feet (Board)  
TP Ten-pack  
TS Thousand Square Feet  
U2 Tablet

**Description:** *A compressed or molded block of solid material; a collection of sheet paper glued together at one edge*

UN Unit  
V2 Pouch  
VI Vial  
WG Wine Gallon  
Y4 Tub

**Description:** *A measure used to identify a storage container*

YD Yard  
YR Years  
Z7 13-pack Marketing  
Z9 14-pack Marketing  
ZF 16-pack Marketing  
ZG 48-pack Component Parts  
ZH 51-pack Component Parts  
ZI 52-pack Component Parts  
ZJ 60-pack Gift Packs  
ZK 72-pack Gift Packs  
ZL 83-pack Gift Packs  
ZM 10-pack Marketing  
ZN 120-pack Promotional  
ZO 150-pack Component Parts  
ZQ 200-pack Component Parts  
ZR 1000-pack Component Parts  
ZS 15-Pack

W0704 235 **Product/Service ID Qualifier** X ID 2/2 Used

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**CodeList Summary** (Total Codes: 546, Included: 7)

**Code Name**

CA Case  
EN GTIN-13

**Description:** *A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items*

EO GTIN-8

**Description:** *An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items*

UK GTIN-14

**Description:** *A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items*

**Code Name**

UO EAN.UCC Serial Shipping Container Code (SSCC)  
**Description:** A 20 digit number comprising Application Identifier (AI) '00' and SSCC

UP GTIN-12  
**Description:** A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items

VN Vendor's (Seller's) Item Number

W0705 234 **Product/Service ID** X AN 1/80 Used

**Description:** Identifying number for a product or service

W0706 235 **Product/Service ID Qualifier** X ID 2/2 Used

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**CodeList Summary** (Total Codes: 546, Included: 7)

**Code Name**

CA Case

EN GTIN-13  
**Description:** A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

EO GTIN-8  
**Description:** An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items

UK GTIN-14  
**Description:** A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

UO EAN.UCC Serial Shipping Container Code (SSCC)  
**Description:** A 20 digit number comprising Application Identifier (AI) '00' and SSCC

UP GTIN-12  
**Description:** A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items

VN Vendor's (Seller's) Item Number

W0707 234 **Product/Service ID** X AN 1/80 Used

**Description:** Identifying number for a product or service

W0708 451 **Warehouse Lot Number** O AN 1/12 Used

**Description:** Reference number assigned by the warehouse

W0710 235 **Product/Service ID Qualifier** X ID 2/2 Used

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**CodeList Summary** (Total Codes: 546, Included: 7)

**Code Name**

CA Case

EN GTIN-13  
**Description:** A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

**Code Name**

EO	GTIN-8					
		<b>Description:</b> <i>An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items</i>				
UK	GTIN-14					
		<b>Description:</b> <i>A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items</i>				
UO	EAN.UCC Serial Shipping Container Code (SSCC)					
		<b>Description:</b> <i>A 20 digit number comprising Application Identifier (AI) '00' and SSCC</i>				
UP	GTIN-12					
		<b>Description:</b> <i>A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items</i>				
VN	Vendor's (Seller's) Item Number					

W0711	234	<b>Product/Service ID</b>	X	AN	1/80	Used
		<b>Description:</b> Identifying number for a product or service				

**Syntax Rules:**

1. R0304 - At least one of W0703 or W0704 is required.
2. P0405 - If either W0704 or W0705 is present, then the other is required.
3. P0607 - If either W0706 or W0707 is present, then the other is required.
4. P1011 - If either W0710 or W0711 is present, then the other is required.

**Semantics:**

1. Quantity received.

# N9 Extended Reference Information

Pos: 0400	Max: >1
Detail - Optional	
Loop: 210	Elements: 3

**User Option (Usage):** Used

**Purpose:** To transmit identifying information as specified by the Reference Identification Qualifier

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code identifying the Reference Identification

**CodeList Summary** (Total Codes: 1817, Included: 4)

**Code Name**

BV Purchase Order Line Item Identifier (Buyer)  
 LI Line Item Identifier (Seller's)  
 LT Lot Number  
 PC Production Code

N902	127	Reference Identification	X	AN	1/80	Used
------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

N904	373	Date	O	DT	8/8	Used
------	-----	------	---	----	-----	------

**Description:** Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

## Syntax Rules:

1. R0203 - At least one of N902 or N903 is required.
2. C0605 - If N906 is present, then N905 is required.

## Semantics:

1. N906 reflects the time zone which the time reflects.
2. N907 contains data relating to the value cited in N902.

# W20 Line Item Detail - Packing

Pos: 0500	Max: 2
Detail - Optional	
Loop: 210	Elements: 3

**User Option (Usage):** Used

**Purpose:** To specify packing details of the items shipped

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
W2004	81	<b>Weight</b>	X	R	1/10	Used
		<b>Description:</b> Numeric value of weight				
W2005	187	<b>Weight Qualifier</b>	X	ID	1/2	Used
		<b>Description:</b> Code specifying the type of weight				
		<b>CodeList Summary</b> (Total Codes: 53, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		N	Actual Net Weight			
W2006	188	<b>Weight Unit Code</b>	X	ID	1/1	Used
		<b>Description:</b> Code specifying the weight unit				
		<b>CodeList Summary</b> (Total Codes: 8, Included: 4)				
		<u>Code</u>	<u>Name</u>			
		G	Grams			
		K	Kilograms			
		L	Pounds			
		O	Ounces			

## Syntax Rules:

1. P0203 - If either W2002 or W2003 is present, then the other is required.
2. P040506 - If either W2004, W2005 or W2006 are present, then the others are required.
3. P0809 - If either W2008 or W2009 is present, then the other is required.

# W14 Total Receipt Information

Pos: 0100	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 1

**User Option (Usage):** Must use

**Purpose:** To indicate total received quantity

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
W1401	380	Quantity	M	R	1/15	Must use

**Description:** Numeric value of quantity

## Semantics:

1. Quantity received.
2. Number of units shipped.
3. Quantity damaged/On-Hold.
4. Lading quantity received.
5. Lading quantity.

# SE Transaction Set Trailer

Pos: 0200	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	<b>Number of Included Segments</b>	M	N0	1/10	Must use
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments				
SE02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				
		<b>Note 1:</b> <i>This must be the same number as in the ST segment (ST02) for the transaction set.</i>				

## Comments:

- SE is the last segment of each transaction set.