



997 Functional Acknowledgment - Canada

VICS EDI

Version: 007030VICS

Author:	GS1 Canada and GS1 US
Publication:	2016-12-31
Notes:	For implementation July 2017

Table of Contents

997 Functional Acknowledgment - Canada	1
ST Transaction Set Header	3
AK1 Functional Group Response Header	4
AK2 Loop Transaction Set Response Header	6
AK2 Transaction Set Response Header	7
AK3 Loop Data Segment Note	9
AK3 Data Segment Note	10
AK4 Data Element Note	11
AK5 Transaction Set Response Trailer	13
AK9 Functional Group Response Trailer	15
SE Transaction Set Trailer	18

997 Functional Acknowledgment - Canada

Functional Group=FA

Purpose: This X12 Transaction Set contains the format and establishes the data contents of the Functional Acknowledgment Transaction Set (997) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to define the control structures for a set of acknowledgments to indicate the results of the syntactical analysis of the electronically encoded documents. The encoded documents are the transaction sets, which are grouped in functional groups, used in defining transactions for business data interchange. This standard does not cover the semantic meaning of the information encoded in the transaction sets.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
0100	ST	Transaction Set Header	M	1		N1/0100	Must use	3
0200	AK1	Functional Group Response Header	M	1		N1/0200	Must use	4
<u>LOOP ID - AK2</u>					<u>>1</u>	<u>N1/0300L</u>		6
0300	AK2	Transaction Set Response Header	O	1		N1/0300	Used	7
<u>LOOP ID - AK3</u>					<u>>1</u>	<u>C1/0400L</u>		9
0400	AK3	Data Segment Note	O	1		C1/0400	Used	10
0500	AK4	Data Element Note	O	99			Used	11
0600	AK5	Transaction Set Response Trailer	M	1			Must use	13
0700	AK9	Functional Group Response Trailer	M	1			Must use	15
0800	SE	Transaction Set Trailer	M	1			Must use	18

Notes:

- 1/0100 These acknowledgments shall not be acknowledged, thereby preventing an endless cycle of acknowledgments of acknowledgments. Nor shall a Functional Acknowledgment be sent to report errors in a previous Functional Acknowledgment.
There is only one Functional Acknowledgment Transaction Set per acknowledged functional group. Only one acknowledgement can be sent for each functional group. The acknowledgment can be either a single Transaction Set 997 or a single Transaction Set 999 as mutually agreed upon by the trading partners. Different Functional Groups may have different acknowledgements, e.g. some Functional Groups, within the same interchange, may be acknowledged with the 997 and others with the 999.
- 1/0200 AK1 is used to respond to the functional group header and to start the acknowledgment for a functional group. There shall be one AK1 segment for the functional group that is being acknowledged.
The Functional Acknowledgement is generated at the point of translation, intended for the originator (not any intermediate parties).
The Functional Group Header Segment (GS) is used to start the envelope for the Functional Acknowledgment Transaction Sets. In preparing the functional group of acknowledgments, the application sender's code and the application receiver's code, taken from the functional group being acknowledged, are exchanged; therefore, one acknowledgment functional group responds to only those functional groups from one application receiver's code to one application sender's code.
- 1/0300L AK2 is used to start the acknowledgment of a transaction set within the received functional group. The AK2 segments shall appear in the same order as the transaction sets in the functional group that has been received and is being acknowledged.
- 1/0300 AK2 is used to start the acknowledgment of a transaction set within the received functional group. The AK2 segments shall appear in the same order as the transaction sets in the functional group that has been received and is being acknowledged.

Comments:

- 1/0400L The data segments of this standard are used to report the results of the syntactical analysis of the functional groups of transaction sets; they report the extent to which the syntax complies with the standards or proper subsets of transaction sets and functional groups. They do not report on the semantic meaning of the transaction sets (for example, on the ability of the receiver to comply with the request of the sender).
- 1/0400 The data segments of this standard are used to report the results of the syntactical analysis of the functional groups of transaction sets; they report the extent to which the syntax complies with the standards or proper subsets of transaction sets and functional groups. They do not report on the semantic meaning of the transaction sets (for example, on the ability of the receiver to comply with the request of the sender).

ST Transaction Set Header

Pos: 0100	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use

Description: Code identifying a Transaction Set

Note 1: 997 Functional Acknowledgment - Canada

Code List Summary (Total Codes: 322, Included: 1)

Code Name

997 Functional Acknowledgment

ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	---------------------------------------	---	----	-----	----------

Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

Note 1: The number is sequentially assigned by the sender, starting with one within each functional group. For each functional group, the first transaction set control number will be 0001 and incremented by one for each additional transaction set within the group.

Semantics:

1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition. When used, this implementation convention reference takes precedence over the implementation reference specified in the GS08.

AK1 Functional Group Response Header

Pos: 0200	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To start acknowledgment of a functional group

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AK101	479	Functional Identifier Code	M	ID	2/2	Must use

Description: Code identifying a group of application related transaction sets

Note 1: This is the functional group ID of the group that is being acknowledged, e.g., if a purchase order group is being acknowledged, the value would be PO. It is the value sent in GS01 for the original transmission.

Code List Summary (Total Codes: 263, Included: 43)

Code Name

AC	Associated Data (102)
AG	Application Advice (824)
AM	Item Information Request (893)
AN	Return Merchandise Authorization and Notification (180)
AR	Warehouse Stock Transfer Shipment Advice (943)
AW	Warehouse Inventory Adjustment Advice (947)
BL	Motor Carrier Bill of Lading (211)
CA	Purchase Order Change Acknowledgment/Request - Seller Initiated (865)
CD	Credit/Debit Adjustment (812)
CT	Application Control Totals (831)
DX	Direct Exchange Delivery and Return Information (894, 895)
FA	Functional or Implementation Acknowledgment Transaction Sets (997, 999)
GF	Response to a Load Tender (990)
IB	Inventory Inquiry/Advice (846)
IG	Direct Store Delivery Summary Information (882)
IN	Invoice Information (810)
IO	Ocean Shipment Billing Details (310, 312, 980)
OR	Organizational Relationships (816)
OW	Warehouse Shipping Order (940)
PA	Price Authorization Acknowledgment/Status (845)
PC	Purchase Order Change Request - Buyer Initiated (860)
PD	Product Activity Data (852)
PO	Purchase Order (850)
PR	Purchase Order Acknowledgment (855)
PS	Planning Schedule with Release Capability (830)
PT	Product Transfer and Resale Report (867)
QG	Product Information (878, 879, 888, 889, 896)
QM	Transportation Carrier Shipment Status Message (214)
RA	Payment Order/Remittance Advice (820)
RC	Receiving Advice/Acceptance Certificate (861)
RE	Warehouse Stock Receipt Advice (944)

Code Name

RF	Request for Routing Instructions (753)
RG	Routing Instructions (754)
RI	Routing and Carrier Instruction (853)
RP	Commission Sales Report (818)
RS	Order Status Information (869, 870)
SC	Price/Sales Catalog (832)
SH	Ship Notice/Manifest (856)
SM	Motor Carrier Load Tender (204)
SO	Ocean Shipment Information (304, 311, 317, 319, 322, 323, 324, 325, 326, 361)
SS	Shipping Schedule (862)
SW	Warehouse Shipping Advice (945)
TX	Text Message (864)

AK102 28 **Group Control Number** M NO 1/9 Must use

Description: Assigned number originated and maintained by the sender

Note 1: *This is the control number assigned to the group being acknowledged, e.g., this is the control number assigned by the sender of the original transmission. It is the value sent in GS06 for the original transmission.*

Semantics:

1. AK101 is the functional ID found in the GS segment (GS01) in the functional group being acknowledged.
2. AK102 is the functional group control number found in the GS segment in the functional group being acknowledged.
3. AK103 is the version release industry identifier code in the GS segment (GS08) in the functional group being acknowledged.

Loop Transaction Set Response Header

Pos: 0300	Repeat: >1
Optional	
Loop: AK2	Elements: N/A

User Option (Usage): Used

Purpose: To start acknowledgment of a single transaction set

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0300	AK2	Transaction Set Response Header	O	1		Used
0400		Loop AK3	O		>1	Used
0600	AK5	Transaction Set Response Trailer	M	1		Must use

AK2 Transaction Set Response Header

Pos: 0300	Max: 1
Heading - Optional	
Loop: AK2	Elements: 2

User Option (Usage): Used

Purpose: To start acknowledgment of a single transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AK201	143	Transaction Set Identifier Code	M	ID	3/3	Must use

Description: Code identifying a Transaction Set

Note 1: This is the transaction set ID of the transaction being acknowledged, e.g., if a purchase order is being acknowledged, the value would be 850. It is the value sent in ST01 for the original transmission.

Code List Summary (Total Codes: 322, Included: 49)

<u>Code</u>	<u>Name</u>
102	Associated Data
180	Return Merchandise Authorization and Notification
204	Motor Carrier Load Tender
211	Motor Carrier Bill of Lading
214	Transportation Carrier Shipment Status Message
301	Confirmation (Ocean)
303	Booking Cancellation (Ocean)
304	Shipping Instructions
310	Freight Receipt and Invoice (Ocean)
312	Arrival Notice (Ocean)
313	Shipment Status Inquiry (Ocean)
315	Status Details (Ocean)
753	Request for Routing Instructions
754	Routing Instructions
810	Invoice
812	Credit/Debit Adjustment
816	Organizational Relationships
818	Commission Sales Report
820	Payment Order/Remittance Advice
824	Application Advice
830	Planning Schedule with Release Capability
831	Application Control Totals
832	Price/Sales Catalog
845	Price Authorization Acknowledgment/Status
846	Inventory Inquiry/Advice
850	Purchase Order
852	Product Activity Data
853	Routing and Carrier Instruction
855	Purchase Order Acknowledgment
856	Ship Notice/Manifest
860	Purchase Order Change Request - Buyer Initiated

<u>Code</u>	<u>Name</u>
861	Receiving Advice/Acceptance Certificate
862	Shipping Schedule
864	Text Message
867	Product Transfer and Resale Report
869	Order Status Inquiry
870	Order Status Report
882	Direct Store Delivery Summary Information
889	Promotion Announcement
893	Item Information Request
894	Delivery/Return Base Record
895	Delivery/Return Acknowledgment or Adjustment
940	Warehouse Shipping Order
943	Warehouse Stock Transfer Shipment Advice
944	Warehouse Stock Transfer Receipt Advice
945	Warehouse Shipping Advice
947	Warehouse Inventory Adjustment Advice
990	Response to a Load Tender
997	Functional Acknowledgment

AK202	329	Transaction Set Control Number	M	AN	4/9	Must use
-------	-----	---------------------------------------	---	----	-----	----------

Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

Note 1: *This is the control number assigned to the transaction set being acknowledged, e.g., this is the control number assigned by the sender of the original transmission. It is the value sent in ST02 for the original transmission.*

Semantics:

1. AK201 is the transaction set ID found in the ST segment (ST01) in the transaction set being acknowledged.
2. AK202 is the transaction set control number found in the ST segment in the transaction set being acknowledged.
3. AK203 is the implementation convention reference, if any, found in the ST segment (ST03) in the transaction set being acknowledged.

Loop Data Segment Note

Pos: 0400	Repeat: >1
Optional	
Loop: AK3	Elements: N/A

User Option (Usage): Used

Purpose: To report errors in a data segment and identify the location of the data segment

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0400	AK3	Data Segment Note	O	1		Used
0500	AK4	Data Element Note	O	99		Used

AK3 Data Segment Note

Pos: 0400	Max: 1
Heading - Optional	
Loop: AK3	Elements: 4

User Option (Usage): Used

Purpose: To report errors in a data segment and identify the location of the data segment

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AK301	721	Segment ID Code	M	ID	2/3	Must use

Description: Code specifying the segment ID of the data segment in error (See Appendix A - Number 77)

Note 1: See External Code Source 77 in Section III for reference document.

AK302	719	Segment Position in Transaction Set	M	N0	1/10	Must use
-------	-----	--	---	----	------	----------

Description: The numerical count position of this data segment from the start of the transaction set: the transaction set header is count position 1

AK303	447	Loop Identifier Code	O	AN	1/6	Used
-------	-----	-----------------------------	---	----	-----	------

Description: The loop ID number given on the transaction set diagram is the value for this data element in segments LS and LE

AK304	720	Segment Syntax Error Code	O	ID	1/3	Used
-------	-----	----------------------------------	---	----	-----	------

Description: Code indicating error found based on the syntax editing of a segment

Code List Summary (Total Codes: 9, Included: 9)

Code Name

- | | |
|----|--|
| 1 | Unrecognized segment ID |
| 2 | Unexpected segment |
| 3 | Mandatory segment missing |
| 4 | Loop Occurs Over Maximum Times |
| 5 | Segment Exceeds Maximum Use |
| 6 | Segment Not in Defined Transaction Set |
| 7 | Segment Not in Proper Sequence |
| 8 | Segment Has Data Element Errors |
| 10 | Segment Has Excess Trailing Delimiters |

AK4 Data Element Note

Pos: 0500	Max: 99
Heading - Optional	
Loop: AK3	Elements: 4

User Option (Usage): Used**Purpose:** To report errors in a data element or composite data structure and identify the location of the data element**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AK401	C030	Position in Segment	M	Comp		Must use

Description: Code indicating the relative position of the simple data element or composite data structure in error within a segment, count beginning with 1 for the position immediately following the segment ID; additionally indicating the relative position of a repeating structure in error, count beginning with 1 for the position immediately following the preceding element separator; additionally indicating the relative position of a component of a composite data structure in error, count beginning with 1 for the position following the preceding element or repetition separator

AK401-01	722	Element Position in Segment	M	N0	1/2	Must use
----------	-----	------------------------------------	---	----	-----	----------

Description: This is used to indicate the relative position of a simple data element, or the relative position of a composite data structure with the relative position of the component within the composite data structure, in error; in the data segment the count starts with 1 for the simple data element or composite data structure immediately following the segment ID

AK401-02	1528	Component Data Element Position in Composite	O	N0	1/2	Used
----------	------	---	---	----	-----	------

Description: To identify the component data element position within the composite that is in error

AK402	725	Data Element Reference Code	O	AN	1/4	Used
-------	-----	------------------------------------	---	----	-----	------

Description: Code identifying the location of the data element in the Data Element Dictionary

Note 1: See External Code Source 77 in Section III for reference document.

AK403	723	Data Element Syntax Error Code	M	ID	1/3	Must use
-------	-----	---------------------------------------	---	----	-----	----------

Description: Code indicating the error found after syntax edits of a data element

Code List Summary (Total Codes: 13, Included: 8)

Code Name

- | | |
|----|--|
| 1 | Mandatory data element missing |
| 2 | Conditional required data element missing. |
| 3 | Too many data elements. |
| | Description: <i>More data elements existed than defined for the segment</i> |
| 4 | Data element too short. |
| 5 | Data element too long. |
| 6 | Invalid character in data element. |
| 7 | Invalid code value. |
| 16 | Composite Data Structure Contains Excess Trailing Delimiters |

AK404	724	Copy of Bad Data Element	O	AN	1/99	Used
-------	-----	---------------------------------	---	----	------	------

Description: This is a copy of the data element in error

Semantics:

1. In no case shall a value be used for AK404 that would generate a syntax error, e.g., an invalid character.

AK5 Transaction Set Response Trailer

Pos: 0600	Max: 1
Heading - Mandatory	
Loop: AK2	Elements: 6

User Option (Usage): Must use

Purpose: To acknowledge acceptance or rejection and report errors in a transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AK501	717	Transaction Set Acknowledgment Code	M	ID	1/1	Must use

Description: Code indicating accept or reject condition based on the syntax editing of the transaction set

Code List Summary (Total Codes: 6, Included: 3)

Code Name

A	Accepted
E	Accepted But Errors Were Noted
R	Rejected

AK502	718	Transaction Set Syntax Error Code	O	ID	1/3	Used
-------	-----	-----------------------------------	---	----	-----	------

Description: Code indicating error found based on the syntax editing of a transaction set

Code List Summary (Total Codes: 23, Included: 9)

Code Name

1	Transaction Set Not Supported
2	Transaction Set Trailer Missing
3	Transaction Set Control Number in Header and Trailer Do Not Match
4	Number of Included Segments Does Not Match Actual Count
5	One or More Segments in Error
6	Missing or Invalid Transaction Set Identifier
7	Missing or Invalid Transaction Set Control Number
18	Transaction Set not in Functional Group
23	Transaction Set Control Number Not Unique within the Functional Group

AK503	718	Transaction Set Syntax Error Code	O	ID	1/3	Used
-------	-----	-----------------------------------	---	----	-----	------

Description: Code indicating error found based on the syntax editing of a transaction set

Code List Summary (Total Codes: 23, Included: 9)

Code Name

1	Transaction Set Not Supported
2	Transaction Set Trailer Missing
3	Transaction Set Control Number in Header and Trailer Do Not Match
4	Number of Included Segments Does Not Match Actual Count
5	One or More Segments in Error
6	Missing or Invalid Transaction Set Identifier
7	Missing or Invalid Transaction Set Control Number
18	Transaction Set not in Functional Group
23	Transaction Set Control Number Not Unique within the Functional Group

AK504	718	Transaction Set Syntax Error Code	O	ID	1/3	Used
-------	-----	-----------------------------------	---	----	-----	------

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
------------	-----------	---------------------	------------	-------------	----------------	--------------

Description: Code indicating error found based on the syntax editing of a transaction set

Code List Summary (Total Codes: 23, Included: 9)

Code Name

- 1 Transaction Set Not Supported
- 2 Transaction Set Trailer Missing
- 3 Transaction Set Control Number in Header and Trailer Do Not Match
- 4 Number of Included Segments Does Not Match Actual Count
- 5 One or More Segments in Error
- 6 Missing or Invalid Transaction Set Identifier
- 7 Missing or Invalid Transaction Set Control Number
- 18 Transaction Set not in Functional Group
- 23 Transaction Set Control Number Not Unique within the Functional Group

AK505	718	Transaction Set Syntax Error Code	O	ID	1/3	Used
-------	-----	--	---	----	-----	------

Description: Code indicating error found based on the syntax editing of a transaction set

Code List Summary (Total Codes: 23, Included: 9)

Code Name

- 1 Transaction Set Not Supported
- 2 Transaction Set Trailer Missing
- 3 Transaction Set Control Number in Header and Trailer Do Not Match
- 4 Number of Included Segments Does Not Match Actual Count
- 5 One or More Segments in Error
- 6 Missing or Invalid Transaction Set Identifier
- 7 Missing or Invalid Transaction Set Control Number
- 18 Transaction Set not in Functional Group
- 23 Transaction Set Control Number Not Unique within the Functional Group

AK506	718	Transaction Set Syntax Error Code	O	ID	1/3	Used
-------	-----	--	---	----	-----	------

Description: Code indicating error found based on the syntax editing of a transaction set

Code List Summary (Total Codes: 23, Included: 9)

Code Name

- 1 Transaction Set Not Supported
- 2 Transaction Set Trailer Missing
- 3 Transaction Set Control Number in Header and Trailer Do Not Match
- 4 Number of Included Segments Does Not Match Actual Count
- 5 One or More Segments in Error
- 6 Missing or Invalid Transaction Set Identifier
- 7 Missing or Invalid Transaction Set Control Number
- 18 Transaction Set not in Functional Group
- 23 Transaction Set Control Number Not Unique within the Functional Group

AK9 Functional Group Response Trailer

Pos: 0700	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 9

User Option (Usage): Must use

Purpose: To acknowledge acceptance or rejection of a functional group and report the number of included transaction sets from the original trailer, the accepted sets, and the received sets in this functional group

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AK901	715	Functional Group Acknowledge Code	M	ID	1/1	Must use
Description: Code indicating accept or reject condition based on the syntax editing of the functional group						
Code List Summary (Total Codes: 7, Included: 4)						
<u>Code</u> <u>Name</u>						
A Accepted						
E Accepted, But Errors Were Noted.						
P Partially Accepted, At Least One Transaction Set Was Rejected						
R Rejected						
AK902	97	Number of Transaction Sets Included	M	N0	1/6	Must use
Description: Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element						
AK903	123	Number of Received Transaction Sets	M	N0	1/6	Must use
Description: Number of Transaction Sets received						
AK904	2	Number of Accepted Transaction Sets	M	N0	1/6	Must use
Description: Number of accepted Transaction Sets in a Functional Group						
AK905	716	Functional Group Syntax Error Code	O	ID	1/3	Used
Description: Code indicating error found based on the syntax editing of the functional group header and/or trailer						
Code List Summary (Total Codes: 26, Included: 12)						
<u>Code</u> <u>Name</u>						
1 Functional Group Not Supported						
2 Functional Group Version Not Supported						
3 Functional Group Trailer Missing						
4 Group Control Number in the Functional Group Header and Trailer Do Not Agree						
5 Number of Included Transaction Sets Does Not Match Actual Count						
6 Group Control Number Violates Syntax						
7 Invalid Application Sender's Code						
8 Invalid Application Receiver's Code						
9 Invalid Responsible Agency Code						
19 Functional Group Control Number not Unique within Interchange						
30 Invalid Group Date						
31 Invalid Group Time						

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AK906	716	Functional Group Syntax Error Code	O	ID	1/3	Used
Description: Code indicating error found based on the syntax editing of the functional group header and/or trailer						
Code List Summary (Total Codes: 26, Included: 12)						
<u>Code</u> <u>Name</u>						
1 Functional Group Not Supported						
2 Functional Group Version Not Supported						
3 Functional Group Trailer Missing						
4 Group Control Number in the Functional Group Header and Trailer Do Not Agree						
5 Number of Included Transaction Sets Does Not Match Actual Count						
6 Group Control Number Violates Syntax						
7 Invalid Application Sender's Code						
8 Invalid Application Receiver's Code						
9 Invalid Responsible Agency Code						
19 Functional Group Control Number not Unique within Interchange						
30 Invalid Group Date						
31 Invalid Group Time						
AK907	716	Functional Group Syntax Error Code	O	ID	1/3	Used
Description: Code indicating error found based on the syntax editing of the functional group header and/or trailer						
Code List Summary (Total Codes: 26, Included: 12)						
<u>Code</u> <u>Name</u>						
1 Functional Group Not Supported						
2 Functional Group Version Not Supported						
3 Functional Group Trailer Missing						
4 Group Control Number in the Functional Group Header and Trailer Do Not Agree						
5 Number of Included Transaction Sets Does Not Match Actual Count						
6 Group Control Number Violates Syntax						
7 Invalid Application Sender's Code						
8 Invalid Application Receiver's Code						
9 Invalid Responsible Agency Code						
19 Functional Group Control Number not Unique within Interchange						
30 Invalid Group Date						
31 Invalid Group Time						
AK908	716	Functional Group Syntax Error Code	O	ID	1/3	Used
Description: Code indicating error found based on the syntax editing of the functional group header and/or trailer						
Code List Summary (Total Codes: 26, Included: 12)						
<u>Code</u> <u>Name</u>						
1 Functional Group Not Supported						
2 Functional Group Version Not Supported						
3 Functional Group Trailer Missing						
4 Group Control Number in the Functional Group Header and Trailer Do Not Agree						
5 Number of Included Transaction Sets Does Not Match Actual Count						

Code Name

6	Group Control Number Violates Syntax
7	Invalid Application Sender's Code
8	Invalid Application Receiver's Code
9	Invalid Responsible Agency Code
19	Functional Group Control Number not Unique within Interchange
30	Invalid Group Date
31	Invalid Group Time

AK909 716 **Functional Group Syntax Error Code** O ID 1/3 Used

Description: Code indicating error found based on the syntax editing of the functional group header and/or trailer

Code List Summary (Total Codes: 26, Included: 12)

Code Name

1	Functional Group Not Supported
2	Functional Group Version Not Supported
3	Functional Group Trailer Missing
4	Group Control Number in the Functional Group Header and Trailer Do Not Agree
5	Number of Included Transaction Sets Does Not Match Actual Count
6	Group Control Number Violates Syntax
7	Invalid Application Sender's Code
8	Invalid Application Receiver's Code
9	Invalid Responsible Agency Code
19	Functional Group Control Number not Unique within Interchange
30	Invalid Group Date
31	Invalid Group Time

Comments:

1. If AK901 contains the value "A" or "E", then the transmitted functional group is accepted.

SE Transaction Set Trailer

Pos: 0800	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use

Description: Total number of segments included in a transaction set including ST and SE segments

SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	---------------------------------------	---	----	-----	----------

Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

Note 1: *This must be the same number as is in the ST segment (ST02) for the transaction set.*

Comments:

1. SE is the last segment of each transaction set.