



856 Ship Notice/Manifest - Canada

VICS EDI

Version: 008010VICS

Author:	GS1 Canada and GS1 US
Publication:	2020-12-31
Notes:	For implementation July 2021

Table of Contents

856	Ship Notice/Manifest - Canada	1
ST	Transaction Set Header.....	15
BSN	Beginning Segment for Ship Notice.....	16
HL	Loop Hierarchical Level.....	18
HL	Hierarchical Level.....	19
TD1	Carrier Details (Quantity and Weight).....	20
TD5	Carrier Details (Routing Sequence/Transit Time).....	23
TD3	Loop Carrier Details (Equipment).....	26
TD3	Carrier Details (Equipment).....	27
TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both).....	28
REF	Reference Information.....	29
PER	Administrative Communications Contact.....	30
DTM	Date/Time Reference.....	32
N1	Loop Party Identification.....	33
N1	Party Identification.....	34
N2	Additional Name Information.....	36
N3	Party Location.....	37
N4	Geographic Location.....	38
AMT	Loop Monetary Amount Information.....	39
AMT	Monetary Amount Information.....	40
CUR	Currency.....	41
HL	Loop Unit Load.....	42
HL	Hierarchical Level - Unit Load.....	43
TD3	Loop Carrier Details (Equipment).....	44
TD3	Carrier Details (Equipment).....	45
MAN	Marks and Numbers Information.....	46
HL	Loop Order.....	47
HL	Hierarchical Level.....	48
PRF	Purchase Order Reference.....	49
TD1	Carrier Details (Quantity and Weight).....	50
REF	Reference Information.....	52
N1	Loop Party Identification.....	54
N1	Party Identification.....	55
N2	Additional Name Information.....	57
N3	Party Location.....	58
N4	Geographic Location.....	59
AMT	Loop Monetary Amount Information.....	60
AMT	Monetary Amount Information.....	61
CUR	Currency.....	62
HL	Loop Tare.....	63

HL	Hierarchical Level	64
MAN	Marks and Numbers Information	65
PAL	Pallet Type and Load Characteristics	66
HL	Loop Pack	69
HL	Hierarchical Level	70
LIN	Item Identification	71
SN1	Item Detail (Shipment)	76
MAN	Marks and Numbers Information	77
HL	Loop Item	79
HL	Hierarchical Level	80
LIN	Item Identification	81
SN1	Item Detail (Shipment)	94
PO4	Item Physical Details	95
PID	Product/Item Description	101
TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	103
REF	Reference Information	105
DTM	Date/Time Reference	106
CTT	Transaction Totals	107
SE	Transaction Set Trailer	108

856 Ship Notice/Manifest - Canada

Functional Group=SH

Purpose: This X12 Transaction Set contains the format and establishes the data contents of the Ship Notice/Manifest Transaction Set (856) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment. The transaction set enables the sender to describe the contents and configuration of a shipment in various levels of detail and provides an ordered flexibility to convey information.

The sender of this transaction is the organization responsible for detailing and communicating the contents of a shipment, or shipments, to one or more receivers of the transaction set. The receiver of this transaction set can be any organization having an interest in the contents of a shipment or information about the contents of a shipment.

User Note 1:

This 856 Ship Notice/Manifest implementation guideline is for use in Canada.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
0100	ST	Transaction Set Header	M	1			Must use	15
0200	BSN	Beginning Segment for Ship Notice	M	1			Must use	16
* 0400	DTM	Date/Time Reference	O	10				N/A

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
LOOP ID - HL					200000	C2/0100L		18
0100	HL	Hierarchical Level	M	1			Must use	19
* 0200	LIN	Item Identification	O	1				N/A
* 0300	SN1	Item Detail (Shipment)	O	1				N/A
* 0400	SLN	Subline Item Detail	O	1000				N/A
* 0500	PRF	Purchase Order Reference	O	1				N/A
* 0600	PO4	Item Physical Details	O	1				N/A
* 0700	PID	Product/Item Description	O	200				N/A
* 0800	MEA	Measurements	O	40				N/A
* 0900	PWK	Paperwork	O	25				N/A
* 1000	PKG	Marking, Packaging, Loading	O	25				N/A
1100	TD1	Carrier Details (Quantity and Weight)	O	20			Used	20
1200	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12			Used	23
LOOP ID - TD3					12			26
1300	TD3	Carrier Details (Equipment)	O	1			Used	27
* 1350	AT9	Trailer or Container Dimension and Weight	O	1				N/A
1400	TD4	Carrier Details (Special)	O	5			Used	28

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
		Handling, or Hazardous Materials, or Both)						
* 1450	TSD	Trailer Shipment Details	O	1				N/A
1500	REF	Reference Information	O	>1			Used	29
1510	PER	Administrative Communications Contact	O	3			Used	30
* LOOP ID - LH1						100		N/A
* 1520	LH1	Hazardous Identification Information	O	1				N/A
* 1530	LH2	Hazardous Classification Information	O	4				N/A
* 1540	LH3	Hazardous Material Shipping Name Information	O	12				N/A
* 1550	LFH	Free-form Hazardous Material Information	O	20				N/A
* 1560	LEP	EPA Required Data	O	>1				N/A
* 1570	LH4	Canadian Dangerous Requirements	O	4				N/A
* 1580	LHT	Transborder Hazardous Requirements	O	3				N/A
* 1590	LHR	Hazardous Material Identifying Reference Numbers	O	10				N/A
* 1600	PER	Administrative Communications Contact	O	5				N/A
* 1610	LHE	Empty Equipment Hazardous Material Information	O	1				N/A
* LOOP ID - CLD						200		N/A
* 1700	CLD	Load Detail	O	1				N/A
* 1800	REF	Reference Information	O	200				N/A
* 1850	DTP	Date or Time or Period	O	1				N/A
* 1900	MAN	Marks and Numbers Information	O	>1				N/A
2000	DTM	Date/Time Reference	O	10			Used	32
* 2100	FOB	F.O.B. Related Instructions	O	1				N/A
* 2150	PAL	Pallet Type and Load Characteristics	O	1				N/A
LOOP ID - N1						200		33
2200	N1	Party Identification	O	1			Used	34
2300	N2	Additional Name Information	O	2			Used	36
2400	N3	Party Location	O	2			Used	37
2500	N4	Geographic Location	O	1			Used	38
* 2600	REF	Reference Information	O	12				N/A
* 2700	PER	Administrative Communications Contact	O	3				N/A
* 2800	FOB	F.O.B. Related Instructions	O	1				N/A

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
* 2900	SDQ	Destination Quantity	O	50				N/A
* 3000	ETD	Excess Transportation Detail	O	1				N/A
* 3100	CUR	Currency	O	1				N/A
* LOOP ID - SAC					<u>>1</u>			N/A
* 3200	SAC	Service, Promotion, Allowance, or Charge Information	O	1				N/A
* 3250	CUR	Currency	O	1				N/A
* 3300	GF	Furnished Goods and Services	O	1				N/A
* 3350	YNQ	Yes/No Question	O	10				N/A
* LOOP ID - LM					<u>10</u>			N/A
* 3400	LM	Code Source Information	O	1				N/A
* 3500	LQ	Industry Code Identification	M	100				N/A
* LOOP ID - V1					<u>>1</u>			N/A
* 3600	V1	Vessel Identification	O	1				N/A
* 3700	R4	Port or Terminal	O	>1				N/A
* 3800	DTM	Date/Time Reference	O	>1				N/A
LOOP ID - AMT					<u>5</u>	<u>N2/3900L</u>		39
3900	AMT	Monetary Amount Information	O	1			Used	40
4000	CUR	Currency	O	1			Used	41
LOOP ID - HL					<u>200000</u>	<u>C2/0100L</u>		42
0100	HL	Hierarchical Level - Unit Load	O	1		C2/0100	Used	43
* 0200	LIN	Item Identification	O	1				N/A
* 0300	SN1	Item Detail (Shipment)	O	1				N/A
* 0400	SLN	Subline Item Detail	O	1000				N/A
* 0500	PRF	Purchase Order Reference	O	1				N/A
* 0600	PO4	Item Physical Details	O	1				N/A
* 0700	PID	Product/Item Description	O	200				N/A
* 0800	MEA	Measurements	O	40				N/A
* 0900	PWK	Paperwork	O	25				N/A
* 1000	PKG	Marking, Packaging, Loading	O	25				N/A
* 1100	TD1	Carrier Details (Quantity and Weight)	O	20				N/A
* 1200	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12				N/A
LOOP ID - TD3					<u>12</u>			44
1300	TD3	Carrier Details (Equipment)	O	1			Used	45
* 1350	AT9	Trailer or Container Dimension and Weight	O	1				N/A
* 1400	TD4	Carrier Details (Special)	O	5				N/A

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
		Handling, or Hazardous Materials, or Both)						
* 1450	TSD	Trailer Shipment Details	O	1				N/A
* 1500	REF	Reference Information	O	>1				N/A
* 1510	PER	Administrative Communications Contact	O	3				N/A
* LOOP ID - LH1						100		N/A
* 1520	LH1	Hazardous Identification Information	O	1				N/A
* 1530	LH2	Hazardous Classification Information	O	4				N/A
* 1540	LH3	Hazardous Material Shipping Name Information	O	12				N/A
* 1550	LFH	Free-form Hazardous Material Information	O	20				N/A
* 1560	LEP	EPA Required Data	O	>1				N/A
* 1570	LH4	Canadian Dangerous Requirements	O	4				N/A
* 1580	LHT	Transborder Hazardous Requirements	O	3				N/A
* 1590	LHR	Hazardous Material Identifying Reference Numbers	O	10				N/A
* 1600	PER	Administrative Communications Contact	O	5				N/A
* 1610	LHE	Empty Equipment Hazardous Material Information	O	1				N/A
* LOOP ID - CLD						200		N/A
* 1700	CLD	Load Detail	O	1				N/A
* 1800	REF	Reference Information	O	200				N/A
* 1850	DTP	Date or Time or Period	O	1				N/A
1900	MAN	Marks and Numbers Information	O	>1			Used	46
* 2000	DTM	Date/Time Reference	O	10				N/A
* 2100	FOB	F.O.B. Related Instructions	O	1				N/A
* 2150	PAL	Pallet Type and Load Characteristics	O	1				N/A
* LOOP ID - N1						200		N/A
* 2200	N1	Party Identification	O	1				N/A
* 2300	N2	Additional Name Information	O	2				N/A
* 2400	N3	Party Location	O	2				N/A
* 2500	N4	Geographic Location	O	1				N/A
* 2600	REF	Reference Information	O	12				N/A
* 2700	PER	Administrative Communications Contact	O	3				N/A
* 2800	FOB	F.O.B. Related Instructions	O	1				N/A

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
* 2900	SDQ	Destination Quantity	O	50				N/A
* 3000	ETD	Excess Transportation Detail	O	1				N/A
* 3100	CUR	Currency	O	1				N/A
* LOOP ID - SAC					<u>>1</u>			N/A
* 3200	SAC	Service, Promotion, Allowance, or Charge Information	O	1				N/A
* 3250	CUR	Currency	O	1				N/A
* 3300	GF	Furnished Goods and Services	O	1				N/A
* 3350	YNQ	Yes/No Question	O	10				N/A
* LOOP ID - LM					<u>10</u>			N/A
* 3400	LM	Code Source Information	O	1				N/A
* 3500	LQ	Industry Code Identification	M	100				N/A
* LOOP ID - V1					<u>>1</u>			N/A
* 3600	V1	Vessel Identification	O	1				N/A
* 3700	R4	Port or Terminal	O	>1				N/A
* 3800	DTM	Date/Time Reference	O	>1				N/A
* LOOP ID - AMT					<u>5</u>	<u>N2/3900L</u>		N/A
* 3900	AMT	Monetary Amount Information	O	1				N/A
* 4000	CUR	Currency	O	1				N/A
LOOP ID - HL					<u>200000</u>	<u>C2/0100L</u>		47
0100	HL	Hierarchical Level	M	1		C2/0100	Must use	48
* 0200	LIN	Item Identification	O	1				N/A
* 0300	SN1	Item Detail (Shipment)	O	1				N/A
* 0400	SLN	Subline Item Detail	O	1000				N/A
0500	PRF	Purchase Order Reference	O	1			Used	49
* 0600	PO4	Item Physical Details	O	1				N/A
* 0700	PID	Product/Item Description	O	200				N/A
* 0800	MEA	Measurements	O	40				N/A
* 0900	PWK	Paperwork	O	25				N/A
* 1000	PKG	Marking, Packaging, Loading	O	25				N/A
1100	TD1	Carrier Details (Quantity and Weight)	O	20			Used	50
* 1200	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12				N/A
* LOOP ID - TD3					<u>12</u>			N/A
* 1300	TD3	Carrier Details (Equipment)	O	1				N/A
* 1350	AT9	Trailer or Container Dimension and Weight	O	1				N/A
* 1400	TD4	Carrier Details (Special Handling, or Hazardous)	O	5				N/A

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
		Materials, or Both)						
* 1450	TSD	Trailer Shipment Details	O	1				N/A
1500	REF	Reference Information	O	>1			Used	52
* 1510	PER	Administrative Communications Contact	O	3				N/A
* LOOP ID - LH1						100		N/A
* 1520	LH1	Hazardous Identification Information	O	1				N/A
* 1530	LH2	Hazardous Classification Information	O	4				N/A
* 1540	LH3	Hazardous Material Shipping Name Information	O	12				N/A
* 1550	LFH	Free-form Hazardous Material Information	O	20				N/A
* 1560	LEP	EPA Required Data	O	>1				N/A
* 1570	LH4	Canadian Dangerous Requirements	O	4				N/A
* 1580	LHT	Transborder Hazardous Requirements	O	3				N/A
* 1590	LHR	Hazardous Material Identifying Reference Numbers	O	10				N/A
* 1600	PER	Administrative Communications Contact	O	5				N/A
* 1610	LHE	Empty Equipment Hazardous Material Information	O	1				N/A
* LOOP ID - CLD						200		N/A
* 1700	CLD	Load Detail	O	1				N/A
* 1800	REF	Reference Information	O	200				N/A
* 1850	DTP	Date or Time or Period	O	1				N/A
* 1900	MAN	Marks and Numbers Information	O	>1				N/A
* 2000	DTM	Date/Time Reference	O	10				N/A
* 2100	FOB	F.O.B. Related Instructions	O	1				N/A
* 2150	PAL	Pallet Type and Load Characteristics	O	1				N/A
LOOP ID - N1						200		54
2200	N1	Party Identification	O	1			Used	55
2300	N2	Additional Name Information	O	2			Used	57
2400	N3	Party Location	O	2			Used	58
2500	N4	Geographic Location	O	1			Used	59
* 2600	REF	Reference Information	O	12				N/A
* 2700	PER	Administrative Communications Contact	O	3				N/A
* 2800	FOB	F.O.B. Related Instructions	O	1				N/A

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
* 2900	SDQ	Destination Quantity	O	50				N/A
* 3000	ETD	Excess Transportation Detail	O	1				N/A
* 3100	CUR	Currency	O	1				N/A
* LOOP ID - SAC					<u>>1</u>			N/A
* 3200	SAC	Service, Promotion, Allowance, or Charge Information	O	1				N/A
* 3250	CUR	Currency	O	1				N/A
* 3300	GF	Furnished Goods and Services	O	1				N/A
* 3350	YNQ	Yes/No Question	O	10				N/A
* LOOP ID - LM					<u>10</u>			N/A
* 3400	LM	Code Source Information	O	1				N/A
* 3500	LQ	Industry Code Identification	M	100				N/A
* LOOP ID - V1					<u>>1</u>			N/A
* 3600	V1	Vessel Identification	O	1				N/A
* 3700	R4	Port or Terminal	O	>1				N/A
* 3800	DTM	Date/Time Reference	O	>1				N/A
LOOP ID - AMT					<u>5</u>	<u>N2/3900L</u>		60
3900	AMT	Monetary Amount Information	O	1			Used	61
4000	CUR	Currency	O	1			Used	62
LOOP ID - HL					<u>200000</u>	<u>C2/0100L</u>		63
0100	HL	Hierarchical Level	O	1		C2/0100	Used	64
* 0200	LIN	Item Identification	O	1				N/A
* 0300	SN1	Item Detail (Shipment)	O	1				N/A
* 0400	SLN	Subline Item Detail	O	1000				N/A
* 0500	PRF	Purchase Order Reference	O	1				N/A
* 0600	PO4	Item Physical Details	O	1				N/A
* 0700	PID	Product/Item Description	O	200				N/A
* 0800	MEA	Measurements	O	40				N/A
* 0900	PWK	Paperwork	O	25				N/A
* 1000	PKG	Marking, Packaging, Loading	O	25				N/A
* 1100	TD1	Carrier Details (Quantity and Weight)	O	20				N/A
* 1200	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12				N/A
* LOOP ID - TD3					<u>12</u>			N/A
* 1300	TD3	Carrier Details (Equipment)	O	1				N/A
* 1350	AT9	Trailer or Container Dimension and Weight	O	1				N/A
* 1400	TD4	Carrier Details (Special Handling, or Hazardous)	O	5				N/A

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
		Materials, or Both)						
* 1450	TSD	Trailer Shipment Details	O	1				N/A
* 1500	REF	Reference Information	O	>1				N/A
* 1510	PER	Administrative Communications Contact	O	3				N/A
* LOOP ID - LH1						100		N/A
* 1520	LH1	Hazardous Identification Information	O	1				N/A
* 1530	LH2	Hazardous Classification Information	O	4				N/A
* 1540	LH3	Hazardous Material Shipping Name Information	O	12				N/A
* 1550	LFH	Free-form Hazardous Material Information	O	20				N/A
* 1560	LEP	EPA Required Data	O	>1				N/A
* 1570	LH4	Canadian Dangerous Requirements	O	4				N/A
* 1580	LHT	Transborder Hazardous Requirements	O	3				N/A
* 1590	LHR	Hazardous Material Identifying Reference Numbers	O	10				N/A
* 1600	PER	Administrative Communications Contact	O	5				N/A
* 1610	LHE	Empty Equipment Hazardous Material Information	O	1				N/A
* LOOP ID - CLD						200		N/A
* 1700	CLD	Load Detail	O	1				N/A
* 1800	REF	Reference Information	O	200				N/A
* 1850	DTP	Date or Time or Period	O	1				N/A
1900	MAN	Marks and Numbers Information	O	>1			Used	65
* 2000	DTM	Date/Time Reference	O	10				N/A
* 2100	FOB	F.O.B. Related Instructions	O	1				N/A
2150	PAL	Pallet Type and Load Characteristics	O	1			Used	66
* LOOP ID - N1						200		N/A
* 2200	N1	Party Identification	O	1				N/A
* 2300	N2	Additional Name Information	O	2				N/A
* 2400	N3	Party Location	O	2				N/A
* 2500	N4	Geographic Location	O	1				N/A
* 2600	REF	Reference Information	O	12				N/A
* 2700	PER	Administrative Communications Contact	O	3				N/A
* 2800	FOB	F.O.B. Related Instructions	O	1				N/A

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
* 2900	SDQ	Destination Quantity	O	50				N/A
* 3000	ETD	Excess Transportation Detail	O	1				N/A
* 3100	CUR	Currency	O	1				N/A
* LOOP ID - SAC					<u>>1</u>			N/A
* 3200	SAC	Service, Promotion, Allowance, or Charge Information	O	1				N/A
* 3250	CUR	Currency	O	1				N/A
* 3300	GF	Furnished Goods and Services	O	1				N/A
* 3350	YNQ	Yes/No Question	O	10				N/A
* LOOP ID - LM					<u>10</u>			N/A
* 3400	LM	Code Source Information	O	1				N/A
* 3500	LQ	Industry Code Identification	M	100				N/A
* LOOP ID - V1					<u>>1</u>			N/A
* 3600	V1	Vessel Identification	O	1				N/A
* 3700	R4	Port or Terminal	O	>1				N/A
* 3800	DTM	Date/Time Reference	O	>1				N/A
* LOOP ID - AMT					<u>5</u>	<u>N2/3900L</u>		N/A
* 3900	AMT	Monetary Amount Information	O	1				N/A
* 4000	CUR	Currency	O	1				N/A
LOOP ID - HL					<u>200000</u>	<u>C2/0100L</u>		69
0100	HL	Hierarchical Level	M	1		C2/0100	Must use	70
0200	LIN	Item Identification	O	1			Used	71
0300	SN1	Item Detail (Shipment)	O	1			Used	76
* 0400	SLN	Subline Item Detail	O	1000				N/A
* 0500	PRF	Purchase Order Reference	O	1				N/A
* 0600	PO4	Item Physical Details	O	1				N/A
* 0700	PID	Product/Item Description	O	200				N/A
* 0800	MEA	Measurements	O	40				N/A
* 0900	PWK	Paperwork	O	25				N/A
* 1000	PKG	Marking, Packaging, Loading	O	25				N/A
* 1100	TD1	Carrier Details (Quantity and Weight)	O	20				N/A
* 1200	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12				N/A
* LOOP ID - TD3					<u>12</u>			N/A
* 1300	TD3	Carrier Details (Equipment)	O	1				N/A
* 1350	AT9	Trailer or Container Dimension and Weight	O	1				N/A
* 1400	TD4	Carrier Details (Special Handling, or Hazardous)	O	5				N/A

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
		Materials, or Both)						
* 1450	TSD	Trailer Shipment Details	O	1				N/A
* 1500	REF	Reference Information	O	>1				N/A
* 1510	PER	Administrative Communications Contact	O	3				N/A
* LOOP ID - LH1						100		N/A
* 1520	LH1	Hazardous Identification Information	O	1				N/A
* 1530	LH2	Hazardous Classification Information	O	4				N/A
* 1540	LH3	Hazardous Material Shipping Name Information	O	12				N/A
* 1550	LFH	Free-form Hazardous Material Information	O	20				N/A
* 1560	LEP	EPA Required Data	O	>1				N/A
* 1570	LH4	Canadian Dangerous Requirements	O	4				N/A
* 1580	LHT	Transborder Hazardous Requirements	O	3				N/A
* 1590	LHR	Hazardous Material Identifying Reference Numbers	O	10				N/A
* 1600	PER	Administrative Communications Contact	O	5				N/A
* 1610	LHE	Empty Equipment Hazardous Material Information	O	1				N/A
* LOOP ID - CLD						200		N/A
* 1700	CLD	Load Detail	O	1				N/A
* 1800	REF	Reference Information	O	200				N/A
* 1850	DTP	Date or Time or Period	O	1				N/A
1900	MAN	Marks and Numbers Information	O	>1			Used	77
* 2000	DTM	Date/Time Reference	O	10				N/A
* 2100	FOB	F.O.B. Related Instructions	O	1				N/A
* 2150	PAL	Pallet Type and Load Characteristics	O	1				N/A
* LOOP ID - N1						200		N/A
* 2200	N1	Party Identification	O	1				N/A
* 2300	N2	Additional Name Information	O	2				N/A
* 2400	N3	Party Location	O	2				N/A
* 2500	N4	Geographic Location	O	1				N/A
* 2600	REF	Reference Information	O	12				N/A
* 2700	PER	Administrative Communications Contact	O	3				N/A
* 2800	FOB	F.O.B. Related Instructions	O	1				N/A

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
* 2900	SDQ	Destination Quantity	O	50				N/A
* 3000	ETD	Excess Transportation Detail	O	1				N/A
* 3100	CUR	Currency	O	1				N/A
* LOOP ID - SAC					<u>>1</u>			N/A
* 3200	SAC	Service, Promotion, Allowance, or Charge Information	O	1				N/A
* 3250	CUR	Currency	O	1				N/A
* 3300	GF	Furnished Goods and Services	O	1				N/A
* 3350	YNQ	Yes/No Question	O	10				N/A
* LOOP ID - LM					<u>10</u>			N/A
* 3400	LM	Code Source Information	O	1				N/A
* 3500	LQ	Industry Code Identification	M	100				N/A
* LOOP ID - V1					<u>>1</u>			N/A
* 3600	V1	Vessel Identification	O	1				N/A
* 3700	R4	Port or Terminal	O	>1				N/A
* 3800	DTM	Date/Time Reference	O	>1				N/A
* LOOP ID - AMT					<u>5</u>	<u>N2/3900L</u>		N/A
* 3900	AMT	Monetary Amount Information	O	1				N/A
* 4000	CUR	Currency	O	1				N/A
LOOP ID - HL					<u>200000</u>	<u>C2/0100L</u>		79
0100	HL	Hierarchical Level	M	1		C2/0100	Must use	80
0200	LIN	Item Identification	O	1			Used	81
0300	SN1	Item Detail (Shipment)	O	1			Used	94
* 0400	SLN	Subline Item Detail	O	1000				N/A
* 0500	PRF	Purchase Order Reference	O	1				N/A
0600	PO4	Item Physical Details	O	1			Used	95
0700	PID	Product/Item Description	O	200			Used	101
* 0800	MEA	Measurements	O	40				N/A
* 0900	PWK	Paperwork	O	25				N/A
* 1000	PKG	Marking, Packaging, Loading	O	25				N/A
* 1100	TD1	Carrier Details (Quantity and Weight)	O	20				N/A
* 1200	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12				N/A
* LOOP ID - TD3					<u>12</u>			N/A
* 1300	TD3	Carrier Details (Equipment)	O	1				N/A
* 1350	AT9	Trailer or Container Dimension and Weight	O	1				N/A
1400	TD4	Carrier Details (Special Handling, or Hazardous)	O	5			Used	103

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
		Materials, or Both)						
* 1450	TSD	Trailer Shipment Details	O	1				N/A
1500	REF	Reference Information	O	>1			Used	105
* 1510	PER	Administrative Communications Contact	O	3				N/A
* LOOP ID - LH1						100		N/A
* 1520	LH1	Hazardous Identification Information	O	1				N/A
* 1530	LH2	Hazardous Classification Information	O	4				N/A
* 1540	LH3	Hazardous Material Shipping Name Information	O	12				N/A
* 1550	LFH	Free-form Hazardous Material Information	O	20				N/A
* 1560	LEP	EPA Required Data	O	>1				N/A
* 1570	LH4	Canadian Dangerous Requirements	O	4				N/A
* 1580	LHT	Transborder Hazardous Requirements	O	3				N/A
* 1590	LHR	Hazardous Material Identifying Reference Numbers	O	10				N/A
* 1600	PER	Administrative Communications Contact	O	5				N/A
* 1610	LHE	Empty Equipment Hazardous Material Information	O	1				N/A
* LOOP ID - CLD						200		N/A
* 1700	CLD	Load Detail	O	1				N/A
* 1800	REF	Reference Information	O	200				N/A
* 1850	DTP	Date or Time or Period	O	1				N/A
* 1900	MAN	Marks and Numbers Information	O	>1				N/A
2000	DTM	Date/Time Reference	O	10			Used	106
* 2100	FOB	F.O.B. Related Instructions	O	1				N/A
* 2150	PAL	Pallet Type and Load Characteristics	O	1				N/A
* LOOP ID - N1						200		N/A
* 2200	N1	Party Identification	O	1				N/A
* 2300	N2	Additional Name Information	O	2				N/A
* 2400	N3	Party Location	O	2				N/A
* 2500	N4	Geographic Location	O	1				N/A
* 2600	REF	Reference Information	O	12				N/A
* 2700	PER	Administrative Communications Contact	O	3				N/A
* 2800	FOB	F.O.B. Related Instructions	O	1				N/A

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
* 2900	SDQ	Destination Quantity	O	50				N/A
* 3000	ETD	Excess Transportation Detail	O	1				N/A
* 3100	CUR	Currency	O	1				N/A
* LOOP ID - SAC					>1			N/A
3200	SAC	Service, Promotion, Allowance, or Charge Information	O	1				N/A
* 3250	CUR	Currency	O	1				N/A
* 3300	GF	Furnished Goods and Services	O	1				N/A
* 3350	YNQ	Yes/No Question	O	10				N/A
* LOOP ID - LM					10			N/A
* 3400	LM	Code Source Information	O	1				N/A
* 3500	LQ	Industry Code Identification	M	100				N/A
* LOOP ID - V1					>1			N/A
* 3600	V1	Vessel Identification	O	1				N/A
* 3700	R4	Port or Terminal	O	>1				N/A
* 3800	DTM	Date/Time Reference	O	>1				N/A
* LOOP ID - AMT					5	N2/3900L		N/A
* 3900	AMT	Monetary Amount Information	O	1				N/A
* 4000	CUR	Currency	O	1				N/A

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
0100	CTT	Transaction Totals	O	1		N3/0100	Used	107
0200	SE	Transaction Set Trailer	M	1			Must use	108

Notes:

- 2/3900L The AMT loop is used with the Shipment or Order levels, as identified by BSN05. The AMT loop does not replace the use of an Invoice document between the trade parties.
The AMT loop is used to convey monetary amount information pertaining to a shipment or order. The only AMT01 codes that may be used are SM1-Insurance Value, SM2-Declared Value, SM3-Shipment Value, SM4-Pay on Delivery, and SM5-Landed Cost Value.
- 2/3900L The AMT loop is used with the Shipment or Order levels, as identified by BSN05. The AMT loop does not replace the use of an Invoice document between the trade parties.
The AMT loop is used to convey monetary amount information pertaining to a shipment or order. The only AMT01 codes that may be used are SM1-Insurance Value, SM2-Declared Value, SM3-Shipment Value, SM4-Pay on Delivery, and SM5-Landed Cost Value.
- 2/3900L The AMT loop is used with the Shipment or Order levels, as identified by BSN05. The AMT loop does not replace the use of an Invoice document between the trade parties.
The AMT loop is used to convey monetary amount information pertaining to a shipment or order. The only AMT01 codes that may be used are SM1-Insurance Value, SM2-Declared Value, SM3-Shipment Value, SM4-Pay on Delivery, and SM5-Landed Cost Value.
- 2/3900L The AMT loop is used with the Shipment or Order levels, as identified by BSN05. The AMT loop does not replace the use of an Invoice document between the trade parties.
The AMT loop is used to convey monetary amount information pertaining to a shipment or order. The only AMT01 codes that may be used are SM1-Insurance Value, SM2-Declared Value, SM3-Shipment Value, SM4-Pay on Delivery, and SM5-Landed Cost Value.

- 2/3900L The AMT loop is used with the Shipment or Order levels, as identified by BSN05. The AMT loop does not replace the use of an Invoice document between the trade parties..
The AMT loop is used to convey monetary amount information pertaining to a shipment or order. The only AMT01 codes that may be used are SM1-Insurance Value, SM2-Declared Value, SM3-Shipment Value, SM4-Pay on Delivery, and SM5-Landed Cost Value.
- 2/3900L The AMT loop is used with the Shipment or Order levels, as identified by BSN05. The AMT loop does not replace the use of an Invoice document between the trade parties..
The AMT loop is used to convey monetary amount information pertaining to a shipment or order. The only AMT01 codes that may be used are SM1-Insurance Value, SM2-Declared Value, SM3-Shipment Value, SM4-Pay on Delivery, and SM5-Landed Cost Value.
- 3/0100 Number of line items (CTT01) is the accumulation of the number of HL segments. If used, hash total (CTT02) is the sum of the value of units shipped (SN102) for each SN1 segment.

Comments:

- 2/0100L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/0100L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/0100 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/0100L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/0100 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/0100L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/0100 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/0100L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/0100 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/0100L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/0100 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.

ST Transaction Set Header

Pos: 0100	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use

Description: Code identifying a Transaction Set

User Note 1: 856 Ship Notice/Manifest - Canada

Code List Summary (Total Codes: 323, Included: 1)

Code Name

856 Ship Notice/Manifest

ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	--------------------------------	---	----	-----	----------

Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

User Note 1: The number is sequentially assigned by the sender, starting with one within each functional group. For each functional group, the first transaction set control number will be 0001 and incremented by one for each additional transaction set within the group.

Semantics:

1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition. When used, this implementation convention reference takes precedence over the implementation reference specified in the GS08.

BSN Beginning Segment for Ship Notice

Pos: 0200	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 5

User Option (Usage): Must use

Purpose: To transmit identifying numbers, dates, and other basic data relating to the transaction set

User Note 1:

In some implementations, it may be appropriate to omit the unit load level and packaging levels, i.e., tare and pack, from the transaction set. Depending on the retailer's receiving systems, carton identification may not be required. Code 0004 in BSN05 indicates the use of a hierarchical structure that does not include a unit load level or any packaging levels.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BSN01	353	Transaction Set Purpose Code	M	ID	2/2	Must use

Description: Code identifying purpose of transaction set

Code List Summary (Total Codes: 76, Included: 2)

Code Name

00	Original
07	Duplicate

BSN02	396	Shipment Identification	M	AN	2/30	Must use
-------	-----	-------------------------	---	----	------	----------

Description: A unique control number assigned by the original shipper to identify a specific shipment

User Note 1: Shipment Identification is a unique control number, assigned by the original shipper, to identify the original shipment transaction.

BSN03	373	Date	M	DT	8/8	Must use
-------	-----	------	---	----	-----	----------

Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

BSN04	337	Time	M	TM	4/8	Must use
-------	-----	------	---	----	-----	----------

Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

BSN05	1005	Hierarchical Structure Code	O	ID	4/4	Must use
-------	------	-----------------------------	---	----	-----	----------

Description: Code indicating the hierarchical application structure of a transaction set that utilizes the HL segment to define the structure of the transaction set

User Note 1: To avoid potential confusion about an order, for any Hierarchical Structure Code chosen, if the Order Hierarchy (HL) is used, the PRF segment shall not be used in any other level of the 856 Ship Notice/Manifest.

Code List Summary (Total Codes: 85, Included: 2)

Code Name

0001	Shipment, Order, Packaging, Item
------	----------------------------------

User Note 1:

Pick and Pack Structure

Code Name

0004 Shipment, Order, Item

Syntax Rules:

1. C0706 - If BSN07 is present, then BSN06 is required.

Semantics:

1. BSN03 is the date the shipment transaction set is created.
2. BSN04 is the time the shipment transaction set is created.
3. BSN06 is limited to shipment related codes.

Comments:

1. BSN06 and BSN07 differentiate the functionality of use for the transaction set.

Loop Hierarchical Level

Pos: 0100	Repeat: 200000
Mandatory	
Loop: HL	Elements: N/A

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0100	HL	Hierarchical Level	M	1		Must use
1100	TD1	Carrier Details (Quantity and Weight)	O	20		Used
1200	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12		Used
1300		Loop TD3	O		12	Used
1400	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5		Used
1500	REF	Reference Information	O	>1		Used
1510	PER	Administrative Communications Contact	O	3		Used
2000	DTM	Date/Time Reference	O	10		Used
2200		Loop N1	O		200	Used
3900		Loop AMT	O		5	Used

HL Hierarchical Level

Pos: 0100	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 2

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

User Note 1:

The HL segment is used to identify levels of detail information using a hierarchical structure. HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.

HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of).

HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use

Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure

User Note 1: The value for this level (shipment) is 1.

HL03	735	Hierarchical Level Code	M	ID	1/2	Must use
------	-----	--------------------------------	---	----	-----	----------

Description: Code specifying the characteristic of a level in a hierarchical structure

Code List Summary (Total Codes: 253, Included: 1)

Code Name

S Shipment

Comments:

- The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
- The HL segment defines a top-down/left-right ordered structure.
- HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

TD1 Carrier Details (Quantity and Weight)

Pos: 1100	Max: 20
Detail - Optional	
Loop: HL	Elements: 7

User Option (Usage): Used

Purpose: To specify the transportation details relative to commodity, weight, and quantity

User Note 1:

This segment, at the shipment level, is used to specify total containers and gross weight of the shipment as specified on the bill of lading (see VICS EDI 856 Ship Notice/Manifest Guidelines for further detail).

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD101	103	Packaging Code	O	AN	3/5	Used

Description: Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required

Code List Summary - Part 1/2 (Total Codes: 168, Included: 7)

Code Name

AAA Pallet, Returnable

BAG Bag

CTN Carton

MIX Mixed Container Types

Description: More than one type of container is included in a shipment (shipment could consist of 3 pieces that include 1 box, 1 crate, and 1 basket)

User Note 1:

Can be used only with code 71 in Part 2

PLT Pallet

SLP Slip Sheet

Description: Shipping containers utilizing slip sheets, which are cardboard platforms used to hold product for storage or transportation

SRW Shrink Wrap

Description: In packaging, a method of securing a unit load by placing a large "bag" of plastic film over the components and applying heat to induce shrinkage and cause the bag to tighten around the contents

Code List Summary - Part 2/2 (Total Codes: 68, Included: 4)

Code Name

25 Corrugated or Solid

71 Not Otherwise Specified

76 Paper

94 Wood

TD102	80	Lading Quantity	X	N0	1/7	Used
-------	----	------------------------	---	----	-----	------

Description: Number of units (pieces) of the lading commodity

User Note 1: The number of packages in the shipment as described in TD101

TD106	187	Weight Qualifier	O	ID	1/2	Used
-------	-----	-------------------------	---	----	-----	------

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Code specifying the type of weight				
		Code List Summary (Total Codes: 54, Included: 1)				
		Code Name				
		G Gross Weight				
TD107	81	Weight	X	R	1/10	Used
		Description: Numeric value of weight				
TD108	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		Code List Summary (Total Codes: 925, Included: 3)				
		Code Name				
		2W Bin				
		Description: Storage container used as a unit of measurement				
		KG Kilogram				
		LB Pound				
TD109	183	Volume	X	R	1/8	Used
		Description: Value of volumetric measure				
		User Note 1: Gross Volume				
TD110	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		Code List Summary (Total Codes: 925, Included: 13)				
		Code Name				
		BA Bale				
		BG Bag				
		BO Bottle				
		BX Box				
		CA Case				
		CN Can				
		CT Carton				
		DS Display				
		DZ Dozen				
		EA Each				
		PK Package				
		PL Pallet/Unit Load				
		RL Roll				

Syntax Rules:

1. C0102 - If TD101 is present, then TD102 is required.
2. C0304 - If TD103 is present, then TD104 is required.
3. C0607 - If TD106 is present, then TD107 is required.
4. P0708 - If either TD107 or TD108 is present, then the other is required.

5. P0910 - If either TD109 or TD110 is present, then the other is required.

TD5 Carrier Details (Routing Sequence/Transit Time)

Pos: 1200	Max: 12
Detail - Optional	
Loop: HL	Elements: 6

User Option (Usage): Used

Purpose: To specify the carrier and sequence of routing and provide transit time information

User Note 1:

This segment is used to specify every carrier in the routing sequence or a specific routing sequence that has been previously identified (usually from a routing guide). The segment can also be used to indicate estimated transit time in days. Only use TD501 if needed for clarity; this is not a requirement in most retail applications. When referring to a pre-established routing guide, use code 91 or 92 in TD502 and identify the routing sequence, from the routing guide, in TD503. To identify a specific private parcel service, TD502 will contain code 2 and TD503 will contain the corresponding SCAC.

When using a small package service provider as the carrier, TD502 will contain code 2, TD503 will contain the carrier's SCAC, and TD504 will contain code U to inform the receiver of a small package service shipment.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD501	133	Routing Sequence Code	O	ID	1/2	Used

Description: Code specifying the relationship of a carrier to a specific shipment movement

Code List Summary (Total Codes: 24, Included: 13)

Code Name

1	1st Carrier after Origin Carrier
2	2nd Carrier after Origin Carrier
3	3rd Carrier after Origin Carrier
4	4th Carrier after Origin Carrier
5	5th Carrier after Origin Carrier
6	6th Carrier after Origin Carrier
7	7th Carrier after Origin Carrier
8	8th Carrier after Origin Carrier
9	9th Carrier after Origin Carrier
A	Origin Carrier, Agent's Routing (Rail)
B	Origin/Delivery Carrier (Any Mode)
O	Origin Carrier (Air, Motor, or Ocean)
S	Origin Carrier, Shipper's Routing (Rail)

TD502	66	Identification Code Qualifier	X	ID	1/2	Used
-------	----	--------------------------------------	---	----	-----	------

Description: Code specifying the system/method of code structure used for Identification Code (67)

Code List Summary (Total Codes: 259, Included: 4)

Code Name

2	Standard Carrier Alpha Code (SCAC)
---	------------------------------------

User Note 1:

See External Code Source 17.

Code Name

91 Assigned by Seller or Seller's Agent
 92 Assigned by Buyer or Buyer's Agent
 UL Global Location Number (GLN)

Description: A globally unique 13 digit code used for the identification of any physical or legal location that needs to be uniquely identified for use in the supply chain. A GS1 identification key

User Note 1:

See External Code Source 583.

TD503	67	Identification Code	X	AN	2/80	Used
-------	----	----------------------------	---	----	------	------

Description: Code identifying a party or other code

TD504	91	Transportation Method/Type Code	X	ID	1/2	Used
-------	----	--	---	----	-----	------

Description: Code specifying the method or type of transportation for the shipment

Code List Summary (Total Codes: 81, Included: 4)

Code Name

H Customer Pickup
 M Motor (Common Carrier)
 R Rail
 U Private Parcel Service

TD505	387	Routing	X	AN	1/35	Used
-------	-----	----------------	---	----	------	------

Description: Free-form description of the routing or requested routing for shipment, or the originating carrier's identity

TD506	368	Shipment/Order Status Code	X	ID	2/2	Used
-------	-----	-----------------------------------	---	----	-----	------

Description: Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction

Code List Summary (Total Codes: 102, Included: 1)

Code Name

CC Shipment Complete on (Date)

Syntax Rules:

1. R0204050612 - At least one of TD502, TD504, TD505, TD506 or TD512 is required.
2. C0203 - If TD502 is present, then TD503 is required.
3. C0708 - If TD507 is present, then TD508 is required.
4. C1011 - If TD510 is present, then TD511 is required.
5. C1312 - If TD513 is present, then TD512 is required.
6. C1413 - If TD514 is present, then TD513 is required.
7. C1512 - If TD515 is present, then TD512 is required.

Semantics:

1. TD515 is the country where the service is to be performed.

Comments:

1. When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use

TD503 to identify the actual routing sequence, specified by the party identified in TD502.

Loop Carrier Details (Equipment)

Pos: 1300	Repeat: 12
Optional	
Loop: TD3	Elements: N/A

User Option (Usage): Used

Purpose: To specify transportation details relating to the equipment used by the carrier

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
1300	TD3	Carrier Details (Equipment)	O	1		Used

TD3 Carrier Details (Equipment)

Pos: 1300	Max: 1
Detail - Optional	
Loop: TD3	Elements: 3

User Option (Usage): Used

Purpose: To specify transportation details relating to the equipment used by the carrier

User Note 1:

This segment is used to specify the trailer number for a truckload shipment. This segment may be used also to specify the type of import container.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD301	40	Equipment Description Code	X	ID	2/2	Used

Description: Code identifying type of equipment used for shipment

Code List Summary (Total Codes: 159, Included: 10)

Code Name

2B	20 ft. IL Container (Closed Top)
4B	40 ft. IL Container (Closed Top)
AT	Closed Container (Controlled Temperature)
CI	Container, Insulated
CK	Container, Heated/Insulated/Ventilated
CN	Container
CZ	Refrigerated Container
RC	Refrigerated (Reefer) Car
TA	Trailer, Heated/Insulated/Ventilated
TL	Trailer (not otherwise specified)

TD302	206	Equipment Initial	O	AN	1/4	Used
-------	-----	--------------------------	---	----	-----	------

Description: Prefix or alphabetic part of an equipment unit's identifying number

User Note 1: See External Code Source 17.

TD303	207	Equipment Number	X	AN	1/15	Used
-------	-----	-------------------------	---	----	------	------

Description: Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)

Syntax Rules:

1. E0110 - Only one of TD301 or TD310 may be present.
2. C0203 - If TD302 is present, then TD303 is required.
3. C0405 - If TD304 is present, then TD305 is required.
4. P0506 - If either TD305 or TD306 is present, then the other is required.

TD4 Carrier Details (Special Handling, or Hazardous Materials, or Both)

Pos: 1400	Max: 5
Detail - Optional	
Loop: HL	Elements: 1

User Option (Usage): Used

Purpose: To specify transportation special handling requirements, or hazardous materials information, or both

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD401	152	Special Handling Code	X	ID	2/3	Must use

Description: Code specifying special transportation handling instructions

Code List Summary (Total Codes: 589, Included: 6)

Code Name

CC Container, Consolidator Load

Description: Full container

CF Container, Factory Load

Description: Full container, not to be opened for consolidation

LN Less Than Container, Consolidator Load

LR Less Than Container, Factory Load

TC Trailer, Consolidator Load

Description: Full trailer

TF Trailer, Factory Load

Description: Full trailer, not to be opened for consolidation

Syntax Rules:

1. R010204 - At least one of TD401, TD402 or TD404 is required.
2. C0203 - If TD402 is present, then TD403 is required.

Semantics:

1. TD405 identifies if a Material Safety Data Sheet (MSDS) exists for this product. A "Y" indicates an MSDS exists for this product; an "N" indicates an MSDS does not exist for this product.

REF Reference Information

Pos: 1500	Max: >1
Detail - Optional	
Loop: HL	Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

User Note 1:

In some cases, individual shipments with bill of lading may be grouped under a VICS Master Bill of Lading. Under this circumstance, specifying both the bill of lading and the associated VICS Master Bill of Lading Number will facilitate tracking.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code identifying the Reference Identification

Code List Summary (Total Codes: 1904, Included: 5)

Code Name

BM	Bill of Lading Number
CN	Carrier's Reference Number (PRO/Invoice)
MB	Master Bill of Lading
UCB	VICS Bill of Lading Number (17 Digits)

User Note 1:

See External Code Source 852.

UCM	VICS Master Bill of Lading Number (17 Digits)
-----	---

User Note 1:

See External Code Source 852.

REF02	127	Reference Identification	X	AN	1/80	Must use
-------	-----	--------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

PER Administrative Communications Contact

Pos: 1510	Max: 3
Detail - Optional	
Loop: HL	Elements: 8

User Option (Usage): Used

Purpose: To identify a person or office to whom administrative communications should be directed

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PER01	366	Contact Function Code	M	ID	2/2	Must use

Description: Code identifying the major duty or responsibility of the person or group named

Code List Summary (Total Codes: 242, Included: 1)

Code Name

DI Delivery Instructions Contact

PER02	93	Name	O	AN	1/60	Used
-------	----	------	---	----	------	------

Description: Free-form name

PER03	365	Communication Number Qualifier	X	ID	2/2	Used
-------	-----	--------------------------------	---	----	-----	------

Description: Code identifying the type of communication number

Code List Summary (Total Codes: 96, Included: 3)

Code Name

EM Electronic Mail

FX Facsimile

TE Telephone

PER04	364	Communication Number	X	AN	1/2048	Used
-------	-----	----------------------	---	----	--------	------

Description: Complete communications number including country or area code when applicable

PER05	365	Communication Number Qualifier	X	ID	2/2	Used
-------	-----	--------------------------------	---	----	-----	------

Description: Code identifying the type of communication number

Code List Summary (Total Codes: 96, Included: 3)

Code Name

EM Electronic Mail

FX Facsimile

TE Telephone

PER06	364	Communication Number	X	AN	1/2048	Used
-------	-----	----------------------	---	----	--------	------

Description: Complete communications number including country or area code when applicable

PER07	365	Communication Number Qualifier	X	ID	2/2	Used
-------	-----	--------------------------------	---	----	-----	------

Description: Code identifying the type of communication number

Code List Summary (Total Codes: 96, Included: 3)

Code Name

EM Electronic Mail

Code Name

FX Facsimile

TE Telephone

PER08 364 **Communication Number** X AN 1/2048 Used

Description: Complete communications number including country or area code when applicable

Syntax Rules:

1. P0304 - If either PER03 or PER04 is present, then the other is required.
2. P0506 - If either PER05 or PER06 is present, then the other is required.
3. P0708 - If either PER07 or PER08 is present, then the other is required.

DTM Date/Time Reference

Pos: 2000	Max: 10
Detail - Optional	
Loop: HL	Elements: 3

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use

Description: Code specifying type of date or time, or both date and time

Code List Summary (Total Codes: 1343, Included: 6)

Code Name

011 Shipped
 017 Estimated Delivery
 067 Current Schedule Delivery
 068 Current Schedule Ship
 AA1 Estimated Point of Arrival
 AA2 Estimated Point of Discharge

DTM02	373	Date	X	DT	8/8	Must use
-------	-----	-------------	---	----	-----	----------

Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

DTM03	337	Time	X	TM	4/8	Used
-------	-----	-------------	---	----	-----	------

Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

Loop Party Identification

Pos: 2200 Repeat: 200
 Optional
 Loop: N1 Elements: N/A

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
2200	N1	Party Identification	O	1		Used
2300	N2	Additional Name Information	O	2		Used
2400	N3	Party Location	O	2		Used
2500	N4	Geographic Location	O	1		Used

N1 Party Identification

Pos: 2200	Max: 1
Detail - Optional	
Loop: N1	Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

User Note 1:

When N101 code MA is for the ultimate receiver (direct to consumer), N103 and N104 are not required.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
N101	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

Code List Summary (Total Codes: 1538, Included: 3)

Code Name

MA Party for whom Item is Ultimately Intended

User Note 1:

Ultimate receiver

SF Ship From

ST Ship To

N102	93	Name	X	AN	1/60	Used
------	----	------	---	----	------	------

Description: Free-form name

N103	66	Identification Code Qualifier	X	ID	1/2	Used
------	----	-------------------------------	---	----	-----	------

Description: Code specifying the system/method of code structure used for Identification Code (67)

Code List Summary (Total Codes: 259, Included: 5)

Code Name

1 D-U-N-S Number, Dun & Bradstreet

User Note 1:

See External Code Source 16.

9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix

User Note 1:

See External Code Source 16.

21 Health Industry Number (HIN)

User Note 1:

See External Code Source 121.

UL Global Location Number (GLN)

Description: A globally unique 13 digit code used for the identification of any physical or legal location that needs to be uniquely identified for use in the supply chain. A GS1 identification key

User Note 1:

See External Code Source 583.

UM GS1 Global Location Number with Extension Component

Code Name

Description: A globally unique 13-digit code with a one to twenty character extension component used, for the identification of a legal or physical location

N104	67	Identification Code	X	AN	2/80	Used
------	----	----------------------------	---	----	------	------

Description: Code identifying a party or other code

User Note 1: This is the location code as defined by N103. The location code may be a formal number, e.g., GLN, or it may be assigned by either the buyer or seller. The location refers to a store, warehouse, distribution center, plant, etc. Location codes are used to alleviate the need to send complete names and addresses.

Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

N2 Additional Name Information

Pos: 2300	Max: 2
Detail - Optional	
Loop: N1	Elements: 2

User Option (Usage): Used

Purpose: To specify additional names

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N201	93	Name	M	AN	1/60	Must use
		Description: Free-form name				
N202	93	Name	O	AN	1/60	Used
		Description: Free-form name				

N3 Party Location

Pos: 2400	Max: 2
Detail - Optional	
Loop: N1	Elements: 2

User Option (Usage): Used

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use
		Description: Address information				
N302	166	Address Information	O	AN	1/55	Used
		Description: Address information				

N4 Geographic Location

Pos: 2500	Max: 1
Detail - Optional	
Loop: N1	Elements: 5

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	O	AN	2/30	Used
		Description: Free-form text for city name				
N402	156	State or Province Code	X	ID	2/2	Used
		Description: Code specifying the Standard State/Province as defined by appropriate government agency				
		User Note 1: See External Code Source 22.				
N403	116	Postal Code	X	ID	3/15	Used
		Description: Code specifying international postal zone code excluding punctuation and blanks (zip code for United States)				
		User Note 1: See External Code Source 51.				
N404	26	Country Code	X	ID	2/3	Used
		Description: Code identifying the country				
		User Note 1: See External Code Source 5.				
		User Note 2: CA - Canada				
		MX - Mexico				
		US - United States				
N408	1702	Postal Code-Formatted	X	AN	3/20	Used
		Description: A postal code value including punctuation, blanks and other characters as defined by the postal authority				

Syntax Rules:

1. E0207 - Only one of N402 or N407 may be present.
2. E0308 - Only one of N403 or N408 may be present.
3. C0605 - If N406 is present, then N405 is required.
4. C0704 - If N407 is present, then N404 is required.

Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N403 contains the postal code in an unstructured format. N408 contains the postal code in a structured format. When a postal code data field is used, the parties shall agree as to which data element (N403 or N408) shall be used in the transaction set.

Loop Monetary Amount Information

Pos: 3900	Repeat: 5
Optional	
Loop: AMT	Elements: N/A

User Option (Usage): Used

Purpose: To indicate the total monetary amount

User Note 1:

The AMT loop is used with the Shipment or Order levels

User Note 2:

For additional information refer to 856 Transaction Set Notes for guidance on using the AMT loop.

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
3900	AMT	Monetary Amount Information	O	1		Used
4000	CUR	Currency	O	1		Used

AMT Monetary Amount Information

Pos: 3900	Max: 1
Detail - Optional	
Loop: AMT	Elements: 3

User Option (Usage): Used

Purpose: To indicate the total monetary amount

User Note 1:

The AMT loop is used with the Shipment or Order levels. The AMT loop does not replace the use of an invoice document between the trading partners.

The AMT loop is used to convey monetary amount information pertaining to a shipment or order. The only AMT01 codes that may be used are SM1 Insurance Value, SM2 Declared Value, SM3 Shipment Value, SM4 Pay on Delivery and SM5 Landed Cost Value.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AMT01	522	Amount Qualifier Code	M	ID	1/3	Must use

Description: Code specifying the amount qualifier

Code List Summary (Total Codes: 1797, Included: 5)

Code Name

SM1 Insurance Value

Description: The insurance coverage purchased that covers replacement of the goods in case of total or partial loss or damage.

SM2 Declared Value

Description: The value placed upon imported goods by the importer for clearance through the customhouse. Value is used to determine the import duty the recipient must pay. Also known as Customs Value.

SM3 Shipment Value

Description: The value placed upon a shipment by the supplier.

SM4 Pay on Delivery

Description: The monetary amount due when shipment is delivered to the recipient.

SM5 Landed Cost Value

Description: The total cost of a landed shipment including purchase price, freight, insurance and other costs up to the port of destination. In some instances, it may also include the customs duties and other taxes levied on the shipment.

AMT02	782	Monetary Amount	M	R	1/18	Must use
-------	-----	-----------------	---	---	------	----------

Description: Monetary amount

AMT03	478	Credit/Debit Flag Code	O	ID	1/1	Used
-------	-----	------------------------	---	----	-----	------

Description: Code indicating whether amount is a credit or debit

Code List Summary (Total Codes: 4, Included: 2)

Code Name

C Credit

D Debit

CUR Currency

Pos: 4000	Max: 1
Detail - Optional	
Loop: AMT	Elements: 2

User Option (Usage): Used**Purpose:** To specify the currency (dollars, pounds, francs, etc.) used in a transaction**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CUR01	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual**Code List Summary** (Total Codes: 1538, Included: 2)**Code Name**

BY	Buying Party (Purchaser)
SE	Selling Party

CUR02	100	Currency Code	M	ID	3/3	Must use
-------	-----	---------------	---	----	-----	----------

Description: Code specifying the Standard ISO code for country in whose currency the charges are specified**User Note 1:** See External Code Source 5.**Code List Summary** (Total Codes: 2, Included: 2)**Code Name**

CAD	Canadian Dollars
USD	U.S. Dollars

Syntax Rules:

1. C0807 - If CUR08 is present, then CUR07 is required.
2. C0907 - If CUR09 is present, then CUR07 is required.
3. L101112 - If CUR10 is present, then at least one of CUR11 or CUR12 is required.
4. C1110 - If CUR11 is present, then CUR10 is required.
5. C1210 - If CUR12 is present, then CUR10 is required.
6. L131415 - If CUR13 is present, then at least one of CUR14 or CUR15 is required.
7. C1413 - If CUR14 is present, then CUR13 is required.
8. C1513 - If CUR15 is present, then CUR13 is required.
9. L161718 - If CUR16 is present, then at least one of CUR17 or CUR18 is required.
10. C1716 - If CUR17 is present, then CUR16 is required.
11. C1816 - If CUR18 is present, then CUR16 is required.
12. L192021 - If CUR19 is present, then at least one of CUR20 or CUR21 is required.
13. C2019 - If CUR20 is present, then CUR19 is required.
14. C2119 - If CUR21 is present, then CUR19 is required.

Comments:

1. See Figures Appendix for examples detailing the use of the CUR segment.

Loop Unit Load

Pos: 0100	Repeat: 200000
Optional	
Loop: HL	Elements: N/A

User Option (Usage): Used

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0100	HL	Hierarchical Level - Unit Load	O	1		Used
1300		Loop TD3	O		12	Used
1900	MAN	Marks and Numbers Information	O	>1		Used

HL Hierarchical Level - Unit Load

Pos: 0100	Max: 1
Detail - Optional	
Loop: HL	Elements: 3

User Option (Usage): Used

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

User Note 1:

The HL segment is used to identify levels of detail information using a hierarchical structure. HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.

HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of).

HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use

Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure

HL02	734	Hierarchical Parent ID Number	O	AN	1/12	Must use
------	-----	--------------------------------------	---	----	------	----------

Description: Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to

HL03	735	Hierarchical Level Code	M	ID	1/2	Must use
------	-----	--------------------------------	---	----	-----	----------

Description: Code defining the characteristic of a level in a hierarchical structure

Code List Summary (Total Codes: 253, Included: 1)

Code Name

UT Unit or Lot

User Note 1:

Unit load

Loop Carrier Details (Equipment)

Pos: 1300	Repeat: 12
Optional	
Loop: TD3	Elements: N/A

User Option (Usage): Used

Purpose: To specify transportation details relating to the equipment used by the carrier

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
1300	TD3	Carrier Details (Equipment)	O	1		Used

TD3 Carrier Details (Equipment)

Pos: 1300	Max: 1
Detail - Optional	
Loop: TD3	Elements: 1

User Option (Usage): Used

Purpose: To specify transportation details relating to the equipment used by the carrier

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD301	40	Equipment Description Code	X	ID	2/2	Used

Description: Code identifying type of equipment used for shipment

Code List Summary (Total Codes: 159, Included: 6)

<u>Code</u>	<u>Name</u>
20	20 ft. IL Container (Open Top)
2B	20 ft. IL Container (Closed Top)
40	40 ft. IL Container (Open Top)
4B	40 ft. IL Container (Closed Top)
CN	Container
CZ	Refrigerated Container

Syntax Rules:

1. C0203 - If TD302 is present, then TD303 is required.
2. C0405 - If TD304 is present, then TD305 is required.
3. E0110 - Only one of TD301 or TD310 may be present.
4. P0506 - If either TD305 or TD306 is present, then the other is required.

MAN Marks and Numbers Information

Pos: 1900	Max: >1
Detail - Optional	
Loop: HL	Elements: 2

User Option (Usage): Used

Purpose: To indicate identifying marks and numbers for shipping containers

User Note 1:

This segment, at the unit load level, is used to specify the identification number for the unit load.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MAN01	88	Marks and Numbers Qualifier	M	ID	1/2	Must use

Description: Code specifying the application or source of Marks and Numbers (87)

Code List Summary (Total Codes: 31, Included: 5)

Code Name

E1	Electronic Product Code (ePC) Serial Shipping Container Code (SSCC)	Description: Trade Item with ePC tag marked with SSCC value
E2	Electronic Product Code (ePC) and Bar Code Serial Shipping Container Code (SSCC)	Description: Trade Item with dual marking for barcode and ePC, with SSCC value
E3	Electronic Product Code (ePC) and Bar Code Serial Shipping Container Code (SSCC) with Application Identifier (AI)	Description: Trade Item with dual marking for barcode and ePC, with SSCC and AI value
GM	EAN.UCC Serial Shipping Container Code (SSCC) and Application Identifier	
User Note 1:		
See External Code Source 98.		
SI	Self-Identifying Container via Radio Frequency ID Device	Description: Inbound containers that do not need manual routing

MAN02	87	Marks and Numbers	M	AN	1/48	Must use
-------	----	-------------------	---	----	------	----------

Description: Marks and numbers used to identify a shipment or parts of a shipment

Syntax Rules:

1. C0605 - If MAN06 is present, then MAN05 is required.
2. P0405 - If either MAN04 or MAN05 is present, then the other is required.

Semantics:

1. MAN01/MAN02 and MAN04/MAN05 may be used to identify two different marks and numbers assigned to the same physical container.
2. When both MAN02 and MAN03 are used, MAN02 is the starting number of a sequential range and MAN03 is the ending number of that range.
3. When both MAN05 and MAN06 are used, MAN05 is the starting number of a sequential range, and MAN06 is the ending number of that range.

Loop Order

Pos: 0100 Repeat:
 200000
Mandatory
Loop: HL Elements: N/A

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0100	HL	Hierarchical Level	M	1		Must use
0500	PRF	Purchase Order Reference	O	1		Used
1100	TD1	Carrier Details (Quantity and Weight)	O	20		Used
1500	REF	Reference Information	O	>1		Used
2200		Loop N1	O		200	Used
3900		Loop AMT	O		5	Used

HL Hierarchical Level

Pos: 0100	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 3

User Option (Usage): Must use**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments**User Note 1:**

The HL segment is used to identify levels of detail information using a hierarchical structure. HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.

HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of).

HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use

Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure

HL02	734	Hierarchical Parent ID Number	O	AN	1/12	Must use
------	-----	--------------------------------------	---	----	------	----------

Description: Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to

HL03	735	Hierarchical Level Code	M	ID	1/2	Must use
------	-----	--------------------------------	---	----	-----	----------

Description: Code defining the characteristic of a level in a hierarchical structure

Code List Summary (Total Codes: 253, Included: 1)

<u>Code</u>	<u>Name</u>
O	Order

PRF Purchase Order Reference

Pos: 0500	Max: 1
Detail - Optional	
Loop: HL	Elements: 1

User Option (Usage): Used

Purpose: To provide reference to a specific purchase order

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PRF01	324	Purchase Order Number	M	AN	1/22	Must use

Description: Identifying number for Purchase Order assigned by the orderer/purchaser

User Note 1: Retailer's original purchase order number

Semantics:

1. PRF04 is the date assigned by the purchaser to purchase order.

TD1 Carrier Details (Quantity and Weight)

Pos: 1100	Max: 20
Detail - Optional	
Loop: HL	Elements: 5

User Option (Usage): Used

Purpose: To specify the transportation details relative to commodity, weight, and quantity

User Note 1:

This segment, at the order level, is used to specify the number and type of shipping containers in the order.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD101	103	Packaging Code	O	AN	3/5	Used

Description: Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required

Code List Summary - Part 1/2 (Total Codes: 168, Included: 7)

Code Name

AAA Pallet, Returnable

BAG Bag

CTN Carton

MIX Mixed Container Types

Description: More than one type of container is included in a shipment (shipment could consist of 3 pieces that include 1 box, 1 crate, and 1 basket)

PLT Pallet

SLP Slip Sheet

Description: Shipping containers utilizing slip sheets, which are cardboard platforms used to hold product for storage or transportation

SRW Shrink Wrap

Description: In packaging, a method of securing a unit load by placing a large "bag" of plastic film over the components and applying heat to induce shrinkage and cause the bag to tighten around the contents

Code List Summary - Part 2/2 (Total Codes: 68, Included: 3)

Code Name

25 Corrugated or Solid

76 Paper

94 Wood

TD102	80	Lading Quantity	X	N0	1/7	Used
-------	----	-----------------	---	----	-----	------

Description: Number of units (pieces) of the lading commodity

TD106	187	Weight Qualifier	O	ID	1/2	Used
-------	-----	------------------	---	----	-----	------

Description: Code defining the type of weight

Code List Summary (Total Codes: 54, Included: 1)

Code Name

G Gross Weight

TD107	81	Weight	X	R	1/10	Used
		Description: Numeric value of weight				
TD108	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		Code List Summary (Total Codes: 925, Included: 2)				
		Code Name				
		KG	Kilogram			
		LB	Pound			

Syntax Rules:

1. C0102 - If TD101 is present, then TD102 is required.
2. C0304 - If TD103 is present, then TD104 is required.
3. C0607 - If TD106 is present, then TD107 is required.
4. P0708 - If either TD107 or TD108 is present, then the other is required.
5. P0910 - If either TD109 or TD110 is present, then the other is required.

REF Reference Information

Pos: 1500	Max: >1
Detail - Optional	
Loop: HL	Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

Code List Summary (Total Codes: 1904, Included: 17)

Code Name

6B U.S. Customs and Border Protection (CBP) Entry Number

User Note 1:

Customs entry number

BM Bill of Lading Number

BT Batch Number

CH Customer Catalog Number

CO Customer Order Number

User Note 1:

Customer of retailer

DP Department Number

HB Bill & Hold Invoice Number

IA Internal Vendor Number

User Note 1:

Identification number assigned to the vendor, by the retailer, for use within the retailer's system

IT Internal Customer Number

User Note 1:

Identification number assigned to the retailer, by the vendor, for use within the vendor's system

IV Seller's Invoice Number

MR Merchandise Type Code

PD Promotion/Deal Number

QC Product Specification Document Number

Description: Model designation of replacement component

User Note 1:

Schematic reference number

SB Sales Region Number

VN Vendor Order Number

UCB VICS Bill of Lading Number (17 Digits)

User Note 1:

See External Code Source 852.

UCM VICS Master Bill of Lading Number (17 Digits)

User Note 1:

Code Name

See External Code Source 852.

REF02	127	Reference Identification	X	AN	1/80	Must use
-------	-----	---------------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

Loop Party Identification

Pos: 2200	Repeat: 200
Optional	
Loop: N1	Elements: N/A

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
2200	N1	Party Identification	O	1		Used
2300	N2	Additional Name Information	O	2		Used
2400	N3	Party Location	O	2		Used
2500	N4	Geographic Location	O	1		Used

N1 Party Identification

Pos: 2200	Max: 1
Detail - Optional	
Loop: N1	Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

User Note 1:

When N101 code MA is for the ultimate receiver (direct to consumer), N103 and N104 are not required.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
N101	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

Code List Summary (Total Codes: 1538, Included: 3)

Code Name

BY	Buying Party (Purchaser)
MA	Party for whom Item is Ultimately Intended

User Note 1:

Ultimate receiver

SE	Selling Party
----	---------------

N102	93	Name	X	AN	1/60	Used
------	----	------	---	----	------	------

Description: Free-form name

N103	66	Identification Code Qualifier	X	ID	1/2	Used
------	----	-------------------------------	---	----	-----	------

Description: Code designating the system/method of code structure used for Identification Code (67)

Code List Summary (Total Codes: 259, Included: 7)

Code Name

1	D-U-N-S Number, Dun & Bradstreet
---	----------------------------------

User Note 1:

See External Code Source 16.

9	D-U-N-S+4, D-U-N-S Number with Four Character Suffix
---	--

User Note 1:

See External Code Source 16.

21	Health Industry Number (HIN)
----	------------------------------

User Note 1:

See External Code Source 121.

91	Assigned by Seller or Seller's Agent
----	--------------------------------------

92	Assigned by Buyer or Buyer's Agent
----	------------------------------------

UL	Global Location Number (GLN)
----	------------------------------

Description: A globally unique 13 digit code used for the identification of any physical or legal location that needs to be uniquely identified for use in the supply chain. A GS1 identification key

User Note 1:

Code Name

See External Code Source 583.

UM GS1 Global Location Number with Extension Component

Description: A globally unique 13-digit code with a one to twenty character extension component used, for the identification of a legal or physical location

N104	67	Identification Code	X	AN	2/80	Used
------	----	----------------------------	---	----	------	------

Description: Code identifying a party or other code

User Note 1: This is the location code as defined by N103. The location code may be a formal number, e.g., GLN, or it may be assigned by either the buyer or seller. The location refers to a store, warehouse, distribution center, plant, etc. Location codes are used to alleviate the need to send complete names and addresses.

Syntax Rules:

1. P0304 - If either N103 or N104 is present, then the other is required.
2. R0203 - At least one of N102 or N103 is required.

N2 Additional Name Information

Pos: 2300	Max: 2
Detail - Optional	
Loop: N1	Elements: 2

User Option (Usage): Used

Purpose: To specify additional names

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N201	93	Name	M	AN	1/60	Must use
		Description: Free-form name				
N202	93	Name	O	AN	1/60	Used
		Description: Free-form name				

N3 Party Location

Pos: 2400	Max: 2
Detail - Optional	
Loop: N1	Elements: 2

User Option (Usage): Used

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use
		Description: Address information				
N302	166	Address Information	O	AN	1/55	Used
		Description: Address information				

N4 Geographic Location

Pos: 2500	Max: 1
Detail - Optional	
Loop: N1	Elements: 5

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	O	AN	2/30	Used
		Description: Free-form text for city name				
N402	156	State or Province Code	X	ID	2/2	Used
		Description: Code (Standard State/Province) as defined by appropriate government agency				
		User Note 1: See External Code Source 22.				
N403	116	Postal Code	O	ID	3/15	Used
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
		User Note 1: See External Code Source 51.				
N404	26	Country Code	X	ID	2/3	Used
		Description: Code identifying the country				
		User Note 1: See External Code Source 5.				
		User Note 2: CA - Canada				
		MX - Mexico				
		US - United States				
N407	1715	Country Subdivision Code	X	ID	1/3	Used
		Description: Code identifying the country subdivision				

Syntax Rules:

1. C0605 - If N406 is present, then N405 is required.
2. C0704 - If N407 is present, then N404 is required.
3. E0207 - Only one of N402 or N407 may be present.

Loop Monetary Amount Information

Pos: 3900	Repeat: 5
Optional	
Loop: AMT Elements: N/A	

User Option (Usage): Used

Purpose: To indicate the total monetary amount

User Note 1:

The AMT loop is used with the Shipment or Order levels

User Note 2:

For additional information refer to 856 Transaction Set Notes for guidance on using the AMT loop.

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
3900	AMT	Monetary Amount Information	O	1		Used
4000	CUR	Currency	O	1		Used

AMT Monetary Amount Information

Pos: 3900	Max: 1
Detail - Optional	
Loop: AMT	Elements: 3

User Option (Usage): Used

Purpose: To indicate the total monetary amount

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AMT01	522	Amount Qualifier Code	M	ID	1/3	Must use

Description: Code specifying the amount qualifier

Code List Summary (Total Codes: 1797, Included: 5)

Code Name

SM1 Insurance Value

Description: The insurance coverage purchased that covers replacement of the goods in case of total or partial loss or damage.

SM2 Declared Value

Description: The value placed upon imported goods by the importer for clearance through the customhouse. Value is used to determine the import duty the recipient must pay. Also known as Customs Value.

SM3 Shipment Value

Description: The value placed upon a shipment by the supplier.

SM4 Pay on Delivery

Description: The monetary amount due when shipment is delivered to the recipient.

SM5 Landed Cost Value

Description: The total cost of a landed shipment including purchase price, freight, insurance and other costs up to the port of destination. In some instances, it may also include the customs duties and other taxes levied on the shipment.

AMT02	782	Monetary Amount	M	R	1/18	Must use
-------	-----	-----------------	---	---	------	----------

Description: Monetary amount

AMT03	478	Credit/Debit Flag Code	O	ID	1/1	Used
-------	-----	------------------------	---	----	-----	------

Description: Code indicating whether amount is a credit or debit

Code List Summary (Total Codes: 4, Included: 2)

Code Name

C Credit

D Debit

CUR Currency

Pos: 4000	Max: 1
Detail - Optional	
Loop: AMT	Elements: 2

User Option (Usage): Used

Purpose: To specify the currency (dollars, pounds, francs, etc.) used in a transaction

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CUR01	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

Code List Summary (Total Codes: 1538, Included: 2)

Code Name

BY Buying Party (Purchaser)
SE Selling Party

CUR02	100	Currency Code	M	ID	3/3	Must use
-------	-----	---------------	---	----	-----	----------

Description: Code specifying the Standard ISO code for country in whose currency the charges are specified

User Note 1: See External Code Source 5.

Code List Summary (Total Codes: 2, Included: 2)

Code Name

CAD Canadian Dollars
USD U.S. Dollars

Syntax Rules:

1. C0807 - If CUR08 is present, then CUR07 is required.
2. C0907 - If CUR09 is present, then CUR07 is required.
3. C1110 - If CUR11 is present, then CUR10 is required.
4. C1210 - If CUR12 is present, then CUR10 is required.
5. C1413 - If CUR14 is present, then CUR13 is required.
6. C1513 - If CUR15 is present, then CUR13 is required.
7. C1716 - If CUR17 is present, then CUR16 is required.
8. C1816 - If CUR18 is present, then CUR16 is required.
9. C2019 - If CUR20 is present, then CUR19 is required.
10. C2119 - If CUR21 is present, then CUR19 is required.
11. L101112 - If CUR10 is present, then at least one of CUR11 or CUR12 is required.
12. L131415 - If CUR13 is present, then at least one of CUR14 or CUR15 is required.
13. L161718 - If CUR16 is present, then at least one of CUR17 or CUR18 is required.
14. L192021 - If CUR19 is present, then at least one of CUR20 or CUR21 is required.

Comments:

1. See Figures Appendix for examples detailing the use of the CUR segment.

Loop Tare

Pos: 0100	Repeat: 200000
Optional	
Loop: HL	Elements: N/A

User Option (Usage): Used

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0100	HL	Hierarchical Level	O	1		Used
1900	MAN	Marks and Numbers Information	O	>1		Used
2150	PAL	Pallet Type and Load Characteristics	O	1		Used

HL Hierarchical Level

Pos: 0100	Max: 1
Detail - Optional	
Loop: HL	Elements: 3

User Option (Usage): Used**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments**User Note 1:**

The HL segment is used to identify levels of detail information using a hierarchical structure. HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.

HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of).

HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use
Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure						
HL02	734	Hierarchical Parent ID Number	O	AN	1/12	Must use
Description: Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to						
HL03	735	Hierarchical Level Code	M	ID	1/2	Must use
Description: Code defining the characteristic of a level in a hierarchical structure						
Code List Summary (Total Codes: 253, Included: 1)						
Code Name						
T	Shipping Tare					

MAN Marks and Numbers Information

Pos: 1900	Max: >1
Detail - Optional	
Loop: HL	Elements: 2

User Option (Usage): Used

Purpose: To indicate identifying marks and numbers for shipping containers

User Note 1:

This segment, at the tare level, is used to specify the identification numbers for the pallet.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MAN01	88	Marks and Numbers Qualifier	M	ID	1/2	Must use

Description: Code specifying the application or source of Marks and Numbers (87)

Code List Summary (Total Codes: 31, Included: 5)

Code Name

E1	Electronic Product Code (ePC) Serial Shipping Container Code (SSCC)	Description: Trade Item with ePC tag marked with SSCC value
E2	Electronic Product Code (ePC) and Bar Code Serial Shipping Container Code (SSCC)	Description: Trade Item with dual marking for barcode and ePC, with SSCC value
E3	Electronic Product Code (ePC) and Bar Code Serial Shipping Container Code (SSCC) with Application Identifier (AI)	Description: Trade Item with dual marking for barcode and ePC, with SSCC and AI value
GM	EAN.UCC Serial Shipping Container Code (SSCC) and Application Identifier	
User Note 1:		
See External Code Source 98.		
SI	Self-Identifying Container via Radio Frequency ID Device	Description: Inbound containers that do not need manual routing

MAN02	87	Marks and Numbers	M	AN	1/48	Must use
-------	----	-------------------	---	----	------	----------

Description: Marks and numbers used to identify a shipment or parts of a shipment

Syntax Rules:

1. C0605 - If MAN06 is present, then MAN05 is required.
2. P0405 - If either MAN04 or MAN05 is present, then the other is required.

Semantics:

1. MAN01/MAN02 and MAN04/MAN05 may be used to identify two different marks and numbers assigned to the same physical container.
2. When both MAN02 and MAN03 are used, MAN02 is the starting number of a sequential range and MAN03 is the ending number of that range.
3. When both MAN05 and MAN06 are used, MAN05 is the starting number of a sequential range, and MAN06 is the ending number of that range.

PAL Pallet Type and Load Characteristics

Pos: 2150	Max: 1
Detail - Optional	
Loop: HL	Elements: 8

User Option (Usage): Used

Purpose: To identify the type and physical attributes of the pallet, and, gross weight, gross volume, and height of the load and the pallet

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PAL01	883	Pallet Type Code	O	ID	1/2	Used

Description: Code indicating the type of pallet

Code List Summary (Total Codes: 26, Included: 14)

Code Name

- | | |
|---|--|
| 1 | Aluminum |
| 2 | As Specified by the Department of Transportation (DOT) |
| 3 | Metal |
| 4 | Standard |
| 5 | Steel |
| 6 | Wood |
| 7 | Slip sheet |

Description: Typically cardboard or plastic sheets used to hold product for storage or transportation

- | | |
|----|-------|
| 42 | Dolly |
|----|-------|

Description: A portable, horizontal, rigid platform on wheels or rollers, used as a base for assembling, storing, stacking, handling and transporting goods as a unit, suitable for manually positioning

- | | |
|----|--|
| 47 | Intermediate Bulk Container (IBC) Pallet |
|----|--|

Description: A Rigid Intermediate Bulk Container (RIBC) that is attached to a pallet or has the pallet integrated into the RIBC. The container is used for the transport and storage of fluids and other bulk materials. The construction of the IBC container and the materials used are chosen depending on the application. There are various types available in the market place: Foldable (collapsible) IBC Container, Plastic composite IBC Container, Wire Cage IBC Container, Steel IBC Container, and Stainless steel IBC Container

- | | |
|----|------|
| 49 | Skid |
|----|------|

Description: A group of parallel wooden runners attached to the undersides of boxes, crates, and machines to allow entry of platform trucks or fork lift tines

- | | |
|----|-----------------|
| 50 | Stringer Pallet |
|----|-----------------|

Description: A pallet constructed with boards (stringers) on edge to which the top deck and bottom deck boards are attached. The stringers may be notched to facilitate four way entries and lifting by a fork lift or other pallet jacking device

- | | |
|----|--------------|
| 52 | Block Pallet |
|----|--------------|

Description: A pallet constructed with blocks at the corners and middle to which three stringers boards are attached with top deck boards attached

Code Name

perpendicular to the stringers. Block pallets can have a variety of bottom deck configurations: no bottom boards, boards parallel to the top deck boards or a full parameter base similar to a picture frame

53 Horizontal Drum Pallet

Description: A rigid platform with integrated restraints to prevent horizontally orientated cylindrical containers from slipping. Horizontal Drum Pallets are used for assembling, storing, stacking, handling and transporting cylindrical containers, e.g. drums, barrels, or kegs, as a unit load, suitable for lifting by a forklift, pallet jack, or other jacking device

54 Vertical Drum Pallet

Description: A rigid platform with integrated restraints to prevent vertically orientated cylindrical containers from slipping. Vertical Drum Pallets are used for assembling, storing, stacking, handling and transporting cylindrical containers, e.g. drums, barrels, or kegs, as a unit load, suitable for lifting by a forklift, pallet jack, or other jacking device

PAL02	884	Pallet Tiers	O	N0	1/3	Used
-------	-----	---------------------	---	----	-----	------

Description: The number of layers per pallet

PAL03	885	Pallet Blocks	O	N0	1/3	Used
-------	-----	----------------------	---	----	-----	------

Description: The number of pieces (cartons) per layer on the pallet

PAL04	356	Pack	O	N0	1/6	Used
-------	-----	-------------	---	----	-----	------

Description: The number of inner containers, or number of eaches if there are no inner containers, per outer container

PAL15	399	Pallet Exchange Code	O	ID	1/1	Used
-------	-----	-----------------------------	---	----	-----	------

Description: Code specifying pallet exchange instructions

Code List Summary (Total Codes: 5, Included: 5)

Code Name

1 No Exchange/No Return

User Note 1:

One Way Pallet - Pallet need not be returned to the point of origin.

2 Exchange Pallets

3 Return Pallets

User Note 1:

Returnable Pallet - Pallet must be returned to the point of origin.

4 Pallets to be Purchased by Customer

5 Third-Party Pallet Exchange

Description: A pallet exchange program where a third party rents pallets for internal or external use

PAL18	380	Quantity	O	R	1/15	Used
-------	-----	-----------------	---	---	------	------

Description: Numeric value of quantity

PAL19	1073	Yes/No Condition or Response Code	O	ID	1/1	Must use
-------	------	--	---	----	-----	----------

Description: Code indicating a Yes or No condition or response

User Note 1: PAL19 indicates if the block count on at least one pallet tier is not the

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		same as on other tiers. A "Y" indicates the pallet has unequal block counts on one or more tiers. An "N" indicates that the pallet's blocks per tier are uniform (block x tier equals quantity on pallet)				
		Code List Summary (Total Codes: 9, Included: 2)				
		<u>Code</u>	<u>Name</u>			
		N	No			
		Y	Yes			
PAL20	352	Description	X	AN	1/80	Must use

Description: A free-form description to clarify the related data elements and their content

Syntax Rules:

1. C0710 - If PAL07 is present, then PAL10 is required.
2. C0810 - If PAL08 is present, then PAL10 is required.
3. C0910 - If PAL09 is present, then PAL10 is required.
4. L10070809 - If PAL10 is present, then at least one of PAL07, PAL08 or PAL09 is required.
5. P0506 - If either PAL05 or PAL06 is present, then the other is required.
6. P1112 - If either PAL11 or PAL12 is present, then the other is required.
7. P1314 - If either PAL13 or PAL14 is present, then the other is required.

Semantics:

1. PAL04 (Pack) is the number of pieces on the pallet.
2. PAL05 (Unit Weight) is the weight of the pallet alone, before loading.
3. PAL07 and PAL08 (Length and Width) are the dimensions of the pallet before loading.
4. PAL09 (Height) is the height of the pallet and load.
5. PAL11 and PAL13 (Gross Weight and Gross Volume) are measured after loading and includes the pallet.
6. PAL18 is the maximum quantity of stackable pallets.

Loop Pack

Pos: 0100	Repeat: 200000
Mandatory	
Loop: HL	Elements: N/A

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0100	HL	Hierarchical Level	M	1		Must use
0200	LIN	Item Identification	O	1		Used
0300	SN1	Item Detail (Shipment)	O	1		Used
1900	MAN	Marks and Numbers Information	O	>1		Used

HL Hierarchical Level

Pos: 0100	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 3

User Option (Usage): Must use**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments**User Note 1:**

The HL segment is used to identify levels of detail information using a hierarchical structure. HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.

HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of).

HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use

Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure

HL02	734	Hierarchical Parent ID Number	O	AN	1/12	Must use
------	-----	--------------------------------------	---	----	------	----------

Description: Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to

HL03	735	Hierarchical Level Code	M	ID	1/2	Must use
------	-----	--------------------------------	---	----	-----	----------

Description: Code defining the characteristic of a level in a hierarchical structure

Code List Summary (Total Codes: 253, Included: 1)

Code Name

P	Pack
---	------

LIN Item Identification

Pos: 0200	Max: 1
Detail - Optional	
Loop: HL	Elements: 6

User Option (Usage): Used

Purpose: To specify basic item identification data

User Note 1:

This segment, at the pack level, is used to specify the GTIN Case Code, and production information. The SN1 segment that follows is used to specify the number of cases identified in the LIN segment. The LIN segment, at the item level, is used to indicate the individual consumer units for the case code.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
LIN02	235	Product/Service ID Qualifier	M	ID	2/2	Must use

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 564, Included: 5)

Code Name

EN GTIN-13

Description: A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

EO GTIN-8

Description: An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items

LT Lot Number

UK GTIN-14

Description: A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

UP GTIN-12

Description: A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items

LIN03	234	Product/Service ID	M	AN	1/80	Must use
-------	-----	--------------------	---	----	------	----------

Description: Identifying number for a product or service

LIN04	235	Product/Service ID Qualifier	X	ID	2/2	Used
-------	-----	------------------------------	---	----	-----	------

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 564, Included: 31)

Code Name

AG Age

Description: The period during which, after distillation and before bottling, distilled spirits have been stored in oak containers

BC Supplier Brand Code

BL Brand/Label

BO Buyers Color

Code Name

BV Beverage Common Code

User Note 1:

Used only by the alcohol beverage industry.
See External Code Source 467.

CG Commodity Grouping

CH Country of Origin Code

CM National Retail Federation Color Code

User Note 1:

This is the three-digit NRF color code.
See External Code Source 88.

CN Commodity Name

EN GTIN-13

Description: A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

EO GTIN-8

Description: An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items

FV Drug Identification Number (DIN)

IB International Standard Book Number (ISBN)

IN Buyer's Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.
Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

IS International Standard Serial Number (ISSN)

IT Buyer's Style Number

IZ Buyer's Size Code

LT Lot Number

MN Model Number

ND National Drug Code (NDC)

P8 Retail Price Look Up Number (PLU)

PJ Product Date Code (A code indicating the period during which a product was manufactured.)

SM National Retail Federation Size Code

User Note 1:

This is the five-digit NRF size code.
See External Code Source 88.

SZ Vendor Alphanumeric Size Code

UC Product Variant

User Note 1:

The two or five digit code used to further define the contents of a consumer unit or multipack, also referred to as an ADD-ON code.

UK GTIN-14

Description: A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

Code Name

UP GTIN-12

Description: A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items

VA Vendor's Style Number

VE Vendor Color

VN Vendor's (Seller's) Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.

Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

VT Vintage

Description: The harvest year of the grapes that are part of the composition of a particular wine

LIN05	234	Product/Service ID	X	AN	1/80	Used
-------	-----	---------------------------	---	----	------	------

Description: Identifying number for a product or service

LIN06	235	Product/Service ID Qualifier	X	ID	2/2	Used
-------	-----	-------------------------------------	---	----	-----	------

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 564, Included: 31)**Code Name**

AG Age

Description: The period during which, after distillation and before bottling, distilled spirits have been stored in oak containers

BC Supplier Brand Code

BL Brand/Label

BO Buyers Color

BV Beverage Common Code

User Note 1:

Used only by the alcohol beverage industry.
See External Code Source 467.

CG Commodity Grouping

CH Country of Origin Code

CM National Retail Federation Color Code

User Note 1:

This is the three-digit NRF color code.
See External Code Source 88.

CN Commodity Name

EN GTIN-13

Description: A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

EO GTIN-8

Description: An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items

Code Name

FV Drug Identification Number (DIN)

IB International Standard Book Number (ISBN)

IN Buyer's Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.
Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

IS International Standard Serial Number (ISSN)

IT Buyer's Style Number

IZ Buyer's Size Code

LT Lot Number

MN Model Number

ND National Drug Code (NDC)

P8 Retail Price Look Up Number (PLU)

PJ Product Date Code (A code indicating the period during which a product was manufactured.)

SM National Retail Federation Size Code

User Note 1:

This is the five-digit NRF size code.
See External Code Source 88.

SZ Vendor Alphanumeric Size Code

UC Product Variant

User Note 1:

The two or five digit code used to further define the contents of a consumer unit or multipack, also referred to as an ADD-ON code.

UK GTIN-14

Description: A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

UP GTIN-12

Description: A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items

VA Vendor's Style Number

VE Vendor Color

VN Vendor's (Seller's) Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.

Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

VT Vintage

Description: The harvest year of the grapes that are part of the composition of a particular wine

LIN07	234	Product/Service ID	X	AN	1/80	Used
-------	-----	---------------------------	---	----	------	------

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
------------	-----------	---------------------	------------	-------------	----------------	--------------

Description: Identifying number for a product or service

Syntax Rules:

1. P0405 - If either LIN04 or LIN05 is present, then the other is required.
2. P0607 - If either LIN06 or LIN07 is present, then the other is required.
3. P0809 - If either LIN08 or LIN09 is present, then the other is required.
4. P1011 - If either LIN10 or LIN11 is present, then the other is required.
5. P1213 - If either LIN12 or LIN13 is present, then the other is required.
6. P1415 - If either LIN14 or LIN15 is present, then the other is required.
7. P1617 - If either LIN16 or LIN17 is present, then the other is required.
8. P1819 - If either LIN18 or LIN19 is present, then the other is required.
9. P2021 - If either LIN20 or LIN21 is present, then the other is required.
10. P2223 - If either LIN22 or LIN23 is present, then the other is required.
11. P2425 - If either LIN24 or LIN25 is present, then the other is required.
12. P2627 - If either LIN26 or LIN27 is present, then the other is required.
13. P2829 - If either LIN28 or LIN29 is present, then the other is required.
14. P3031 - If either LIN30 or LIN31 is present, then the other is required.

Semantics:

1. LIN01 is the line item identification

SN1 Item Detail (Shipment)

Pos: 0300	Max: 1
Detail - Optional	
Loop: HL	Elements: 2

User Option (Usage): Used**Purpose:** To specify line-item detail relative to shipment**User Note 1:**

This segment, at the pack level, is used only to specify the number of cases identified by the GTIN Case Code in the previous LIN segment. The LIN segment in the item level is used to indicate the individual consumer units for the case code.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SN102	382	Number of Units Shipped	M	R	1/10	Must use
		Description: Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set				
SN103	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		Code List Summary (Total Codes: 925, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		CA	Case			

Syntax Rules:

1. P0506 - If either SN105 or SN106 is present, then the other is required.

Semantics:

1. SN101 is the ship notice line-item identification.
2. SN105 is quantity ordered.

MAN Marks and Numbers Information

Pos: 1900	Max: >1
Detail - Optional	
Loop: HL	Elements: 2

User Option (Usage): Used

Purpose: To indicate identifying marks and numbers for shipping containers

User Note 1:

When the shipping container is the same as the consumer unit, the GTIN may be the only GS1 identification code on the container. In many applications, it is necessary to positively identify what identification code is to be scanned and matched at point of receipt.

Since the GTIN is not a unique serial shipping container code, only one pack level for each item is required when using the pick and pack structure.

The total number of shipping units for this item is the same as the quantity for the item in the SN1 segment at the item level.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MAN01	88	Marks and Numbers Qualifier	M	ID	1/2	Must use

Description: Code specifying the application or source of Marks and Numbers (87)

Code List Summary (Total Codes: 31, Included: 5)

Code Name

E1	Electronic Product Code (ePC) Serial Shipping Container Code (SSCC)	Description: Trade Item with ePC tag marked with SSCC value
E2	Electronic Product Code (ePC) and Bar Code Serial Shipping Container Code (SSCC)	Description: Trade Item with dual marking for barcode and ePC, with SSCC value
E3	Electronic Product Code (ePC) and Bar Code Serial Shipping Container Code (SSCC) with Application Identifier (AI)	Description: Trade Item with dual marking for barcode and ePC, with SSCC and AI value
GM	EAN.UCC Serial Shipping Container Code (SSCC) and Application Identifier	User Note 1: See External Code Source 98.
SI	Self-Identifying Container via Radio Frequency ID Device	Description: Inbound containers that do not need manual routing

MAN02	87	Marks and Numbers	M	AN	1/48	Must use
-------	----	-------------------	---	----	------	----------

Description: Marks and numbers used to identify a shipment or parts of a shipment

Syntax Rules:

1. C0605 - If MAN06 is present, then MAN05 is required.
2. P0405 - If either MAN04 or MAN05 is present, then the other is required.

Semantics:

1. MAN01/MAN02 and MAN04/MAN05 may be used to identify two different marks and numbers assigned to the same physical container.
2. When both MAN02 and MAN03 are used, MAN02 is the starting number of a sequential range and MAN03 is the ending number of that range.
3. When both MAN05 and MAN06 are used, MAN05 is the starting number of a sequential range, and MAN06 is the ending number of that range.

Loop Item

Pos: 0100	Repeat: 200000
Mandatory	
Loop: HL	Elements: N/A

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0100	HL	Hierarchical Level	M	1		Must use
0200	LIN	Item Identification	O	1		Used
0300	SN1	Item Detail (Shipment)	O	1		Used
0600	PO4	Item Physical Details	O	1		Used
0700	PID	Product/Item Description	O	200		Used
1400	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5		Used
1500	REF	Reference Information	O	>1		Used
2000	DTM	Date/Time Reference	O	10		Used

HL Hierarchical Level

Pos: 0100	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 3

User Option (Usage): Must use**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments**User Note 1:**

The HL segment is used to identify levels of detail information using a hierarchical structure. HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.

HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of).

HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use

Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure

HL02	734	Hierarchical Parent ID Number	O	AN	1/12	Must use
------	-----	--------------------------------------	---	----	------	----------

Description: Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to

HL03	735	Hierarchical Level Code	M	ID	1/2	Must use
------	-----	--------------------------------	---	----	-----	----------

Description: Code defining the characteristic of a level in a hierarchical structure

Code List Summary (Total Codes: 253, Included: 1)

<u>Code</u>	<u>Name</u>
I	Item

LIN Item Identification

Pos: 0200	Max: 1
Detail - Optional	
Loop: HL	Elements: 16

User Option (Usage): Used

Purpose: To specify basic item identification data

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
LIN02	235	Product/Service ID Qualifier	M	ID	2/2	Must use

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 564, Included: 6)

Code Name

EN GTIN-13

Description: A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

EO GTIN-8

Description: An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items

IN Buyer's Item Number

UK GTIN-14

Description: A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

UP GTIN-12

Description: A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items

VN Vendor's (Seller's) Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.

Trading Partners who do not have a GS1 Canada Company Prefix, contact GS1 Canada.

LIN03	234	Product/Service ID	M	AN	1/80	Must use
-------	-----	--------------------	---	----	------	----------

Description: Identifying number for a product or service

LIN04	235	Product/Service ID Qualifier	X	ID	2/2	Used
-------	-----	------------------------------	---	----	-----	------

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 564, Included: 31)

Code Name

AG Age

Description: The period during which, after distillation and before bottling, distilled spirits have been stored in oak containers

BC Supplier Brand Code

Code Name

BL Brand/Label
BO Buyers Color
BV Beverage Common Code

User Note 1:

Used only by the alcohol beverage industry.
See External Code Source 467.

CG Commodity Grouping
CH Country of Origin Code
CM National Retail Federation Color Code

User Note 1:

This is the three-digit NRF color code.
See External Code Source 88.

CN Commodity Name
EN GTIN-13

Description: A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

EO GTIN-8

Description: An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items

FV Drug Identification Number (DIN)
IB International Standard Book Number (ISBN)
IN Buyer's Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.
Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

IS International Standard Serial Number (ISSN)
IT Buyer's Style Number
IZ Buyer's Size Code
LT Lot Number
MN Model Number

ND National Drug Code (NDC)
P8 Retail Price Look Up Number (PLU)
PJ Product Date Code (A code indicating the period during which a product was manufactured.)
SM National Retail Federation Size Code

User Note 1:

This is the five-digit NRF size code.
See External Code Source 88.

SZ Vendor Alphanumeric Size Code
UC Product Variant

User Note 1:

The two or five digit code used to further define the contents of a consumer unit or multipack, also referred to as an ADD-ON code.

UK GTIN-14

Description: A 14-digit GS1 Identification Key composed of an Indicator

Code Name

Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

UP GTIN-12

Description: A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items

VA Vendor's Style Number

VE Vendor Color

VN Vendor's (Seller's) Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.

Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

VT Vintage

Description: The harvest year of the grapes that are part of the composition of a particular wine

LIN05	234	Product/Service ID	X	AN	1/80	Used
-------	-----	---------------------------	---	----	------	------

Description: Identifying number for a product or service

LIN06	235	Product/Service ID Qualifier	X	ID	2/2	Used
-------	-----	-------------------------------------	---	----	-----	------

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 564, Included: 31)**Code Name**

AG Age

Description: The period during which, after distillation and before bottling, distilled spirits have been stored in oak containers

BC Supplier Brand Code

BL Brand/Label

BO Buyers Color

BV Beverage Common Code

User Note 1:

Used only by the alcohol beverage industry.
See External Code Source 467.

CG Commodity Grouping

CH Country of Origin Code

CM National Retail Federation Color Code

User Note 1:

This is the three-digit NRF color code.
See External Code Source 88.

CN Commodity Name

EN GTIN-13

Description: A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

EO GTIN-8

Code Name

Description: An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items

FV Drug Identification Number (DIN)
IB International Standard Book Number (ISBN)
IN Buyer's Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.
Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

IS International Standard Serial Number (ISSN)
IT Buyer's Style Number
IZ Buyer's Size Code
LT Lot Number
MN Model Number
ND National Drug Code (NDC)
P8 Retail Price Look Up Number (PLU)
PJ Product Date Code (A code indicating the period during which a product was manufactured.)
SM National Retail Federation Size Code

User Note 1:

This is the five-digit NRF size code.
See External Code Source 88.

SZ Vendor Alphanumeric Size Code
UC Product Variant

User Note 1:

The two or five digit code used to further define the contents of a consumer unit or multipack, also referred to as an ADD-ON code.

UK GTIN-14
Description: A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

UP GTIN-12
Description: A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items

VA Vendor's Style Number
VE Vendor Color
VN Vendor's (Seller's) Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.
Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

VT Vintage
Description: The harvest year of the grapes that are part of the composition of a particular wine

LIN07	234	Product/Service ID	X	AN	1/80	Used
-------	-----	---------------------------	---	----	------	------

Description: Identifying number for a product or service

LIN08	235	Product/Service ID Qualifier	X	ID	2/2	Used
-------	-----	-------------------------------------	---	----	-----	------

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 564, Included: 31)

Code Name

AG Age

Description: The period during which, after distillation and before bottling, distilled spirits have been stored in oak containers

BC Supplier Brand Code

BL Brand/Label

BO Buyers Color

BV Beverage Common Code

User Note 1:

Used only by the alcohol beverage industry.
See External Code Source 467.

CG Commodity Grouping

CH Country of Origin Code

CM National Retail Federation Color Code

User Note 1:

This is the three-digit NRF color code.
See External Code Source 88.

CN Commodity Name

EN GTIN-13

Description: A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

EO GTIN-8

Description: An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items

FV Drug Identification Number (DIN)

IB International Standard Book Number (ISBN)

IN Buyer's Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.
Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

IS International Standard Serial Number (ISSN)

IT Buyer's Style Number

IZ Buyer's Size Code

LT Lot Number

MN Model Number

ND National Drug Code (NDC)

P8 Retail Price Look Up Number (PLU)

PJ Product Date Code (A code indicating the period during which a product was

Code Name

		manufactured.)				
SM		National Retail Federation Size Code				
		User Note 1: This is the five-digit NRF size code. See External Code Source 88.				
SZ		Vendor Alphanumeric Size Code				
UC		Product Variant				
		User Note 1: The two or five digit code used to further define the contents of a consumer unit or multipack, also referred to as an ADD-ON code.				
UK		GTIN-14				
		Description: A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items				
UP		GTIN-12				
		Description: A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items				
VA		Vendor's Style Number				
VE		Vendor Color				
VN		Vendor's (Seller's) Item Number				
		User Note 1: Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product. Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.				
VT		Vintage				
		Description: The harvest year of the grapes that are part of the composition of a particular wine				

LIN09	234	Product/Service ID	X	AN	1/80	Used
-------	-----	---------------------------	---	----	------	------

Description: Identifying number for a product or service

LIN10	235	Product/Service ID Qualifier	X	ID	2/2	Used
-------	-----	-------------------------------------	---	----	-----	------

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 564, Included: 31)

Code Name

AG	Age	Description: The period during which, after distillation and before bottling, distilled spirits have been stored in oak containers
BC	Supplier Brand Code	
BL	Brand/Label	
BO	Buyers Color	
BV	Beverage Common Code	

User Note 1:
Used only by the alcohol beverage industry.

Code	Name
	See External Code Source 467.
CG	Commodity Grouping
CH	Country of Origin Code
CM	National Retail Federation Color Code
	User Note 1: This is the three-digit NRF color code. See External Code Source 88.
CN	Commodity Name
EN	GTIN-13 Description: A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items
EO	GTIN-8 Description: An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items
FV	Drug Identification Number (DIN)
IB	International Standard Book Number (ISBN)
IN	Buyer's Item Number
	User Note 1: Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product. Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.
IS	International Standard Serial Number (ISSN)
IT	Buyer's Style Number
IZ	Buyer's Size Code
LT	Lot Number
MN	Model Number
ND	National Drug Code (NDC)
P8	Retail Price Look Up Number (PLU)
PJ	Product Date Code (A code indicating the period during which a product was manufactured.)
SM	National Retail Federation Size Code
	User Note 1: This is the five-digit NRF size code. See External Code Source 88.
SZ	Vendor Alphanumeric Size Code
UC	Product Variant
	User Note 1: The two or five digit code used to further define the contents of a consumer unit or multipack, also referred to as an ADD-ON code.
UK	GTIN-14 Description: A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items
UP	GTIN-12 Description: A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items

Code Name

VA Vendor's Style Number
 VE Vendor Color
 VN Vendor's (Seller's) Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.

Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

VT Vintage

Description: The harvest year of the grapes that are part of the composition of a particular wine

LIN11	234	Product/Service ID	X	AN	1/48	Used
-------	-----	---------------------------	---	----	------	------

Description: Identifying number for a product or service

LIN12	235	Product/Service ID Qualifier	X	ID	2/2	Used
-------	-----	-------------------------------------	---	----	-----	------

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 564, Included: 31)

Code Name

AG Age

Description: The period during which, after distillation and before bottling, distilled spirits have been stored in oak containers

BC Supplier Brand Code

BL Brand/Label

BO Buyers Color

BV Beverage Common Code

User Note 1:

Used only by the alcohol beverage industry.
See External Code Source 467.

CG Commodity Grouping

CH Country of Origin Code

CM National Retail Federation Color Code

User Note 1:

This is the three-digit NRF color code.
See External Code Source 88.

CN Commodity Name

EN GTIN-13

Description: A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

EO GTIN-8

Description: An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items

FV Drug Identification Number (DIN)

IB International Standard Book Number (ISBN)

IN Buyer's Item Number

Code Name**User Note 1:**

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product. Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

IS	International Standard Serial Number (ISSN)
IT	Buyer's Style Number
IZ	Buyer's Size Code
LT	Lot Number
MN	Model Number
ND	National Drug Code (NDC)
P8	Retail Price Look Up Number (PLU)
PJ	Product Date Code (A code indicating the period during which a product was manufactured.)
SM	National Retail Federation Size Code

User Note 1:

This is the five-digit NRF size code. See External Code Source 88.

SZ	Vendor Alphanumeric Size Code
UC	Product Variant

User Note 1:

The two or five digit code used to further define the contents of a consumer unit or multipack, also referred to as an ADD-ON code.

UK	GTIN-14 Description: A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items
UP	GTIN-12 Description: A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items
VA	Vendor's Style Number
VE	Vendor Color
VN	Vendor's (Seller's) Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.

Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

VT	Vintage Description: The harvest year of the grapes that are part of the composition of a particular wine
----	---

LIN13	234	Product/Service ID	X	AN	1/48	Used
-------	-----	---------------------------	---	----	------	------

Description: Identifying number for a product or service

LIN14	235	Product/Service ID Qualifier	X	ID	2/2	Used
-------	-----	-------------------------------------	---	----	-----	------

Description: Code identifying the type/source of the descriptive number used in

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Product/Service ID (234)				
		Code List Summary (Total Codes: 564, Included: 31)				
		Code		Name		
	AG	Age				
		Description: The period during which, after distillation and before bottling, distilled spirits have been stored in oak containers				
	BC	Supplier Brand Code				
	BL	Brand/Label				
	BO	Buyers Color				
	BV	Beverage Common Code				
		User Note 1:				
		Used only by the alcohol beverage industry. See External Code Source 467.				
	CG	Commodity Grouping				
	CH	Country of Origin Code				
	CM	National Retail Federation Color Code				
		User Note 1:				
		This is the three-digit NRF color code. See External Code Source 88.				
	CN	Commodity Name				
	EN	GTIN-13				
		Description: A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items				
	EO	GTIN-8				
		Description: An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items				
	FV	Drug Identification Number (DIN)				
	IB	International Standard Book Number (ISBN)				
	IN	Buyer's Item Number				
		User Note 1:				
		Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product. Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.				
	IS	International Standard Serial Number (ISSN)				
	IT	Buyer's Style Number				
	IZ	Buyer's Size Code				
	LT	Lot Number				
	MN	Model Number				
	ND	National Drug Code (NDC)				
	P8	Retail Price Look Up Number (PLU)				
	PJ	Product Date Code (A code indicating the period during which a product was manufactured.)				
	SM	National Retail Federation Size Code				
		User Note 1:				
		This is the five-digit NRF size code.				

Code Name

See External Code Source 88.

SZ Vendor Alphanumeric Size Code

UC Product Variant

User Note 1:

The two or five digit code used to further define the contents of a consumer unit or multipack, also referred to as an ADD-ON code.

UK GTIN-14

Description: A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

UP GTIN-12

Description: A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items

VA Vendor's Style Number

VE Vendor Color

VN Vendor's (Seller's) Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.

Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

VT Vintage

Description: The harvest year of the grapes that are part of the composition of a particular wine

LIN15	234	Product/Service ID	X	AN	1/48	Used
-------	-----	---------------------------	---	----	------	------

Description: Identifying number for a product or service

LIN16	235	Product/Service ID Qualifier	X	ID	2/2	Used
-------	-----	-------------------------------------	---	----	-----	------

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 564, Included: 31)**Code Name**

AG Age

Description: The period during which, after distillation and before bottling, distilled spirits have been stored in oak containers

BC Supplier Brand Code

BL Brand/Label

BO Buyers Color

BV Beverage Common Code

User Note 1:

Used only by the alcohol beverage industry.
See External Code Source 467.

CG Commodity Grouping

CH Country of Origin Code

CM National Retail Federation Color Code

Code Name**User Note 1:**

This is the three-digit NRF color code.
See External Code Source 88.

CN Commodity Name

EN GTIN-13

Description: A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

EO GTIN-8

Description: An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items

FV Drug Identification Number (DIN)

IB International Standard Book Number (ISBN)

IN Buyer's Item Number

User Note 1:

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.
Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

IS International Standard Serial Number (ISSN)

IT Buyer's Style Number

IZ Buyer's Size Code

LT Lot Number

MN Model Number

ND National Drug Code (NDC)

P8 Retail Price Look Up Number (PLU)

PJ Product Date Code (A code indicating the period during which a product was manufactured.)

SM National Retail Federation Size Code

User Note 1:

This is the five-digit NRF size code.
See External Code Source 88.

SZ Vendor Alphanumeric Size Code

UC Product Variant

User Note 1:

The two or five digit code used to further define the contents of a consumer unit or multipack, also referred to as an ADD-ON code.

UK GTIN-14

Description: A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

UP GTIN-12

Description: A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items

VA Vendor's Style Number

VE Vendor Color

VN Vendor's (Seller's) Item Number

User Note 1:

Code Name

Trading partners are strongly encouraged to use GTIN as the only method of positively and unambiguously identifying a product.

Canadian Trading Partners who do not have a GS1 Company Prefix, contact GS1 Canada.

VT Vintage

Description: The harvest year of the grapes that are part of the composition of a particular wine

LIN17	234	Product/Service ID	X	AN	1/48	Used
-------	-----	---------------------------	---	----	------	------

Description: Identifying number for a product or service

Syntax Rules:

1. P0405 - If either LIN04 or LIN05 is present, then the other is required.
2. P0607 - If either LIN06 or LIN07 is present, then the other is required.
3. P0809 - If either LIN08 or LIN09 is present, then the other is required.
4. P1011 - If either LIN10 or LIN11 is present, then the other is required.
5. P1213 - If either LIN12 or LIN13 is present, then the other is required.
6. P1415 - If either LIN14 or LIN15 is present, then the other is required.
7. P1617 - If either LIN16 or LIN17 is present, then the other is required.
8. P1819 - If either LIN18 or LIN19 is present, then the other is required.
9. P2021 - If either LIN20 or LIN21 is present, then the other is required.
10. P2223 - If either LIN22 or LIN23 is present, then the other is required.
11. P2425 - If either LIN24 or LIN25 is present, then the other is required.
12. P2627 - If either LIN26 or LIN27 is present, then the other is required.
13. P2829 - If either LIN28 or LIN29 is present, then the other is required.
14. P3031 - If either LIN30 or LIN31 is present, then the other is required.

Semantics:

1. LIN01 is the line item identification

SN1 Item Detail (Shipment)

Pos: 0300	Max: 1
Detail - Optional	
Loop: HL	Elements: 2

User Option (Usage): Used**Purpose:** To specify line-item detail relative to shipment**User Note 1:**

This segment is used to specify the quantities associated with the item identified in the LIN at the item level.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SN102	382	Number of Units Shipped	M	R	1/10	Must use
Description: Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set						
SN103	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use
Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken						

Code List Summary (Total Codes: 925, Included: 15)

<u>Code</u>	<u>Name</u>
BA	Bale
BG	Bag
BO	Bottle
BX	Box
CA	Case
CN	Can
CT	Carton
DS	Display
DZ	Dozen
EA	Each
KG	Kilogram
LB	Pound
PK	Package
PL	Pallet/Unit Load
RL	Roll

Syntax Rules:

1. P0506 - If either SN105 or SN106 is present, then the other is required.

Semantics:

1. SN101 is the ship notice line-item identification.
2. SN105 is quantity ordered.

PO4 Item Physical Details

Pos: 0600	Max: 1
Detail - Optional	
Loop: HL	Elements: 6

User Option (Usage): Used

Purpose: To specify the physical qualities, packaging, weights, and dimensions relating to the item

User Note 1:

This segment is used to specify the packaging of the item in the case or carton. There may be two levels of packaging specified. The first level is always specified by using PO401 (Pack).

The first level may be actual items, e.g., consumer units, or it may be the number of smaller containers within the case. The second level, specified using PO414 (Inner Pack), is the number of eaches in each inner container when PO401 is the number of smaller containers within the case. See Pack/Inner Pack Usage, for usage examples.

This segment can be used to specify the weight for the item by using PO406 and PO407, and to specify the volume (cube) by using PO408 and PO409.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PO401	356	Pack	O	N0	1/6	Used
		Description: The number of inner containers, or number of eaches if there are no inner containers, per outer container				
PO406	384	Gross Weight per Pack	X	R	1/9	Used
		Description: Numeric value of gross weight per pack				
PO407	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		Code List Summary (Total Codes: 925, Included: 3)				
		<u>Code</u>	<u>Name</u>			
		2W	Bin			
		Description: Storage container used as a unit of measurement				
		KG	Kilogram			
		LB	Pound			
PO408	385	Gross Volume per Pack	X	R	1/9	Used
		Description: Numeric value of gross volume per pack				
PO409	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		Code List Summary (Total Codes: 925, Included: 160)				
		<u>Code</u>	<u>Name</u>			
		12	Packet			
		15	Stick			
		1N	Count			
		26	Actual Tons			

Code	Name
2W	Bin Description: Storage container used as a unit of measurement
50	Actual Kilograms
AF	Centigram Description: A unit of metric weight equal to 0.01 gram or 0.000035 ounce
AM	Ampoule
AR	Suppository
AS	Assortment
AV	Capsule Description: A compact metallic or plastic container for liquids or solids
AZ	British Thermal Units (BTUs) per Pound
BA	Bale
BF	Board Feet
BG	Bag
BK	Book
BO	Bottle
BP	100 Board Feet
BR	Barrel
BX	Box
C3	Centiliter
CA	Case
CC	Cubic Centimeter
CE	Centigrade, Celsius User Note 1: Degrees
CF	Cubic Feet
CH	Container
CI	Cubic Inches
CM	Centimeter
CN	Can
CR	Cubic Meter
CT	Carton
CW	Hundred Pounds (CWT)
CX	Coil
CY	Cubic Yard
D1	Dollars, Canadian
DA	Days
DC	Disk (Disc)
DD	Degree
DG	Decigram
DL	Deciliter
DM	Decimeter
DO	Dollars, U.S.
DR	Drum
DS	Display

Code	Name
DZ	Dozen
EA	Each
EP	Eleven pack
F2	International Unit Description: A unit accepted by an international agency; potency of a drug/vitamin based on a specific weight of that drug/vitamin
FA	Fahrenheit User Note 1: Degrees
FG	Transdermal Patch Description: A drug delivery system which is placed on the skin and releases a drug at a constant rate through the skin
FO	Fluid Ounce
FT	Foot User Note 1: Feet
FZ	Fluid Ounce (Imperial) Description: A liquid unit of measure equal to 1/20 (.05) pint (Imperial), 28.416 cubic centimeters, or 28.416 milliliters
GA	Gallon
GN	Gross Gallons
GR	Gram
GS	Gross
H3	18-Pack
H5	22-Pack
H6	30-Pack
H7	38-Pack
H8	62-Pack
H9	75-Pack
HC	Hundred Count
HL	Hundred Feet - Linear
HR	Hours
HS	Hundred Square Feet
IH	Inhaler Description: Metered-dose pressurized method of getting medication into the lungs or nasal passages
IN	Inch
J1	80-Pack
J3	81-Pack
J4	82-Pack
J5	84-Pack
J6	85-Pack
J7	96-Pack
J8	5000-Pack
J9	Left Unit
JC	Caplet

Code	Name
	Description: To denote items in caplet form
JL	Refill
	Description: Refers to the number of refill units in a package
JN	Pan
	Description: Refers to items in a pan (such as eye shadow) and would be associated with the number of different colors
JP	Prepack
	Description: To indicate this is "n" assortment product with different UPC codes on it
JS	Use
	Description: Refers to the number of uses from a product (such as a box of laundry detergent that provides sixty washes)
JT	Tin
	Description: Refers to giftware products in a tin
JV	Ovule
	Description: Refers to products which come in "ovule" form
JX	Exposure
	Description: To be used to indicate the number of exposures on a roll of film
KE	Keg
	Description: A unit of weight equal to 100 pounds, used for nails
KG	Kilogram
KT	Kit
L1	Right Unit
LB	Pound
LF	Linear Foot
	User Note 1: Running Feet
LT	Liter
LY	Linear Yard
	User Note 1: Running Yard
M4	Monetary Value
MC	Microgram
ME	Milligram
MJ	Minutes
ML	Milliliter
MM	Millimeter
MO	Months
MR	Meter
NG	Net Gallons
OP	Two pack
OZ	Ounce - Av
P1	Percent
P3	Three pack
P4	Four-pack

Code	Name
P5	Five-pack
P6	Six pack
P7	Seven pack
P8	Eight-pack
P9	Nine pack
PC	Piece
PD	Pad
PF	Pallet (Lift)
PH	Pack (PAK)
PK	Package
PL	Pallet/Unit Load
PR	Pair
PT	Pint
QB	Pages - Hardcopy
	Description: Number of printed pages delivered
QT	Quart
RL	Roll
S9	Slip Sheet
	Description: A cardboard platform used for holding product for storage or transportation
SH	Sheet
ST	Set
SX	Shipment
SY	Square Yard
SZ	Syringe
	Description: Glass or plastic barrels used to administer fluid medication under the skin, into a vein artery, or into a muscle
TB	Tube
TC	Truckload
TE	Tote
TH	Thousand
TK	Tank
TM	Thousand Feet (Board)
TP	Ten-pack
TS	Thousand Square Feet
U2	Tablet
	Description: A compressed or molded block of solid material; a collection of sheet paper glued together at one edge
UN	Unit
V2	Pouch
VI	Vial
WG	Wine Gallon
Y4	Tub
	Description: A measure used to identify a storage container
YD	Yard
YR	Years

PID Product/Item Description

Pos: 0700	Max: 200
Detail - Optional	
Loop: HL	Elements: 5

User Option (Usage): Used

Purpose: To describe a product or process in coded or free-form format

User Note 1:

The PID segment is used to provide product/item descriptions in text and or coded formats. The codes in PID04 are published only in this guideline.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PID01	349	Item Description Type	M	ID	1/1	Must use

Description: Code indicating the format of a description

Code List Summary (Total Codes: 4, Included: 2)

Code Name

F Free-form

User Note 1:

The description will be found in PID05.

S Structured (From Industry Code List)

User Note 1:

The description will be found in PID04.

PID02	750	Product/Process Characteristic Code	O	ID	2/3	Used
-------	-----	-------------------------------------	---	----	-----	------

Description: Code identifying the general class of a product or process characteristic

Code List Summary (Total Codes: 289, Included: 1)

Code Name

08 Product

PID03	559	Agency Qualifier Code	X	ID	2/2	Used
-------	-----	-----------------------	---	----	-----	------

Description: Code identifying the agency assigning the code values

Code List Summary (Total Codes: 206, Included: 1)

Code Name

VI Voluntary Inter-Industry Commerce Standard (VICS) EDI

User Note 1:

See External Code Source 70.

PID04	751	Product Description Code	X	AN	1/12	Used
-------	-----	--------------------------	---	----	------	------

Description: A code from an industry code list which provides specific data about a product characteristic

Code List Summary (Total Codes: 10, Included: 7)

Code Name

CL Collateral

GW Gift with purchase

OS Size not within normal size range (odd size)

Code Name

PP	Product sold only as part of a prepack (assortment)
PW	Purchase with pPurchase
RN	Product cannot be reordered
RY	Product can be reordered

PID05	352	Description	X	AN	1/80	Used
-------	-----	--------------------	---	----	------	------

Description: A free-form description to clarify the related data elements and their content

Syntax Rules:

1. C0403 - If PID04 is present, then PID03 is required.
2. C0703 - If PID07 is present, then PID03 is required.
3. C0804 - If PID08 is present, then PID04 is required.
4. C0905 - If PID09 is present, then PID05 is required.
5. R0405 - At least one of PID04 or PID05 is required.

Semantics:

1. Use PID03 to indicate the organization that publishes the code list being referred to.
2. PID04 should be used for industry-specific product description codes.
3. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
4. PID09 is used to identify the language being used in PID05.

TD4 Carrier Details (Special Handling, or Hazardous Materials, or Both)

Pos: 1400	Max: 5
Detail - Optional	
Loop: HL	Elements: 3

User Option (Usage): Used

Purpose: To specify transportation special handling requirements, or hazardous materials information, or both

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD401	152	Special Handling Code	X	ID	2/3	Used

Description: Code specifying special transportation handling instructions

Code List Summary (Total Codes: 589, Included: 12)

Code Name

CO	No Marshalling Required for Hazardous Materials
DA	Dangerous
EX	Explosive Flammable Gas
FG	Flammable Gas
FL	Flammable
FP	Flammable Poison Gas
HM	Endorsed as Hazardous Material
NW	In Case of Fire Do Not Use Water
PG	Poisonous Gas
RM	Radioactive Material
UN	Unload as Placarded
NPR	No Placards Required

TD402	208	Hazardous Material Code Qualifier	X	ID	1/1	Used
-------	-----	--	---	----	-----	------

Description: Code which qualifies the Hazardous Material Class Code (209)

Code List Summary (Total Codes: 15, Included: 2)

Code Name

9	Title 49, Code of Federal Regulations (CFR)
---	---

User Note 1:

See External Code Source 52.

U	United Nations
---	----------------

User Note 1:

See External Code Source 53.

TD403	209	Hazardous Material Class Code	X	AN	1/4	Used
-------	-----	--------------------------------------	---	----	-----	------

Description: Code specifying the kind of hazard for a material

Syntax Rules:

1. C0203 - If TD402 is present, then TD403 is required.
2. R010204 - At least one of TD401, TD402 or TD404 is required.

Semantics:

1. TD405 identifies if a Material Safety Data Sheet (MSDS) exists for this product. A "Y" indicates an MSDS exists for this product; an "N" indicates an MSDS does not exist for this product.

REF Reference Information

Pos: 1500	Max: >1
Detail - Optional	
Loop: HL	Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

Code List Summary (Total Codes: 1904, Included: 3)

Code Name

72 Schedule Reference Number

User Note 1:

The REF02 (DE127) value is the same value that is used in the 862 shipping schedule BSS02 data element field.

CO Customer Order Number

User Note 1:

Customer of retailer

SE Serial Number

REF02	127	Reference Identification	X	AN	1/80	Must use
-------	-----	--------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

DTM Date/Time Reference

Pos: 2000	Max: 10
Detail - Optional	
Loop: HL	Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use

Description: Code specifying type of date or time, or both date and time

Code List Summary (Total Codes: 1343, Included: 1)

Code Name

036 Expiration

Description: Date coverage expires

User Note 1:

Used for perishable products

DTM02	373	Date	X	DT	8/8	Must use
-------	-----	------	---	----	-----	----------

Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

Syntax Rules:

1. C0403 - If DTM04 is present, then DTM03 is required.
2. P0506 - If either DTM05 or DTM06 is present, then the other is required.
3. R020305 - At least one of DTM02, DTM03 or DTM05 is required.

CTT Transaction Totals

Pos: 0100	Max: 1
Summary - Optional	
Loop: N/A	Elements: 1

User Option (Usage): Used

Purpose: To transmit a hash total for a specific element in the transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	N0	1/6	Must use

Description: Total number of line items in the transaction set

User Note 1: The number of HL segments present in the transaction set

Syntax Rules:

1. P0304 - If either CTT03 or CTT04 is present, then the other is required.
2. P0506 - If either CTT05 or CTT06 is present, then the other is required.

Comments:

1. This segment is intended to provide hash totals to validate transaction completeness and correctness.

SE Transaction Set Trailer

Pos: 0200	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use

Description: Total number of segments included in a transaction set including ST and SE segments

SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	---------------------------------------	---	----	-----	----------

Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

User Note 1: This must be the same number as is in the ST segment (ST02) for the transaction set.

Comments:

1. SE is the last segment of each transaction set.