



# **895 Delivery/Return Acknowledgment or Adjustment - Canada**

VICS EDI

**Version: 008010VICS**

<b>Author:</b>	<b>GS1 Canada and GS1 US</b>
<b>Publication:</b>	<b>2020-12-31</b>
<b>Notes:</b>	<b>For implementation July 2021</b>

# Table of Contents

<b>895</b>	<b>Delivery/Return Acknowledgment or Adjustment - Canada</b> .....	<b>1</b>
DXS	DEX/UCS Application Header .....	3
ST	Transaction Set Header .....	5
G87	Delivery/Return Adjustment Identification .....	6
G88	Delivery/Return Identification Adjustment .....	8
LS	Loop Loop Header .....	9
LS	Loop Header .....	10
0100	Loop Line Item Detail - Adjustment .....	11
G89	Line Item Detail - Adjustment .....	12
G22	Pre-Pricing Information .....	16
G72	Allowance or Charge .....	18
LE	Loop Trailer .....	21
G72	Allowance or Charge .....	22
G23	Terms of Sale .....	25
G84	Delivery/Return Record of Totals .....	28
G86	Signature Identification .....	29
G85	Record Integrity Check .....	30
SE	Transaction Set Trailer .....	31
DXE	DEX/UCS Application Trailer .....	32

# 895 Delivery/Return Acknowledgment or Adjustment - Canada

## Functional Group=DX

**Purpose:** This X12 Transaction Set contains the format and establishes the data contents of the Delivery/Return Acknowledgment or Adjustment Transaction Set (895) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to enable a distributor or Direct Store Delivery (DSD) vendor to communicate adjustments to a DSD delivery or to acknowledge the completion of a delivery.

### User Note 1:

This 895 Delivery/Return Acknowledgment or Adjustment guideline is for use in Canada.

### Not Defined:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
0000	DXS	DEX/UCS Application Header	M	1			Must use	3

### Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
0100	ST	Transaction Set Header	M	1		N1/0100	Must use	5
0200	G87	Delivery/Return Adjustment Identification	M	1			Must use	6
0300	G88	Delivery/Return Identification Adjustment	O	1			Used	8

### Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
<b>LOOP ID - LS</b>					<b>1</b>			9
0100	LS	Loop Header	O	1			Used	10
<b>LOOP ID - 0100</b>					<b>9999</b>			11
0200	G89	Line Item Detail - Adjustment	O	1			Used	12
0300	G22	Pre-Pricing Information	O	1			Used	16
0400	G72	Allowance or Charge	O	10			Used	18
* 0450	TXI	Tax Information	O	>1				N/A
* 0500	G23	Terms of Sale	O	20				N/A
0600	LE	Loop Trailer	M	1			Used	21

### Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
0100	G72	Allowance or Charge	O	20			Used	22
0200	G23	Terms of Sale	O	20			Used	25
* 0250	TXI	Tax Information	O	>1				N/A
0300	G84	Delivery/Return Record of Totals	O	1			Used	28
0400	G86	Signature Identification	M	1			Must use	29
0500	G85	Record Integrity Check	M	1			Must use	30
0600	SE	Transaction Set Trailer	M	1			Must use	31

**Not Defined:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
0700	DXE	DEX/UCS Application Trailer	M	1			Must use	32

**Notes:**

1/0100 The individual data fields will contain replacement values, not differences. The authentication code in the identification segment will contain the corresponding authentication code from the authentication segment in the Base or Adjustment Transaction immediately preceding it.

# DXS DEX/UCS Application Header

Pos: 0000	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 6

**User Option (Usage):** Must use

**Purpose:** To provide identification and control information.

## User Note 1:

The purpose of this control segment is to provide identification and control information. It must appear as the first data segment in any DEX/UCS transmission.

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DXS01	67	<b>Identification Code</b>	M	AN	2/80	Must use

**Description:** Code identifying a party or other code.

**User Note 1:** DXS01 contains the sender's identification number. Acceptable values are a UCS Comm ID or GS1 Global Location Number (GLN). No other values may be used.

**User Note 2:** UCS Comm Id - a ten-digit number assigned by GS1 US that uniquely identifies the UCS user. The sender must inform the receiver in advance of the specific ten-digit number that will be used.

**User Note 3:** Global Location Number - a 13 digit number that uniquely identifies the trade party. The sender must inform the receiver in advance of the specific 13-digit number that will be used.

DXS02	479	<b>Functional Identifier Code</b>	M	ID	2/2	Must use
-------	-----	-----------------------------------	---	----	-----	----------

**Description:** Code identifying a group of application related transaction sets.

**Code List Summary** (Total Codes: 260, Included: 1)

### Code Name

DX Direct Exchange Delivery and Return Information (894, 895)

DXS03	480	<b>Version / Release / Industry Identifier Code</b>	M	AN	1/12	Must use
-------	-----	---	---	----	------	----------

**Description:** Code indicating the version, release, subrelease and industry identifier of the EDI standard being used.

**User Note 1:** A code indicating the version and release of the VICS standards being used.

**User Note 2:** The code is expressed in the form xxxyyyVICS, where xxx is the version, yyy is the release, and VICS indicates the industry subset of the X12 standard. For this document, the correct value is 008010VICS.

**User Note 3:** In a sequence of exchanges consisting of the 894 Delivery/Return Base Record and one or more 895 Delivery/Return Acknowledgment or Adjustment records forming a single record set, all acknowledgment or adjustment records must use the same version and release as used in the base record.

**User Note 4:** All transaction sets following this DXS Application Header must be coded in the particular version and release listed in this header.

DXS04	404	<b>Transmission Control Number</b>	M	N0	1/5	Must use
-------	-----	------------------------------------	---	----	-----	----------

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		<b>Description:</b> A unique number assigned to the transmission group by the sender.				
		<b>User Note 1:</b> In a sequence of transmissions of a base record and one or more acknowledgment or adjustment records, each new transmission by the same party should have a different transmission control number.				
DXS05	67	<b>Identification Code</b>	O	AN	2/80	Used
		<b>Description:</b> Code identifying a party or other code.				
		<b>User Note 1:</b> DXS05 contains the receiver's identification number. Acceptable values are a ten-digit UCS Comm ID or 13-digit GS1 Global Location Number (GLN).				
DXS06	376	<b>Test Indicator</b>	O	ID	1/1	Recommended
		<b>Description:</b> Code indicating whether data enclosed by this interchange envelope is test or production.				
		<b>User Note 1:</b>				
		P - Production Data				
		T - Test Data				

# ST Transaction Set Header

Pos: 0100	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the start of a transaction set and to assign a control number

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use

**Description:** Code identifying a Transaction Set

**User Note 1:** 895 Delivery/Return Acknowledgment or Adjustment - Canada

**Code List Summary** (Total Codes: 323, Included: 1)

**Code Name**

895 Delivery/Return Acknowledgment or Adjustment

ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	--------------------------------	---	----	-----	----------

**Description:** Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

**User Note 1:** The control number is comprised of the functional group control number (Data Element 28 in the GS segment) followed by a four-digit sequence number. The sequence number is sequentially assigned by the sender, starting with one within each functional group. For each functional group, the first sequence number will be 0001 and incremented by one for each additional transaction set within the group.

## Semantics:

1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition. When used, this implementation convention reference takes precedence over the implementation reference specified in the GS08.

# G87 Delivery/Return Adjustment Identification

Pos: 0200	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 6

**User Option (Usage):** Must use

**Purpose:** To transmit identifying numbers, dates, and other basic data relating to the transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G8701	868	Initiator Code	M	ID	1/1	Must use

**Description:** Code identifying initiator of the transaction

**Code List Summary** (Total Codes: 2, Included: 2)

**Code Name**

R	Receiver
S	Supplier

G8702	478	Credit/Debit Flag Code	M	ID	1/1	Must use
-------	-----	------------------------	---	----	-----	----------

**Description:** Code indicating whether amount is a credit or debit

**Code List Summary** (Total Codes: 4, Included: 2)

**Code Name**

C	Credit
---	--------

**User Note 1:**

Return

D	Debit
---	-------

**User Note 1:**

Delivery

G8703	861	Supplier's Delivery/Return Number	M	AN	1/22	Must use
-------	-----	-----------------------------------	---	----	------	----------

**Description:** Identifying number assigned by the supplier to the transaction

**User Note 1:** Invoice Number

G8704	866	Integrity Check Value	M	AN	1/12	Must use
-------	-----	-----------------------	---	----	------	----------

**Description:** Data element providing secure method for identifying authenticity of content. Value calculated by using CRC 16 algorithm

**User Note 1:** This element should duplicate the value contained in the data element G8501 of the base record.

G8705	869	Adjustment Sequence Number	M	N0	1/1	Must use
-------	-----	----------------------------	---	----	-----	----------

**Description:** Sequential number for adjustment beginning with 1 and incremented by 1 for each additional adjustment regardless of which party is the originator

G8706	870	Receiver Delivery/Return Number	O	AN	1/22	Used
-------	-----	---------------------------------	---	----	------	------

**Description:** Identifying number assigned by the customer to the transaction

**User Note 1:** This element provides the transaction number assigned by the receiver to identify this particular record set.

## Comments:



1. G8704 must contain the integrity check value from the G85 (Record Integrity Check) segment in the preceding base or adjustment transaction.

# G88 Delivery/Return Identification Adjustment

Pos: 0300	Max: 1
Heading - Optional	
Loop: N/A	Elements: 5

**User Option (Usage):** Used

**Purpose:** To transmit adjustments for identification data

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G8801	872	<b>Physical Delivery or Return Date</b>	O	DT	8/8	Used

**Description:** Actual or intended date of physical delivery or return expressed in format CCYYMMDD where CC represents the first two digits of the calendar year

**User Note 1:** Corresponds to G8207 in the base record. Can be used to supply a REVISED value.

G8802	873	<b>Product Ownership Transfer Date</b>	O	DT	8/8	Used
-------	-----	--	---	----	-----	------

**Description:** Date which is meaningful for both supplier and distributor for various mutually defined purposes (i.e., date of product ownership transfer) expressed in format CCYYMMDD where CC represents the first two digits of the calendar year

**User Note 1:** Corresponds to G8208. Can be used to supply a revised value.

G8803	324	<b>Purchase Order Number</b>	O	AN	1/22	Used
-------	-----	------------------------------	---	----	------	------

**Description:** Identifying number for Purchase Order assigned by the orderer/purchaser

**User Note 1:** Corresponds to G8209. Can be used to supply a revised value.

G8804	323	<b>Purchase Order Date</b>	O	DT	8/8	Used
-------	-----	----------------------------	---	----	-----	------

**Description:** Date assigned by the purchaser to Purchase Order expressed in format CCYYMMDD where CC represents the first two digits of the calendar year

**User Note 1:** Corresponds to G8210. Can be used to supply a revised value.

G8805	862	<b>Receiver's Location Number</b>	O	AN	1/13	Used
-------	-----	-----------------------------------	---	----	------	------

**Description:** Number assigned by the customer to uniquely identify the receiving location

**User Note 1:** Corresponds to G8204. Can be used to supply a revised value.

# Loop Loop Header

<b>Pos: 0100</b>	<b>Repeat: 1</b>
<b>Optional</b>	
<b>Loop: LS</b>	<b>Elements: N/A</b>

**User Option (Usage):** Used

**Purpose:** To indicate that the next segment begins a loop

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0100	LS	Loop Header	O	1		Used
0200		Loop 0100	O		9999	Used
0600	LE	Loop Trailer	M	1		Used

# LS Loop Header

Pos: 0100	Max: 1
Detail - Optional	
Loop: LS	Elements: 1

**User Option (Usage):** Used

**Purpose:** To indicate that the next segment begins a loop

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LS01	447	<b>Loop Identifier Code</b>	M	AN	1/6	Must use

**Description:** The loop ID number given on the transaction set diagram is the value for this data element in segments LS and LE

## Semantics:

1. One loop may be nested (contained) within another loop, provided the inner (nested) loop terminates before the outer loop. When specified by the standard setting body as mandatory, this segment in combination with "LE", must be used. It is not to be used if not specifically set forth for use. The loop identifier in the loop header and trailer must be identical. The preferred value for the identifier is the segment ID of the required loop beginning segment.

## Comments:

1. See Figures Appendix for an explanation of the use of the LS and LE segments.

# Loop Line Item Detail - Adjustment

Pos: 0200	Repeat: 9999
Optional	
Loop: 0100	Elements: N/A

**User Option (Usage):** Used

**Purpose:** To transmit line-item detail adjustments

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0200	G89	Line Item Detail - Adjustment	O	1		Used
0300	G22	Pre-Pricing Information	O	1		Used
0400	G72	Allowance or Charge	O	10		Used

# G89 Line Item Detail - Adjustment

Pos: 0200	Max: 1
Detail - Optional	
Loop: 0100	Elements: 13

**User Option (Usage):** Used**Purpose:** To transmit line-item detail adjustments**User Note 1:**

G8911, G8912, G8914 and G8915 provides information about an alternate product level, such as the case.

G8913 indicates line item adjustment reasons pertaining to the product vs the originating 894 transaction set.

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G8901	204	<b>Direct Store Delivery Sequence Number</b>	M	N0	1/4	Must use

**Description:** Direct Store Delivery sequential number of the line item detail or a new line item detail

**User Note 1:** This is the sequential number of the line item detail in the Delivery/Return Base Record Transaction Set (894) or a new line item detail to the Delivery/Return Acknowledgement or Adjustment Transaction Set (895).

Corresponds to G8301 of the base record.

G8902	380	<b>Quantity</b>	O	R	1/15	Used
-------	-----	-----------------	---	---	------	------

**Description:** Numeric value of quantity

G8903	355	<b>Unit or Basis for Measurement Code</b>	O	ID	2/2	Used
-------	-----	---	---	----	-----	------

**Description:** Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

**User Note 1:** The unit or basis for measurement code is used to qualify the contents of various data elements. It will vary depending on the data element it qualifies and the convention within industry groups.

**Code List Summary** (Total Codes: 925, Included: 10)

<u>Code</u>	<u>Name</u>
BX	Box
CA	Case
CT	Carton
DZ	Dozen
EA	Each
KG	Kilogram
LB	Pound
PK	Package
PL	Pallet/Unit Load
UN	Unit

G8905	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used
-------	-----	-------------------------------------	---	----	-----	------

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**Code List Summary** (Total Codes: 564, Included: 7)

**Code Name**

AC Aggregation Code (Used to Consolidate Part Families)

**User Note 1:**

Used to identify a group (e.g. a style).

DI Deposit Item Number

**User Note 1:**

Used for deposit items such as empty bottles that do not contain products for resale.

EN GTIN-13

**Description:** A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

EO GTIN-8

**Description:** An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items

NR Non-resaleable item (excluding deposit) number

**User Note 1:**

Used to identify items that are not for resale (example display racks).

UK GTIN-14

**Description:** A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

UP GTIN-12

**Description:** A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade itemsG8906 234 **Product/Service ID** X AN 1/80 Used**Description:** Identifying number for a product or serviceG8908 237 **Item List Cost** O R 1/9 Used**Description:** Gross unit cost within the appropriate price bracket for a line item**User Note 1:** Gross unit cost expressed in decimal dollars per unit of measure.G8909 356 **Pack** O N0 1/6 Used**Description:** The number of inner containers, or number of eaches if there are no inner containers, per outer containerG8910 810 **Inner Pack** O N0 1/6 Used**Description:** The number of eaches per inner containerG8911 235 **Product/Service ID Qualifier** X ID 2/2 Used**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)**Code List Summary** (Total Codes: 564, Included: 7)**Code Name**

AC Aggregation Code (Used to Consolidate Part Families)

**User Note 1:**

Used to identify a group (e.g. a style).

DI Deposit Item Number

**Code Name****User Note 1:**

Used for deposit items such as empty bottles that do not contain products for resale.

EN GTIN-13

**Description:** A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

EO GTIN-8

**Description:** An 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items

NR Non-resaleable item (excluding deposit) number

**User Note 1:**

Used to identify items that are not for resale (example display racks).

UK GTIN-14

**Description:** A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

UP GTIN-12

**Description:** A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items

G8912	234	<b>Product/Service ID</b>	X	AN	1/80	Used
-------	-----	---------------------------	---	----	------	------

**Description:** Identifying number for a product or service

G8913	426	<b>Adjustment Reason Code</b>	O	ID	2/2	Used
-------	-----	-------------------------------	---	----	-----	------

**Description:** Code indicating reason for debit or credit memo or adjustment to invoice, debit or credit memo, or payment

**Code List Summary** (Total Codes: 632, Included: 15)

**Code Name**

04 Item Not Accepted - Damaged

05 Item Not Accepted - Quality

06 Quantity Contested

25 Item Not Accepted

59 Item not received

D4 Unauthorized Product

DU Discontinued Product

FD Purchase Order - Size Not Ordered

FF Purchase Order - Store Did Not Order

GF Invalid

**User Note 1:**

Not on File

GG Unsalable Merchandise

IT Item Added

JA Recalled Item

XG Incorrect Cost

XH Incorrect Unit of Measure

G8914	355	<b>Unit or Basis for Measurement Code</b>	X	ID	2/2	Used
-------	-----	---	---	----	-----	------



<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
------------	-----------	---------------------	------------	-------------	----------------	--------------

**Description:** Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

**Code List Summary** (Total Codes: 925, Included: 10)

**Code Name**

BX	Box
CA	Case
CT	Carton
DZ	Dozen
EA	Each
KG	Kilogram
LB	Pound
PK	Package
PL	Pallet/Unit Load
UN	Unit

G8915	237	<b>Item List Cost</b>	X	R	1/9	Used
-------	-----	-----------------------	---	---	-----	------

**Description:** Gross unit cost within the appropriate price bracket for a line item

### Syntax Rules:

1. E0406 - Only one of G8904 or G8906 may be present.
2. P0506 - If either G8905 or G8906 is present, then the other is required.
3. E0712 - Only one of G8907 or G8912 may be present.
4. P1112 - If either G8911 or G8912 is present, then the other is required.
5. P1415 - If either G8914 or G8915 is present, then the other is required.

### Comments:

1. G8903 qualifies G8902.
2. G8914 and G8915 pertain to G8907 or G8912.
3. G8914 qualifies G8915.
4. G8914 specifies a different unit of measure for the product than what is specified in G8903.

# G22 Pre-Pricing Information

Pos: 0300      Max: 1  
 Detail - Optional  
 Loop: 0100    Elements: 5

**User Option (Usage):** Used  
**Purpose:** To specify pre-pricing information

### User Note 1:

If an adjustment needs to be made in this data segment, the entire data segment should be furnished and used to entirely replace the previous G22 segment for this item.

### Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
G2201	288	Pre-priced Option Code	M	ID	1/1	Must use

**Description:** Code specifying pre-pricing option selected

**Code List Summary** (Total Codes: 7, Included: 4)

**Code Name**

A Pre-Priced Prices included and price qualifier applies

**User Note 1:**

The price listed in the G2202 is for the quantity in G2203.

N Not Pre-Priced

Y Pre-Priced (Prices Included)

**User Note 1:**

G2202 MUST be used and G2203 must NOT be used.

Z Pre-Priced (Prices Not Included)

G2202	420	Price New, Suggested Retail	O	N2	2/7	Used
-------	-----	-----------------------------	---	----	-----	------

**Description:** The consumer package price or retail unit price associated with the product applicable on or after an effective price date

G2203	289	Multiple Price Quantity	O	N0	1/2	Used
-------	-----	-------------------------	---	----	-----	------

**Description:** Quantity of units for a given price, e.g., 3 for \$10.00

**User Note 1:** Used only if G2201 is equal to A - Pre-Priced Prices included and price qualifier applies.

G2204	3	Free-form Message	O	AN	1/60	Used
-------	---	-------------------	---	----	------	------

**Description:** Free-form text

**User Note 1:** This data element should only be used when information cannot be expressed in machine readable/processable form and is important in the processing of a transaction.

G2205	373	Date	O	DT	8/8	Used
-------	-----	------	---	----	-----	------

**Description:** Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

### Semantics:

1. If G2201 equals "A", then G2202 and G2203 are required.
2. If G2201 equals "Y", then G2202 is required.

3. G2205 is the effective date of the price information.

**Comments:**

1. If G2201 equals "Z" or G2201 equals "N", then neither G2202 nor G2203 are required.

# G72 Allowance or Charge

Pos: 0400	Max: 10
Detail - Optional	
Loop: 0100	Elements: 12

**User Option (Usage):** Used

**Purpose:** To specify allowances, charges, or services

## User Note 1:

If an adjustment needs to be made to one or more of the G72 segments for an item, the entire set of G72 segments for the item should be replaced with a complete, new set. (This convention is invoked in order to avoid ambiguity concerning the segment being adjusted).

## Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
G7201	340	Allowance or Charge Code	M	ID	1/3	Must use

**Description:** Code identifying the type of allowance or charge

**Code List Summary** (Total Codes: 128, Included: 7)

**Code Name**

- 97 Cents Off
- 490 Goods and Services Credit Allowance

**User Note 1:**

Canadian GST or Harmonized credit allowance

- 525 Deposit Charge - Resale Item
- 527 Environmental Handling Charge

**User Note 1:**

Code may be used to convey the USA Bottle Bills - Hawaii Solid Waste Management: Deposit Beverage Container Law (Action 176) handling fee.

**User Note 2:**

Code may be used to convey a recycling fee.

- 537 State or Province Tax
- 570 Recycling Fee
- 990 Goods and Services Charge

**User Note 1:**

Canadian GST or Harmonized Sales Tax

G7202	331	Allowance or Charge Method of Handling Code	M	ID	2/2	Must use
-------	-----	---	---	----	-----	----------

**Description:** Code indicating method of handling for an allowance or charge

**Code List Summary** (Total Codes: 22, Included: 4)

**Code Name**

- 01 Bill Back
- 02 Off Invoice

**User Note 1:**

Allowance included on invoice

- 06 Charge to be Paid by Customer

**User Note 1:**

**Code Name**

Charge included on invoice

15 Information Only

**Description:** When this code is used, the allowance or charge amounts are not to be added or subtracted from the transaction; the data is being provided for information purposes only

G7203	341	<b>Allowance or Charge Number</b>	X	AN	1/16	Used
<b>Description:</b> The number assigned by a vendor referencing an allowance, promotion, deal or charge						
G7204	769	<b>Exception Number</b>	O	AN	1/16	Used
<b>Description:</b> A unique number identifying an exception or modification to an offered or existing promotion						
G7205	359	<b>Allowance or Charge Rate</b>	X	R	1/15	Used
<b>Description:</b> Allowance or Charge Rate per Unit						
<b>User Note 1:</b> The rate is expressed positive for charges and negative for allowances.						
G7206	339	<b>Allowance or Charge Quantity</b>	X	R	1/10	Used
<b>Description:</b> Quantity basis when allowance or charge quantity is different from the purchase order or invoice quantity						
G7207	355	<b>Unit or Basis for Measurement Code</b>	X	ID	2/2	Used
<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken						
<b>User Note 1:</b> The unit or basis for measurement code is used to qualify the contents of various data elements. It will vary depending on the data element it qualifies and the convention within industry groups.						

**Code List Summary (Total Codes: 925, Included: 10)****Code Name**

BX Box  
 CA Case  
 CT Carton  
 DZ Dozen  
 EA Each  
 KG Kilogram  
 LB Pound  
 PK Package  
 PL Pallet/Unit Load  
 UN Unit

G7208	360	<b>Allowance or Charge Total Amount</b>	X	N2	1/15	Used
<b>Description:</b> Total dollar amount for the allowance or charge						
G7209	332	<b>Percent, Decimal Format</b>	X	R	1/6	Used
<b>Description:</b> Percent given in decimal format (e.g., 0.0 through 100.0 represents 0% through 100%)						
G7210	828	<b>Dollar Basis For Percent</b>	X	R	1/9	Used

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		<b>Description:</b> Dollar basis to be used in the percent calculation of the allowance, charge or tax				
G7211	770	<b>Option Number</b>	O	AN	1/20	Used
		<b>Description:</b> A unique number identifying available promotion or allowance options when more than one is offered				
G7212	352	<b>Description</b>	O	AN	1/80	Used
		<b>Description:</b> A free-form description to clarify the related data elements and their content				

**Syntax Rules:**

1. R03050809 - At least one of G7203, G7205, G7208 or G7209 is required.
2. E050809 - Only one of G7205, G7208 or G7209 may be present.
3. P0607 - If either G7206 or G7207 is present, then the other is required.
4. P0910 - If either G7209 or G7210 is present, then the other is required.
5. C1103 - If G7211 is present, then G7203 is required.

**Semantics:**

1. G7209 is the allowance or charge percent.
2. If the code used in G7201 does not sufficiently describe the allowance or charge, use of G7212 is recommended.

# LE Loop Trailer

Pos: 0600	Max: 1
Detail - Mandatory	
Loop: LS	Elements: 1

**User Option (Usage):** Used

**Purpose:** To indicate that the loop immediately preceding this segment is complete

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LE01	447	<b>Loop Identifier Code</b>	M	AN	1/6	Must use

**Description:** The loop ID number given on the transaction set diagram is the value for this data element in segments LS and LE

## Semantics:

1. One loop may be nested (contained) within another loop, provided the inner (nested) loop terminates before the outer loop. When specified by the standard setting body as mandatory, this segment, in combination with "LS", must be used. It is not to be used if not specifically set forth for use. The loop identifier in the loop header and trailer must be identical. The preferred value for the identifier is the segment ID of the required loop beginning segment.

## Comments:

1. See Figures Appendix for an explanation of the use of the LE and LS segments.

# G72 Allowance or Charge

Pos: 0100	Max: 20
Summary - Optional	
Loop: N/A	Elements: 12

**User Option (Usage):** Used

**Purpose:** To specify allowances, charges, or services

## User Note 1:

This G72 segment is not a summary of the G72 detail segments.

## Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
G7201	340	Allowance or Charge Code	M	ID	1/3	Must use

**Description:** Code identifying the type of allowance or charge

**Code List Summary** (Total Codes: 128, Included: 7)

### Code Name

97 Cents Off  
490 Goods and Services Credit Allowance

#### User Note 1:

Canadian GST or Harmonized credit allowance

525 Deposit Charge - Resale Item  
527 Environmental Handling Charge

#### User Note 1:

Code may be used to convey the USA Bottle Bills - Hawaii Solid Waste Management: Deposit Beverage Container Law (Action 176) handling fee.

#### User Note 2:

Code may be used to convey a recycling fee.

537 State or Province Tax  
570 Recycling Fee  
990 Goods and Services Charge

#### User Note 1:

Canadian GST or Harmonized Sales Tax

G7202	331	Allowance or Charge Method of Handling Code	M	ID	2/2	Must use
-------	-----	---	---	----	-----	----------

**Description:** Code indicating method of handling for an allowance or charge

**Code List Summary** (Total Codes: 22, Included: 4)

### Code Name

01 Bill Back  
02 Off Invoice

#### User Note 1:

Allowance included on invoice

06 Charge to be Paid by Customer

#### User Note 1:

Charge included on invoice

15 Information Only



**Code Name**

**Description:** When this code is used, the allowance or charge amounts are not to be added or subtracted from the transaction; the data is being provided for information purposes only

G7203	341	<b>Allowance or Charge Number</b>	X	AN	1/16	Used
		<b>Description:</b> The number assigned by a vendor referencing an allowance, promotion, deal or charge				
G7204	769	<b>Exception Number</b>	O	AN	1/16	Used
		<b>Description:</b> A unique number identifying an exception or modification to an offered or existing promotion				
G7205	359	<b>Allowance or Charge Rate</b>	X	R	1/15	Used
		<b>Description:</b> Allowance or Charge Rate per Unit				
G7206	339	<b>Allowance or Charge Quantity</b>	X	R	1/10	Used
		<b>Description:</b> Quantity basis when allowance or charge quantity is different from the purchase order or invoice quantity				
G7207	355	<b>Unit or Basis for Measurement Code</b>	X	ID	2/2	Used

**Description:** Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

**User Note 1:** The unit or basis for measurement code is used to qualify the contents of various data elements. It will vary depending on the data element it qualifies and the convention within industry groups.

**Code List Summary (Total Codes: 925, Included: 10)****Code Name**

BX Box  
 CA Case  
 CT Carton  
 DZ Dozen  
 EA Each  
 KG Kilogram  
 LB Pound  
 PK Package  
 PL Pallet/Unit Load  
 UN Unit

G7208	360	<b>Allowance or Charge Total Amount</b>	X	N2	1/15	Used
		<b>Description:</b> Total dollar amount for the allowance or charge				
G7209	332	<b>Percent, Decimal Format</b>	X	R	1/6	Used
		<b>Description:</b> Percent given in decimal format (e.g., 0.0 through 100.0 represents 0% through 100%)				
G7210	828	<b>Dollar Basis For Percent</b>	X	R	1/9	Used
		<b>Description:</b> Dollar basis to be used in the percent calculation of the allowance, charge or tax				
G7211	770	<b>Option Number</b>	O	AN	1/20	Used

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		<b>Description:</b> A unique number identifying available promotion or allowance options when more than one is offered				
G7212	352	<b>Description</b>	O	AN	1/80	Used
		<b>Description:</b> A free-form description to clarify the related data elements and their content				

**Syntax Rules:**

1. R03050809 - At least one of G7203, G7205, G7208 or G7209 is required.
2. E050809 - Only one of G7205, G7208 or G7209 may be present.
3. P0607 - If either G7206 or G7207 is present, then the other is required.
4. P0910 - If either G7209 or G7210 is present, then the other is required.
5. C1103 - If G7211 is present, then G7203 is required.

**Semantics:**

1. G7209 is the allowance or charge percent.
2. If the code used in G7201 does not sufficiently describe the allowance or charge, use of G7212 is recommended.

# G23 Terms of Sale

Pos: 0200	Max: 20
Summary - Optional	
Loop: N/A	Elements: 16

**User Option (Usage):** Used

**Purpose:** To specify the terms of sale

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G2301	336	<b>Terms Type Code</b>	M	ID	2/2	Must use

**Description:** Code identifying type of payment terms

**Code List Summary** (Total Codes: 77, Included: 7)

**Code Name**

02	End of Month (EOM)
03	Fixed Date
08	Basic Discount Offered
09	Proximo
12	10 Days After End of Month (10 EOM)
14	Previously agreed upon
24	Anticipation

**Description:** A discount allowance given when an invoice is paid before its due date (anticipation = (agreed rate/365) x invoice amount x number of days early)

G2302	333	<b>Terms Basis Date Code</b>	M	ID	1/2	Must use
-------	-----	------------------------------	---	----	-----	----------

**Description:** Code identifying the beginning of the terms period

**Code List Summary** (Total Codes: 17, Included: 7)

**Code Name**

1	Ship Date
2	Delivery Date
3	Invoice Date
4	Specified Date
7	Effective Date
8	Invoice Transmission Date
15	Receipt of Goods

G2303	282	<b>Terms Start Date</b>	O	DT	8/8	Used
-------	-----	-------------------------	---	----	-----	------

**Description:** Date from which payment terms are calculated expressed in format CCYYMMDD where CC represents the first two digits of the calendar year

G2304	283	<b>Terms Due Date Qualifier</b>	O	ID	2/2	Used
-------	-----	---------------------------------	---	----	-----	------

**Description:** Code identifying the method to be used for payment in conjunction with due date

**Code List Summary** (Total Codes: 4, Included: 4)

**Code Name**

01	Mailed by Date (Postmark Date)
02	Received by date
03	Electronics Funds Transfer Settlement Date

	<u>Code</u>	<u>Name</u>				
	04	Funds Deposited by Date				
G2305	338	<b>Terms Discount Percent</b>	O	R	1/6	Used
		<b>Description:</b> Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date				
G2306	370	<b>Terms Discount Due Date</b>	O	DT	8/8	Used
		<b>Description:</b> Date payment is due if discount is to be earned expressed in format CCYYMMDD where CC represents the first two digits of the calendar year				
G2307	351	<b>Terms Discount Days Due</b>	O	N0	1/3	Used
		<b>Description:</b> Number of days in the terms discount period by which payment is due if terms discount is earned				
G2308	446	<b>Terms Net Due Date</b>	X	DT	8/8	Used
		<b>Description:</b> Date when total invoice amount becomes due expressed in format CCYYMMDD where CC represents the first two digits of the calendar year				
G2309	386	<b>Terms Net Days</b>	X	N0	1/3	Used
		<b>Description:</b> Number of days until total invoice amount is due (discount not applicable)				
G2310	362	<b>Terms Discount Amount</b>	O	N2	1/10	Used
		<b>Description:</b> Total amount of terms discount				
G2311	391	<b>Discounted Amount Due</b>	O	N2	1/10	Used
		<b>Description:</b> Amount of invoice due if paid by terms discount due date (total invoice or installment amount less cash discount)				
G2312	390	<b>Amount Subject to Terms Discount</b>	O	N2	1/10	Used
		<b>Description:</b> Amount upon which the terms discount amount is calculated				
G2313	343	<b>Installment Total Invoice Amount Due</b>	O	N2	1/10	Used
		<b>Description:</b> Deferred or installment portion of the total invoice (including charges, less allowances) before terms discount (if discount is applicable)				
G2314	342	<b>Percent of Invoice Payable</b>	O	R	1/5	Used
		<b>Description:</b> Amount of invoice payable expressed in percent				
G2315	3	<b>Free-form Message</b>	O	AN	1/60	Used
		<b>Description:</b> Free-form text				
		<b>User Note 1:</b> This data element should only be used when information cannot be expressed in machine readable/processable form and is important in the processing of a transaction.				
G2316	713	<b>Installment Group Indicator</b>	O	N0	2/2	Used
		<b>Description:</b> The installment group indicator is a 2-digit serial number beginning with 01 (i.e., 01, 02, 03 or 04); it is used to group "elective" terms types in an installment payment situation; the same indicator must be used for all segments in the same installment				

### Syntax Rules:

1. R0809 - At least one of G2308 or G2309 is required.

## Comments:

1. The G23 segment may be used for the detail or the total transaction set level. Refer to the transaction set assumptions for details on proper usage.
2. If G2301 equals "04" (deferred or installment) then either G2313 or G2314 is required and the data in the segment pertains only to the portion of the invoice described in G2313 or G2314. If G2301 equals "11" (elective) then G2304 is required. If G2301 is not equal to "05" (discount not applicable) then (G2305 or G2310) and (G2306 or G2307) is required. If G2301 equals "ZZ" (other) then G2315 is required. Multiple use of this segment when G2301 equals "04" (deferred or installment) always implies an "AND" relationship. When G2301 equals "06" (mixed) or "11" (elective) an "OR" relationship is always implied.
3. G2310 is a memo figure requiring specific payment performance and therefore should not be negative.
4. When elective terms are offered in a deferred or installment situation, G2316 (Installment Group Indicator - DE 713) must be used to properly group the terms within each installment.

# G84 Delivery/Return Record of Totals

Pos: 0300	Max: 1
Summary - Optional	
Loop: N/A	Elements: 7

**User Option (Usage):** Used

**Purpose:** To specify summary details of total items in terms of quantity or amount

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G8401	380	Quantity	X	R	1/15	Used

**Description:** Numeric value of quantity

**User Note 1:** G8401 is equal to the sum of all line item detail quantities for G8302.

G8402	361	Total Invoice Amount	X	N2	1/10	Used
-------	-----	----------------------	---	----	------	------

**Description:** Amount of invoice (including charges, less allowances) before terms discount (if discount is applicable)

G8403	865	Total Deposit Dollar Amount	O	N2	1/6	Used
-------	-----	-----------------------------	---	----	-----	------

**Description:** Sum of deposit amounts separately identified

G8404	640	Transaction Type Code	O	ID	2/2	Used
-------	-----	-----------------------	---	----	-----	------

**Description:** Code specifying the type of transaction

**User Note 1:** G8404 is used to clarify use of the transaction: code 30 is used if the transaction serves as a product delivery record; code VJ is used if the transaction serves as an invoice from which payment may be made.

**Code List Summary** (Total Codes: 551, Included: 2)

<u>Code</u>	<u>Name</u>
30	Delivery
VJ	Commercial Invoice

G8405	782	Monetary Amount	O	R	1/18	Used
-------	-----	-----------------	---	---	------	------

**Description:** Monetary amount

G8406	782	Monetary Amount	O	R	1/18	Used
-------	-----	-----------------	---	---	------	------

**Description:** Monetary amount

G8407	782	Monetary Amount	O	R	1/18	Used
-------	-----	-----------------	---	---	------	------

**Description:** Monetary amount

## Syntax Rules:

1. R0102 - At least one of G8401 or G8402 is required.

## Semantics:

1. G8405 is the Total Invoice Allowances Amount - the sum of all allowances in the transaction.
2. G8406 is the Total Invoice Charges Amount - the sum of all charges in the transaction.
3. G8407 is the Total Invoice Taxes Amount - the sum of all taxes in the transaction.

# G86 Signature Identification

Pos: 0400	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To transmit an electronic identity

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G8601	867	Signature	O	AN	1/12	Used

**Description:** Electronic identity. Calculation algorithm obtained from the Uniform Code Council

**User Note 1:** When used in Direct Store Delivery applications, this is the sender's electronic identity.

G8602	93	Name	O	AN	1/60	Used
-------	----	------	---	----	------	------

**Description:** Free-form name

## Semantics:

- G8602 is a keyed representation of a signature.

# G85 Record Integrity Check

Pos: 0500	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 1

**User Option (Usage):** Must use

**Purpose:** To provide a secure method of identifying authenticity of record content

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G8501	866	<b>Integrity Check Value</b>	M	AN	1/12	Must use

**Description:** Data element providing secure method for identifying authenticity of content.  
Value calculated by using CRC 16 algorithm



# SE Transaction Set Trailer

Pos: 0600	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use

**Description:** Total number of segments included in a transaction set including ST and SE segments

**User Note 1:** When used in the SE segment, the count includes the total number of segments in the transaction including the ST and SE segments.

SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	--------------------------------	---	----	-----	----------

**Description:** Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

**User Note 1:** The transaction set control number (SE02) is the same as that used in the corresponding header (ST02).

## Comments:

1. SE is the last segment of each transaction set.

# DXE DEX/UCS Application Trailer

Pos: 0700	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To specify the end of an application message.

## User Note 1:

The purpose of this control segment is to delineate the transactions and provide control information. It must appear as the last data segment in each DEX/UCS transmission.

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DXE01	404	<b>Transmission Control Number</b>	M	N0	1/5	Must use

**Description:** A unique number assigned to the transmission group by the sender.

**User Note 1:** DXE01 must contain the same control number that was contained in DXS04 for this transmission.

DXE02	97	<b>Number of Transaction Sets Included</b>	M	N0	1/6	Must use
-------	----	--	---	----	-----	----------

**Description:** Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element.

**User Note 1:** Contains the total count of the transaction sets (irrespective of whether or not they were of the same kind) contained in this transmission envelope.